

Table of Contents

Overview		 	 	Page 2
How to Use the Document		 	 	Page 2
CY 2018 Program Edits - Errors				
CY 2018 HQR Validation Messa	_			_
Support Resources		 		Page 59
Disclaimer				

Overview

The Calendar Year (CY) 2018 electronic clinical quality measure (eCQM) Data Receiving System Edits Document has been developed to provide greater insight into the error messages generated by the CMS data receiving system when test and production Quality Reporting Document Architecture (QRDA) Category I files are submitted to the CMS receiving system within the *QualityNet Secure Portal*.

Using the error messages and system edits outlined in this document to successfully troubleshoot QRDA Category I error messages assists hospitals and vendors to fulfill the eCQM reporting requirements for the CMS Hospital Inpatient Quality Reporting (IQR) and the Promoting Interoperability Programs.

How to Use the Document

The CMS data receiving system program edits are in place to express error messages.

CY 2018 Program Edits - Errors— This section displays the conformance errors that will cause a QRDA Category I file to fail validation; the error will need to be corrected before the file can be processed. Errors are displayed as either a CMS conformance number (CMS CONF number) or a Health Level Seven (HL7) conformance number.

The fields in this section provide the specific conformance error, the associated error message, the template ID or name where the error occurred, and the condition or content expected within the QRDA Category I file to address the conformance error.

It may appear that the specific program edits only display a portion of the conformance error; the conformance error relates to a specific portion of the statement and the full error messages may contain additional sections with different conformance errors.

CY 2018 HQR Validation Messages — In this section, the additional HQR messages are validation checks entirely in custom Java code. Error messages will fail validation if not corrected.

The fields on this section provide the specific conformance error, the associated error messages, and comments for the data submitter (defined as either the hospital or the vendor) to assist them in addressing the conformance error.

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
	SHALL contain exactly one [11] @classCode="OBS" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:2228-28524).	3.33.m.	
a-2228-28524-error	(CON .2220-20324).	Symptom-errors	@classCode='OBS'
a-2228-28525-error	SHALL contain exactly one [11] @moodCode="EVN" Event (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001) (CONF:2228-28525).	Symptom-errors	@moodCode='EVN'
a-2228-28526-error	SHALL NOT contain [00] @negationInd (CONF:2228-28526).	Symptom-errors	not(@negationInd)
G 1110 10510 G.10.	SHALL contain exactly one [11] templateld (CONF:2228-28514) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.136" (CONF:2228-28518).		count(cda:templateId[@root='2.16.840.1.113883
a-2228-28514-error	SHALL contain exactly one [11] code (CONF:2228-28515).	Symptom-errors	.10.20.24.3.136'][not(@extension)])=1
a-2228-28515-error		Symptom-errors	count(cda:code)=1
	SHALL contain exactly one [11] value with @xsi:type="CD" (CONF:2228-28516).		
a-2228-28516-error	This template SHALL be contained by a Symptom Concern Act (V2) (CONF:2228-28667).	Symptom-errors	count(cda:value[@xsi:type='CD'])=1 count(//cda:templateId[@root='2.16.840.1.11 3883.10.20.24.3.138'][@extension='2016-08-
a-2228-28667-error	(VZ) (CON1.2220-20007).	Symptom-errors	01'])=1
- 2220 20520	This code SHALL contain exactly one [11] @code="75325-1" Symptom (CONF:2228-28520).		@code='75325-1'
a-2228-28520-error	This code SHALL contain exactly one [11] @codeSystem="2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:2228-28521).	Symptom-code-errors	@code= 73323-1
a-2228-28521-error		Symptom-code-errors	@codeSystem='2.16.840.1.113883.6.1'
a-2228-28523-error	This value SHALL contain exactly one [11] @sdtc:valueSet (CONF:2228-28523).	Symptom-value-errors	@sdtc:valueSet
	SHALL contain exactly one $[11]$ templateld (CONF:1198-5252) such that it SHALL contain exactly one $[11]$ @root="2.16.840.1.113883.10.20.22.1.1" (CONF:1198-10036). SHALL contain exactly one $[11]$ @extension="2015-08-01" (CONF:1198-32503).		count(cda:templateId[@root='2.16.840.1.113883
a-1198-5252-error	SHALL contain exactly one [11] realmCode="US" (CONF:1198-16791)	US_Realm-errors	.10.20.22.1.1'][@extension='2015-08-01'])=1
a-1198-16791-error	SHALL contain exactly one [11] typeId (CONF:1198-5361).	US_Realm-errors	count(cda:realmCode[@code='US'])=1
a-1198-5361-error		US_Realm-errors	count(cda:typeId)=1
2 1100 E262 orror	SHALL contain exactly one [11] id (CONF:1198-5363).	UC Dooley overers	sount/adaid\-1
a-1198-5363-error	SHALL contain exactly one [11] code (CONF:1198-5253).	US_Realm-errors	count(cda:id)=1
a-1198-5253-error	SHALL contain exactly one [11] title (CONF:1198-5254).	US_Realm-errors	count(cda:code)=1
a-1198-5254-error	SHALL contain exactly one [11] US Realm Date and Time	US_Realm-errors	count(cda:title)=1
	(DTM.US.FIELDED) (identifier: urn:oid:2.16.840.1.113883.10.20.22.5.4) (CONF:1198-5256).		
a-1198-5256-error		US_Realm-errors	count(cda:effectiveTime)=1
a-1198-5259-error	SHALL contain exactly one [11] confidentialityCode (CONF:1198-5259).	US Realm-errors	count(cda:confidentialityCode)=1
	SHALL contain exactly one [11] languageCode, which SHALL be selected from ValueSet Language urn:oid:2.16.840.1.113883.1.11.11526 DYNAMIC (CONF:1198-5372).		
a-1198-5372-error		US_Realm-errors	count(cda:languageCode)=1
	SHALL contain at least one [1*] recordTarget (CONF:1198-5266).		
a-1198-5266-error	SHALL contain at least one [1*] author (CONF:1198-5444).	US_Realm-errors	count(cda:recordTarget) > 0
a-1198-5444-error	SHALL contain exactly one [11] custodian (CONF:1198-5519).	US_Realm-errors	count(cda:author) > 0
a-1198-5519-error		US_Realm-errors	count(cda:custodian)=1
a-1198-5250-error	This typeId SHALL contain exactly one [11] @root="2.16.840.1.113883.1.3" (CONF:1198-5250).	US_Realm-typeId-errors	@root='2.16.840.1.113883.1.3'
a-1198-5251-error	This typeId SHALL contain exactly one [11] @extension="POCD_HD000040" (CONF:1198-5251).	US_Realm-typeId-errors	@extension='POCD_HD000040'
			-

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
	If setId is present versionNumber SHALL be present (CONF:1198-6380).		
a-1198-6380-error		US_Realm-setId-errors	count(/cda:versionNumber)=1
	If versionNumber is present setId SHALL be present (CONF:1198-6387).		
a-1198-6387-error		US_Realm-versionNumber-errors	count(/cda:setId)=1
	Such recordTargets SHALL contain exactly one [11] patientRole (CONF:1198-5267).		
a-1198-5267-error		US_Realm-recordTarget-errors	count(cda:patientRole)=1
	This patientRole SHALL contain at least one [1*] id (CONF:1198-5268).		
a-1198-5268-error	This patientRole SHALL contain at least one [1*] US Realm	US_Realm-recordTarget-patientRole-errors	count(cda:id) > 0
	Address (AD.US.FIELDED) (identifier:		
a-1198-5271-error	urn:oid:2.16.840.1.113883.10.20.22.5.2) (CONF:1198-5271).	US Realm-recordTarget-patientRole-errors	count(cda:addr) > 0
d-1136-3271-EHOI	This patientRole SHALL contain at least one [1*] telecom	03_ream-record ranget-patient role-en 013	count(cua.auur) > 0
a-1198-5280-error	(CONF:1198-5280).	US_Realm-recordTarget-patientRole-errors	count(cda:telecom) > 0
a-1198-5283-error	This patientRole SHALL contain exactly one [11] patient (CONF:1198-5283).	US_Realm-recordTarget-patientRole-errors	count(cda:patient)=1
	This patient SHALL contain at least one [1*] US Realm Person		
	Name (PN.US.FIELDED) (identifier: urn:oid:2.16.840.1.113883.10.20.22.5.1.1) (CONF:1198-5284).		
	,		
a-1198-5284-error		US_Realm-recordTarget-patientRole-patient-errors	count(cda:name)> 0
	This patient SHALL contain exactly one [11] administrativeGenderCode, which SHALL be selected from		
	ValueSet Administrative Gender (HL7 V3)		
	urn:oid:2.16.840.1.113883.1.11.1 DYNAMIC (CONF:1198-6394).		
		us pala and the state of the st	
a-1198-6394-error	This patient SHALL contain exactly one [11] birthTime	US_Realm-recordTarget-patientRole-patient-errors	count(cda:administrativeGenderCode)=1
a-1198-5298-error	(CONF:1198-5298).	US_Realm-recordTarget-patientRole-patient-errors	count(cda:birthTime)=1
	This patient SHALL contain exactly one [11] raceCode, which SHALL be selected from ValueSet Race Category Excluding Nulls		
	urn:oid:2.16.840.1.113883.3.2074.1.1.3 DYNAMIC (CONF:1198-		
	5322).		
a-1198-5322-error		US_Realm-recordTarget-patientRole-patient-errors	count(cda:raceCode)=1
	This patient SHALL contain exactly one [11] ethnicGroupCode, which SHALL be selected from ValueSet Ethnicity		
	urn:oid:2.16.840.1.114222.4.11.837 DYNAMIC (CONF:1198-		
a-1198-5323-error	5323).	LIC Doolm recordTorget nationtDale nations errors	count(cda:ethnicGroupCode)=1
a-1196-5525-EIIOI	SHALL be precise to year (CONF:1198-5299).	US_Realm-recordTarget-patientRole-patient-errors US_Realm-recordTarget-patientRole-patient-birthTime-	count(cua.etimicoroupcode)=1
a-1198-5299-error	If the second discount the second sec	errors US_Realm-recordTarget-patientRole-patient-raceCode-	string-length(@value) >= 4
a-1198-31347-error	If sdtc:raceCode is present, then the patient SHALL contain [11] raceCode (CONF:1198-31347).	errors	count(/cda:raceCode)=1
- 1100 5305	The guardian, if present, SHALL contain exactly one [11]	US_Realm-recordTarget-patientRole-patient-guardian-	count/educusrdianDercon\-1
a-1198-5385-error	guardianPerson (CONF:1198-5385). This guardianPerson SHALL contain at least one [1*] US Realm	errors	count(cda:guardianPerson)=1
	Person Name (PN.US.FIELDED) (identifier:		
	urn:oid:2.16.840.1.113883.10.20.22.5.1.1) (CONF:1198-5386).	US Doolm recordTorget naticat Data actions and	
a-1198-5386-error		US_Realm-recordTarget-patientRole-patient-guardian- guardianPerson-errors	count(cda:name) > 0
	The birthplace, if present, SHALL contain exactly one [11]		
a-1198-5396-error	place (CONF:1198-5396).	US_Realm-recordTarget-patientRole-patient-birthplace- errors	count(cda:place)=1
	This place SHALL contain exactly one [11] addr (CONF:1198-		
a 1100 F207	5397).	US_Realm-recordTarget-patientRole-patient-birthplace-	count/odougddx\=1
a-1198-5397-error	The languageCommunication, if present, SHALL contain exactly	place-errors	count(cda:addr)=1
	one [11] languageCode, which SHALL be selected from		
	ValueSet Language urn:oid:2.16.840.1.113883.1.11.11526 DYNAMIC (CONF:1198-5407).		
		US_Realm-recordTarget-patientRole-patient-	
a-1198-5407-error	The providerOrganization if present CLIAII	languageCommunication-errors	count(cda:languageCode)=1
	The providerOrganization, if present, SHALL contain at least one [1*] id (CONF:1198-5417).	US_Realm-recordTarget-patientRole-providerOrganization-	
a-1198-5417-error		errors	count(cda:id) > 0
a-1198-5419-error	The providerOrganization, if present, SHALL contain at least one [1*] name (CONF:1198-5419).	US_Realm-recordTarget-patientRole-providerOrganization- errors	count(cda:name) > 0
2 2250 5 125 €1101	The providerOrganization, if present, SHALL contain at least		
a-1198-5420-error	one [1*] telecom (CONF:1198-5420).	US_Realm-recordTarget-patientRole-providerOrganization- errors	count(cda:telecom) > 0
	The providerOrganization, if present, SHALL contain at least		, , ,
	one [1*] US Realm Address (AD.US.FIELDED) (identifier: urn:oid:2.16.840.1.113883.10.20.22.5.2) (CONF:1198-5422).		
	(CONF.1130-3422).	US_Realm-recordTarget-patientRole-providerOrganization-	
a-1198-5422-error		errors	count(cda:addr) > 0

CONFORMANCE EDDOR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR	CONDITION (WHAT IS EVALUED
CONFORMANCE ERROR		OCCURRED	CONDITION/WHAT IS EXPECTED
	Such authors SHALL contain exactly one [11] US Realm Date and Time (DTM.US.FIELDED) (identifier: urn:oid:2.16.840.1.113883.10.20.22.5.4) (CONF:1198-5445).		
a-1198-5445-error		US_Realm-author-errors	count(cda:time)=1
	Such authors SHALL contain exactly one [11] assignedAuthor		
4400 5440	(CONF:1198-5448).	US Budge of house	
a-1198-5448-error	This assignedAuthor SHALL contain at least one [1*] id	US_Realm-author-errors	count(cda:assignedAuthor)=1
	(CONF:1198-5449).		
a-1198-5449-error	This assignedAuthor SHALL contain at least one [1*] US Realm	US_Realm-author-assignedAuthor-errors	count(cda:id) > 0
	Address (AD.US.FIELDED) (identifier: urn:oid:2.16.840.1.113883.10.20.22.5.2) (CONF:1198-5452).		
a-1198-5452-error		US_Realm-author-assignedAuthor-errors	count(cda:addr) > 0
a-1198-5428-error	This assignedAuthor SHALL contain at least one [1*] telecom (CONF:1198-5428).	US Realm-author-assignedAuthor-errors	count(cda:telecom) > 0
	There SHALL be exactly one assignedAuthor/assignedPerson or exactly one assignedAuthor/assignedAuthoringDevice (CONF:1198-16790).		
a-1198-16790-error		US_Realm-author-assignedAuthor-errors	count(cda:assignedPerson)=1 or count(cda:assignedAuthoringDevice)=1
	The code, if present, SHALL contain exactly one [11] @code, which SHOULD be selected from ValueSet Healthcare Provider Taxonomy (HIPAA) urn:oid:2.16.840.1.114222.4.11.1066 DYNAMIC (CONF:1198-16788).		
a-1198-16788-error		US_Realm-author-assignedAuthor-code-errors	@code
	The assignedPerson, if present, SHALL contain at least one [1*] US Realm Person Name (PN.US.FIELDED) (identifier: urn:oid:2.16.840.1.113883.10.20.22.5.1.1) (CONF:1198-16789).		
a-1198-16789-error		US_Realm-author-assignedAuthor-assignedPerson-errors	count(cda:name) > 0
a-1198-16784-error	The assignedAuthoringDevice, if present, SHALL contain exactly one [11] manufacturerModelName (CONF:1198-16784).	US_Realm-author-assignedAuthor-assignedAuthoringDevice-errors	count(cda:manufacturerModelName)=1
a-1198-16785-error	The assignedAuthoringDevice, if present, SHALL contain exactly one [11] softwareName (CONF:1198-16785).	US_Realm-author-assignedAuthor- assignedAuthoringDevice-errors	count(cda:softwareName)=1
	The dataEnterer, if present, SHALL contain exactly one [11]		
a-1198-5442-error	assignedEntity (CONF:1198-5442). This assignedEntity SHALL contain at least one [1*] id	US_Realm-dataEnterer-errors	count(cda:assignedEntity)=1
a-1198-5443-error	(CONF:1198-5443).	US_Realm-dataEnterer-assignedEntity-errors	count(cda:id) > 0
- 1100 F4C0	This assignedEntity SHALL contain at least one [1*] US Realm Address (AD.US.FIELDED) (identifier: urn:oid:2.16.840.1.113883.10.20.22.5.2) (CONF:1198-5460).	US Realm-dataEnterer-assignedEntity-errors	count/educadds) > 0
a-1198-5460-error	This assignedEntity SHALL contain at least one [1*] telecom	US_RealIII-dataEnterer-assignedEntity-errors	count(cda:addr) > 0
a-1198-5466-error	(CONF:1198-5466).	US_Realm-dataEnterer-assignedEntity-errors	count(cda:telecom) > 0
a-1198-5469-error	This assignedEntity SHALL contain exactly one [11] assignedPerson (CONF:1198-5469). This assignedPerson SHALL contain at least one [1*] US Realm	US_Realm-dataEnterer-assignedEntity-errors	count(cda:assignedPerson)=1
a-1198-5470-error	Person Name (PN.US.FIELDED) (identifier: urn:oid:2.16.840.1.113883.10.20.22.5.1.1) (CONF:1198-5470).	US_Realm-dataEnterer-assignedEntity-assignedPerson- errors	count(cda:name) > 0
a-1198-5520-error	This custodian SHALL contain exactly one [11] assignedCustodian (CONF:1198-5520). This assignedCustodian SHALL contain exactly one [11]	US_Realm-custodian-errors	count(cda:assignedCustodian)=1
a-1198-5521-error	representedCustodianOrganization (CONF:1198-5521).	US_Realm-custodian-assignedCustodian-errors	count(cda:representedCustodianOrganization)=1
a-1198-5522-error	This representedCustodianOrganization SHALL contain at least one [1*] id (CONF:1198-5522).	US_Realm-custodian-assignedCustodian- representedCustodianOrganization-errors	count(cda:id) > 0
- 1100 5524	$This\ represented Custodian Organization\ SHALL\ contain\ exactly$	US_Realm-custodian-assignedCustodian-	sount(adamama)-1
a-1198-5524-error	one [11] name (CONF:1198-5524). This representedCustodianOrganization SHALL contain exactly	representedCustodianOrganization-errors US_Realm-custodian-assignedCustodian-	count(cda:name)=1
a-1198-5525-error	one [11] telecom (CONF:1198-5525).	representedCustodianOrganization-errors	count(cda:telecom)=1
	This representedCustodianOrganization SHALL contain exactly one [11] US Realm Address (AD.US.FIELDED) (identifier: urn:oid:2.16.840.1.113883.10.20.22.5.2) (CONF:1198-5559).	US_Realm-custodian-assignedCustodian-	
a-1198-5559-error	The information Decinic at 15 annual CUAL	representedCustodianOrganization-errors	count(cda:addr)=1
a-1198-5566-error	The informationRecipient, if present, SHALL contain exactly one [11] intendedRecipient (CONF:1198-5566).	US_Realm-informationRecipient-errors	count(cda:intendedRecipient)=1
	The informationRecipient, if present, SHALL contain at least one [1*] US Realm Person Name (PN.US.FIELDED) (identifier: urn:oid:2.16.840.1.113883.10.20.22.5.1.1) (CONF:1198-5568).	US_Realm-informationRecipient-intendedRecipient-	
a-1198-5568-error		informationRecipient-errors	count(cda:name) > 0
a-1198-5578-error	The receivedOrganization, if present, SHALL contain exactly one [11] name (CONF:1198-5578). The legalAuthenticator, if present, SHALL contain exactly one	US_Realm-informationRecipient-intendedRecipient- receivedOrganization-errors	count(cda:name)=1
a-1198-5580-error	[11] US Realm Date and Time (DTM.US.FIELDED) (identifier: urn:oid:2.16.840.1.113883.10.20.22.5.4) (CONF:1198-5580).	US_Realm-legalAuthenticator-errors	count(cda:time)=1
2 2230 3300 61101		55	countries—1

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
a-1198-5583-error	The legalAuthenticator, if present, SHALL contain exactly one [11] signatureCode (CONF:1198-5583).	US_Realm-legalAuthenticator-errors	count(cda:signatureCode)=1
a-1198-5585-error	The legalAuthenticator, if present, SHALL contain exactly one [11] assignedEntity (CONF:1198-5585).	US Realm-legalAuthenticator-errors	count(cda:assignedEntity)=1
a-1198-5584-error	This signatureCode SHALL contain exactly one [11] @code="S" (CodeSystem: Participationsignature urn:oid:2.16.840.1.113883.5.89 STATIC) (CONF:1198-5584).	US Realm-legalAuthenticator-signatureCode-errors	@code='S'
a-1150-3304-e1101	This assignedEntity SHALL contain at least one [1*] id	03_nealin-legalAuthenticator-signatureCode-entits	ercoue-3
a-1198-5586-error	(CONF:1198-5586). This assignedEntity SHALL contain at least one [1*] US Realm Address (AD.US.FIELDED) (identifier:	US_Realm-legalAuthenticator-assignedEntity-errors	count(cda:id) > 0
a-1198-5589-error	urn:oid:2.16.840.1.113883.10.20.22.5.2) (CONF:1198-5589).	US_Realm-legalAuthenticator-assignedEntity-errors	count(cda:addr) > 0
a-1198-5595-error	This assignedEntity SHALL contain at least one [1*] telecom (CONF:1198-5595).	US Realm-legalAuthenticator-assignedEntity-errors	count(cda:telecom) > 0
a-1198-5597-error	This assignedEntity SHALL contain exactly one [11] assignedPerson (CONF:1198-5597).	US_Realm-legalAuthenticator-assignedEntity-errors	count(cda:assignedPerson)=1
a-1198-5598-error	This assignedPerson SHALL contain at least one [1*] US Realm Person Name (PN.US.FIELDED) (identifier: urn:oid:2.16.840.1.113883.10.20.22.5.1.1) (CONF:1198-5598).	US_Realm-legalAuthenticator-assignedEntity-assignedPerson-errors	count(cda:name) > 0
	The inFulfillmentOf, if present, SHALL contain exactly one [11]		
a-1198-9953-error a-1198-9954-error	order (CONF:1198-9953). This order SHALL contain at least one [1*] id (CONF:1198-9954).	US_Realm-inFulfillmentOf-errors US_Realm-inFulfillmentOf-order-errors	count(cda:order)=1 count(cda:id) > 0
	The documentationOf, if present, SHALL contain exactly one		
a-1198-14836-error	[11] serviceEvent (CONF:1198-14836). This serviceEvent SHALL contain exactly one [11]	US_Realm-documentationOf-errors	count(cda:serviceEvent)=1
a-1198-14837-error	effectiveTime (CONF:1198-14837). This effectiveTime SHALL contain exactly one [11] low	US_Realm-documentationOf-serviceEvent-errors US_Realm-documentationOf-serviceEvent-effectiveTime-	count(cda:effectiveTime)=1
a-1198-14838-error	(CONF:1198-14838).	errors	count(cda:low)=1
a-1198-14840-error	The performer, if present, SHALL contain exactly one [11] @typeCode, which SHALL be selected from ValueSet x_ServiceEventPerformer urn:oid:2.16.840.1.113883.1.11.19601 STATIC (CONF:1198-14840).	US_Realm-documentationOf-serviceEvent-performer- errors	@typeCode=document('voc.xml')/voc:systems/voc:system[@valueSetOid='2.16.840.1.113883.1.11.19601']/voc:code/@value
a-1198-14841-error	The performer, if present, SHALL contain exactly one [11] assignedEntity (CONF:1198-14841).	US_Realm-documentationOf-serviceEvent-performer- errors	count(cda:assignedEntity)=1
	This assignedEntity SHALL contain at least one [1*] id	US_Realm-documentationOf-serviceEvent-performer-	
a-1198-14846-error	(CONF:1198-14846). The componentOf, if present, SHALL contain exactly one [11]	assignedEntity-errors	count(cda:id) > 0
a-1198-9956-error	encompassingEncounter (CONF:1198-9956). This encompassingEncounter SHALL contain at least one [1*]	US_Realm-componentOf-errors	count(cda:encompassingEncounter)=1
a-1198-9959-error	id (CONF:1198-9959).	US_Realm-componentOf-encompassingEncounter-errors	count(cda:id) > 0
a-1198-9958-error	This encompassingEncounter SHALL contain exactly one [11] effectiveTime (CONF:1198-9958). SHALL contain exactly one [11] @classCode="MANU"	US_Realm-componentOf-encompassingEncounter-errors	count(cda:effectiveTime)=1
a-81-7900-error	Manufactured Product (CodeSystem: RoleClass urn:oid:2.16.840.1.113883.5.110 STATIC) (CONF:81-7900).	Product-Instance-errors	@classCode='MANU'
a-81-7901-error	SHALL contain exactly one [11] templateId (CONF:81-7901) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.22.4.37" (CONF:81-10522).	Product-Instance-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.22.4.37'][not(@extension)])=1
a-81-7902-error	SHALL contain at least one [1*] id (CONF:81-7902).	Product-Instance-errors	count(cda:id) > 0
a-81-7903-error	SHALL contain exactly one [11] playingDevice (CONF:81-7903).	Product-Instance-errors	count(cda:playingDevice)=1
a-81-7905-error	SHALL contain exactly one [11] scopingEntity (CONF:81-7905).	Product-Instance-errors	count(cda:scopingEntity)=1
a-81-7908-error	This scopingEntity SHALL contain at least one [1*] id (CONF:81 7908).	Product-Instance-scopingEntity-errors	count(cda:id)>=1
a-81-7306-e1101	SHALL contain exactly one [11] @classCode="OBS" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6)	Troduce-instance-scopingEntity-entits	count(cua.iu)>=1
a-2228-14110-error	(CONF:2228-14110). SHALL contain exactly one [11] @moodCode="EVN"	Medication_Adverse_Effect_V3-errors	@classCode='OBS'
a-2228-14111-error	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001) (CONF:2228-14111).	Medication_Adverse_Effect_V3-errors	@moodCode='EVN'
a-2228-28081-error	SHALL NOT contain [00] @negationInd (CONF:2228-28081).	Medication Adverse Effect V3-errors	not(@negationInd)
a-2228-14112-error	SHALL contain exactly one [11] templateld (CONF:2228-14112) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.43" (CONF:2228-14113). SHALL contain exactly one [11] @extension="2016-0201" (CONF:2228-27030).		count(cda:templateId[@root='2.16.840.1.113883 .10.20.24.3.43'][@extension='2016-02-01']) = 1
	SHALL contain exactly one [11] value with @xsi:type="CD"		
a-2228-14134-error	(CONF:2228-14134). SHALL contain exactly one [11] participant (CONF:2228-27964) such that it SHALL contain exactly one [11] @typeCode="CSM" Consumable (CodeSystem: HL7ParticipationType urn:oid:2.16.840.1.113883.5.90)	Medication_Adverse_Effect_V3-errors	count(cda:value[@xsi:type='CD']) = 1
a-2228-27964-error	(CONF:2228-27968).SHALL contain exactly one [11] participantRole (CONF:2228-27965).	Medication_Adverse_Effect_V3-errors	count(cda:participant[@typeCode='CSM'][count(cda:participantRole)= 1])=1

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
	This value SHALL contain exactly one [11]		
a-2228-14135-error	@code="419511003" Propensity to adverse reactions to drug (disorder) (CONF:2228-14135).	Medication_Adverse_Effect_V3-value-errors	@code='419511003'
	This value SHALL contain exactly one [11]		
	@codeSystem="2.16.840.1.113883.6.96" (CodeSystem: SNOMED CT urn:oid:2.16.840.1.113883.6.96) (CONF:2228-		
a-2228-28554-error	28554).	Medication_Adverse_Effect_V3-value-errors	@codeSystem='2.16.840.1.113883.6.96'
	This participantRole SHALL contain exactly one [11] @classCode="MANU" Manufactured product (CodeSystem:		
	RoleClass urn:oid:2.16.840.1.113883.5.110) (CONF:2228-		
a-2228-27969-error	27969). This participantRole SHALL contain exactly one [11]	Medication_Adverse_Effect_V3-participantRole-errors	@classCode='MANU'
a-2228-27966-error	playingEntity (CONF:2228-27966).	Medication_Adverse_Effect_V3-participantRole-errors	count(cda:playingEntity)=1
	This playingEntity SHALL contain exactly one [11] @classCode="MMAT" Manufactured material (CodeSystem:		
	EntityClass urn:oid:2.16.840.1.113883.5.41) (CONF:2228-		
a-2228-27970-error	27970).	Medication_Adverse_Effect_V3-playingEntity-errors	@classCode='MMAT'
a-2228-27967-error	This playingEntity SHALL contain exactly one [11] code (CONF:2228-27967).	Medication_Adverse_Effect_V3-playingEntity-errors	count(cda:code)=1
2220 27074	This code SHALL contain exactly one [11] @sdtc:valueSet		
a-2228-27971-error	(CONF:2228-27971). SHALL contain exactly one [11] @classCode="OBS"	Medication_Adverse_Effect_V3-code-errors	@sdtc:valueSet
	(CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6		
a-67-11879-error	STATIC) (CONF:67-11879). SHALL contain exactly one [11] @moodCode="EVN"	Status-errors	@classCode='OBS'
	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001		
a-67-11880-error	STATIC) (CONF:67-11880).	Status-errors	@moodCode='EVN'
	SHALL contain exactly one [11] templateId (CONF:67-11881) such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.24.3.93" (CONF:67-11882).		count(cda:templateId[@root='2.16.840.1.113883
a-67-11881-error a-67-11884-error	SHALL contain at least one [1*] id (CONF:67-11884).	Status-errors Status-errors	.10.20.24.3.93'][not(@extension)])=1 count(cda:id) >= 1
a-67-11885-error	SHALL contain exactly one [11] code (CONF:67-11885).	Status-errors	count(cda:code)=1
a-67-11887-error	SHALL contain exactly one [11] value (CONF:67-11887). This code SHALL contain exactly one [11] @code="33999-4"	Status-errors	count(cda:value)=1
a-67-11886-error	status (CONF:67-11886).	Status-code-errors	@code='33999-4'
	This code SHALL contain exactly one [11]		
a-67-27011-error	@codeSystem="2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:67-27011).	Status-code-errors	@codeSystem='2.16.840.1.113883.6.1'
	SHALL contain exactly one [11] @classCode="ACT"		
a-2228-12444-error	(CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:2228-12444).	Medication_Administered_V3-errors	@classCode='ACT'
	SHALL contain exactly one [11] @moodCode="EVN"		
a-2228-12445-error	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001) (CONF:2228-12445).	Medication Administered V3-errors	@moodCode='EVN'
u 2220 22 113 Citor	SHALL contain exactly one [11] templateld (CONF:2228-		
	12446) such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.24.3.42" (CONF:2228-		
	12447).		count/cda-tamplatald[@root=12.16.940.1.112992
a-2228-12446-error	SHALL contain exactly one [11] @extension="2016-02-01" (CONF:2228-27023).	Medication_Administered_V3-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.24.3.42'][@extension='2016-02-01']) = 1
a-2228-12448-error	SHALL contain at least one [1*] id (CONF:2228-12448).	Medication_Administered_V3-errors	count(cda:id) > 0
a-2228-12449-error	SHALL contain exactly one [11] code (CONF:2228-12449). SHALL contain exactly one [11] statusCode (CONF:2228-	Medication_Administered_V3-errors	count(cda:code) = 1
a-2228-12452-error	12452).	Medication_Administered_V3-errors	count(cda:statusCode) = 1
a-2228-26714-error	SHALL contain exactly one [11] effectiveTime (CONF:2228-26714).	Medication Administered V3-errors	count(cda:effectiveTime) = 1
2220 2072 1 01101	SHALL contain at least one [1*] entryRelationship (CONF:2228		
	12454) such that it SHALL contain exactly one [11] @typeCode="COMP" (CodeSystem: HL7ActRelationshipType		
	urn:oid:2.16.840.1.113883.5.1002) (CONF:2228-12455).		
	SHALL contain exactly one [11] Medication Activity (V2)		count(cda:entryRelationship[@typeCode='COMP'][count(cda:substanceAdministration[cda:templa
	(identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.16:2014-06-09) (CONF:2228-12456).		teld[@root='2.16.840.1.113883.10.20.22.4.16'][
a-2228-12454-error		Medication_Administered_V3-errors	@extension='2014-06-09']])=1]) > 0
a-2228-12450-error	This code SHALL contain exactly one [11] @code="416118004" administration (CONF:2228-12450).	Medication_Administered_V3-code-errors	@code = '416118004'
	This code SHALL contain exactly one [11]		
	@codeSystem="2.16.840.1.113883.6.96" (CodeSystem: SNOMED CT urn:oid:2.16.840.1.113883.6.96) (CONF:2228-		
a-2228-28129-error	28129).	Medication_Administered_V3-code-errors	@codeSystem='2.16.840.1.113883.6.96'
	This statusCode SHALL contain exactly one [11] @code="completed" (CodeSystem: ActStatus		
a-2228-13241-error	urn:oid:2.16.840.1.113883.5.14) (CONF:2228-13241).	Medication_Administered_V3-statuscode-errors	@code='completed'
a-2228-28552-error	This effectiveTime SHALL contain exactly one [11] low	Medication Administered V3-effectiveTime-errors	count(cda:low) = 1
a-2220-20332-EIIUI	(CONF:2228-28552). This substanceAdministration SHALL contain exactly one [11]	medication_numinatered_va-enective fillie-errors	countedation) - 1
- 2220 42457	@moodCode="EVN" (CodeSystem: ActMood	Medication_Administered_V3-substanceAdministration-	@maadCada_'EVN!
a-2228-12457-error	urn:oid:2.16.840.1.113883.5.1001) (CONF:2228-12457). SHALL contain exactly one [11] @classCode="ENC" Encounter	errors	@moodCode='EVN'
2220 275 12	(CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6)		
a-2228-27549-error	(CONF:2228-27549).	Encounter-Recommended-errors	@classCode='ENC'

	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR	
CONFORMANCE ERROR		OCCURRED	CONDITION/WHAT IS EXPECTED
2229 44044	SHALL contain exactly one [11] @moodCode="INT" Intent (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)	Encounter Personmended arrange	@moodCodo='INT'
a-2228-11911-error	(CONF:2228-11911). SHALL contain exactly one [11] templateld (CONF:2228- 11912) such that it SHALL contain exactly one [11]	Encounter-Recommended-errors	@moodCode='INT'
	@root="2.16.840.1.113883.10.20.24.3.24" (CONF:2228-11913). SHALL contain exactly one [11] @extension="2016-		count(cda:templateId[@root='2.16.840.1.113883
a-2228-11912-error	02-01" (CONF:2228-27066).	Encounter-Recommended-errors	.10.20.24.3.24'][@extension='2016-02-01'])=1
a-2228-11915-error	SHALL contain exactly one [11] code (CONF:2228-11915). SHALL contain exactly one [11] Author Participation	Encounter-Recommended-errors	count(cda:code)=1
a-2228-27347-error	(identifier: urn:oid:2.16.840.1.113883.10.20.22.4.119) (CONF:2228-27347).	Encounter-Recommended-errors	count(cda:author[cda:templateId[@root='2.16.84 0.1.113883.10.20.22.4.119']])=1 count(//cda:templateId[@root='2.16.840.1.11
a-2228-28660-error	This template SHALL be contained by an Encounter Recommended Act (CONF:2228-28660).	Encounter-Recommended-errors	3883.10.20.24.3.134'])=1
a-2228-27626-error	This code SHALL contain exactly one [11] @sdtc:valueSet (CONF:2228-27626).	Encounter-Recommended-code-errors	@sdtc:valueSet
	SHALL contain exactly one [11] @classCode="PROC" Procedure (CodeSystem: HL7ActClass		
a-2228-27337-error	urn:oid:2.16.840.1.113883.5.6) (CONF:2228-27337). SHALL contain exactly one [11] @moodCode="INT" Intent	Procedure-Recommended-errors	@classCode='PROC'
	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)		
a-2228-11103-error	(CONF:2228-11103). SHALL contain exactly one [11] templateId (CONF:2228-	Procedure-Recommended-errors	@moodCode='INT'
	11104) such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.24.3.65" (CONF:2228-11105). SHALL contain exactly one [11] @extension="2016-02-		count(cda:templateId[@root='2.16.840.1.113883
a-2228-11104-error a-2228-11107-error	01" (CONF:2228-27086). SHALL contain exactly one [11] code (CONF:2228-11107).	Procedure-Recommended-errors Procedure-Recommended-errors	.10.20.24.3.65'][@extension='2016-02-01'])=1 count(cda:code)=1
	SHALL contain exactly one [11] Author Participation (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.119)		count(cda:author[cda:templateId[@root='2.16.84
a-2228-27352-error	(CONF:2228-27352).	Procedure-Recommended-errors	0.1.113883.10.20.22.4.119']])=1
a-2228-27654-error	This code SHALL contain exactly one [11] @sdtc:valueSet (CONF:2228-27654).	Procedure-Recommended-code-errors	@sdtc:valueSet
a-2228-27729-error	The translation, if present, SHALL contain exactly one [11] @sdtc:valueSet (CONF:2228-27729).	Procedure-Recommended-targetSiteCode-translation- errors	@sdtc:valueSet
u-2220-27/25-€1101	SHALL contain exactly one [11] @classCode="PROC"	Citors	@ Succ. value Set
a-2228-28050-error	Procedure (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:2228-28050).	Device-Applied-errors	@classCode='PROC'
	SHALL contain exactly one [11] @moodCode="EVN" Event (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)		
a-2228-28051-error	(CONF:2228-28051).	Device-Applied-errors	@moodCode='EVN'
	SHALL contain exactly one [11] templateId (CONF:2228- 12391) such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.24.3.7" (CONF:2228-12392). SHALL contain exactly one [11] @extension="2016-02-01"		count(cda:templateId[@root='2.16.840.1.113883
a-2228-12391-error	(CONF:2228-27132).	Device-Applied-errors	.10.20.24.3.7'][@extension='2016-02-01'])=1
a-2228-12414-error	SHALL contain exactly one [11] code (CONF:2228-12414). SHALL contain exactly one [11] statusCode="completed",	Device-Applied-errors	count(cda:code)=1
a-2228-12394-error	which SHALL be selected from CodeSystem ActStatus (urn:oid:2.16.840.1.113883.5.14) (CONF:2228-12394)	Device-Applied-errors	count(cda:statusCode)=1
2 2229 1220E orror	SHALL contain exactly one [11] effectiveTime (CONF:2228-	Davice-Applied-errors	count(cda:effectiveTime)=1
a-2228-12395-error	12395). SHALL contain exactly one [11] participant (CONF:2228-	Device-Applied-errors	counticua.enective inne _j =1
	12396) such that it SHALL contain exactly one [11] @typeCode="DEV" device, which SHALL be selected from		
	CodeSystem HL7ParticipationType		
	(urn:oid:2.16.840.1.113883.5.90) (CONF:2228-12397). SHALL contain exactly one [11] participantRole (CONF:2228-12398).		
	This participantRole SHALL contain exactly one [11] @classCode="MANU" manufactured product, which SHALL be		
	selected from CodeSystem RoleClass		
	(urn:oid:2.16.840.1.113883.5.110) (CONF:2228-12399). This participant Role SHALL contain exactly one [11] playing Device		
	(CONF:2228-12400). This playing Device SHALL contain exactly one [11] @classCode="DEV" device, which SHALL be selected		
	from CodeSystem HL7ParticipationType		
	(urn:oid:2.16.840.1.113883.5.90) (CONF:2228-12401). This playingDevice SHALL contain exactly one [11] code		count(cda:participant[@typeCode='DEV'][count(c
a-2228-12398-error	(CONF:2228-12402). This code SHALL contain exactly one [11] @sdtc:valueSet (CONF:2228-27584).	Device-Applied-errors	da:participantRole[@classCode='MANU'][count(c da:playingDevice[@classCode='DEV'][count(cda:c ode[@sdtc:valueSet])=1])=1])=1])=1]
	This code SHALL contain exactly one [11]		
a-2228-12415-error	@code="360030002" application of device (CONF:2228- 12415).	Device-Applied-code-errors	@code='360030002'
	This code SHALL contain exactly one [11] @codeSystem="2.16.840.1.113883.6.96" (CodeSystem:		
a-2228-27356-error	SNOMED CT urn:oid:2.16.840.1.113883.6.96) (CONF:2228-	Device-Applied-code-errors	@codeSystem='2.16.840.1.113883.6.96'
	27536). This effectiveTime SHALL contain exactly one [11] low		
a-2228-27537-error	(CONF:2228-27537).	Device-Applied-effectiveTime-errors	count(cda:low)=1

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
	SHALL contain exactly one [11] @typeCode="RSON" has reason, which SHALL be selected from CodeSystem HL7ActRelationshipType (urn:oid:2.16.840.1.113883.5.1002)		
a-2228-12404-error	(CONF:2228-12404).	Device-Applied-entryRelationship-errors	@typeCode='RSON'
	SHALL contain exactly one [11] Reason (V2) (identifier:		count (cda: observation [cda: templateId [@root='2.
a-2228-27131-error	urn:hl7ii:2.16.840.1.113883.10.20.24.3.88:2014-12-01) (CONF:2228-27131).	Device-Applied-entryRelationship-errors	16.840.1.113883.10.20.24.3.88'][@extension='20 14-12-01']])=1
2220 27724	The translation, if present, SHALL contain exactly one [11]	Davisa Applied towartStarCode towardstar annual	@-4t
a-2228-27731-error	@sdtc:valueSet (CONF:2228-27731). SHALL contain exactly one [11] @classCode="SDLOC" (CodeSystem: RoleCode urn:oid:2.16.840.1.113883.5.111	Device-Applied-targetSiteCode-translation-errors	@sdtc:valueSet
a-81-28426-error	STATIC) (CONF:81-7758).	Service-Delivery-Location-errors	@classCode='SDLOC'
0 01 10 110 1110	SHALL contain exactly one [11] templateId (CONF:81-7635)	, , , , , , , , , , , , , , , , , , , ,	C 1000000 12 200
	such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.22.4.32" (CONF:81-10524).		count(cda:templateId[@root='2.16.840.1.113883
a-81-10524-error		Service-Delivery-Location-errors	.10.20.22.4.32'][not(@extension)])=1
	SHALL contain exactly one [11] code, which SHALL be selected		
	from ValueSet HealthcareServiceLocation		
a-81-16850-error	urn:oid:2.16.840.1.113883.1.11.20275 STATIC (CONF:81-16850).	Service-Delivery-Location-errors	count(cda:code)=1
a-61-10850-e1101	The playingEntity, if present, SHALL contain exactly one [11]	Service Benvery Education errors	count(cau.coac)=1
	@classCode="PLC" (CodeSystem: EntityClass		
a-81-7763-error	urn:oid:2.16.840.1.113883.5.41 STATIC) (CONF:81-7763).	Service-Delivery-Location-playingEntity-errors	@classCode='PLC'
	SHALL contain exactly one [11] @classCode="OBS"		
	(CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6)		
a-1140-13276-error	(CONF:1140-13276).	Radiation-Dosage-And-Duration-errors	@classCode='OBS'
	SHALL contain exactly one [11] @moodCode="EVN"		
4440 42277	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)	D. P. C. D A. J. D C.	Constitution of the Invalle
a-1140-13277-error	(CONF:1140-13277). SHALL contain exactly one [11] templateld (CONF:1140-	Radiation-Dosage-And-Duration-errors	@moodCode='EVN'
	13278) such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.24.3.91" (CONF:1140-		
	13279). SHALL contain exactly one [11] @extension="2014-12-		count(cda:templateId[@root='2.16.840.1.113883
a-1140-13278-error	01" (CONF:1140-27335).	Radiation-Dosage-And-Duration-errors	.10.20.24.3.91'][@extension='2014-12-01'])=1
a-1140-13281-error	SHALL contain at least one [1*] id (CONF:1140-13281).	Radiation-Dosage-And-Duration-errors	count(cda:id) >= 1
a-1140-13282-error	SHALL contain exactly one [11] code (CONF:1140-13282).	Radiation-Dosage-And-Duration-errors	count(cda:code)=1
	SHALL contain exactly one [11] statusCode (CONF:1140-		
a-1140-13284-error	13284).	Radiation-Dosage-And-Duration-errors	count(cda:statusCode)=1
a-1140-27568-error	This code SHALL contain exactly one [11] @code="77304-4"	Radiation-Dosage-And-Duration-code-errors	@code='77304-4'
a-1140-27366-error	Radiation dose (CONF:1140-27568). This code SHALL contain exactly one [11]	Radiation-Dosage-And-Duration-code-errors	@code= 77304-4
	@codeSystem="2.16.840.1.113883.6.1" (CodeSystem: LOINC		
a-1140-27569-error	urn:oid:2.16.840.1.113883.6.1) (CONF:1140-27569).	Radiation-Dosage-And-Duration-code-errors	@codeSystem='2.16.840.1.113883.6.1'
	This statusCode SHALL contain exactly one [11]		
	@code="completed" (CodeSystem: ActStatus		
a-1140-13285-error	urn:oid:2.16.840.1.113883.5.14) (CONF:1140-13285).	Radiation-Dosage-And-Duration-statusCode-errors	@code='completed'
	One of the following combinations SHALL be present: @width,		
	@low and @high, @low and @width or @width and @high. @width by itself shall only be used when no start or end time is		
	known. For example, when one knows that the duration of		
	radiation needs to be 30 minutes, but one may not yet know		
	when the start time will be eg. in a Procedure Order		cda:width or (cda:low and cda:high) or (cda:low
a-1140-27319-error	(CONF:1140-27319).	Radiation-Dosage-And-Duration-effectiveTime-errors	and cda:width)or (cda:width and cda:high)
	SHALL contain exactly one [11] templateld (CONF:2228-		
	11672) such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.24.3.87" (CONF:2228-		count(cda:templateId[@root='2.16.840.1.113883
a-2228-7323-error	11673). SHALL contain exactly one [11] @extension="2016-02-01" (CONF:2228-27035).	Result-errors	.10.20.24.3.87'][@extension='2016-02-01'])=1
a-2228-27658-error	SHALL contain exactly one [11] code (CONF:2228-27658).	Result-errors	count(cda:code)=1
a-2228-16701-error	SHALL contain exactly one [11] value (CONF:2228-16701).	Result-errors	count(cda:value)=1
	If xsi:type=PQ, then @units shall be drawn from Unified Code		
	for Units of Measure (UCUM) 2.16.840.1.113883.6.8 code		
	system. Additional constraint is dependent on criteria in the		
a-2228-16702-error	corresponding eMeasure (CONF:2228-16702).	Posult orrors	count(cda:value[@xsi:type='PQ'])=0 or
a-2220-10/02-error	This code SHALL contain exactly one [11] @sdtc:valueSet	Result-errors	count(cda:value[@xsi:type='PQ'][@unit])=1
a-2228-27659-error	(CONF:2228-27659).	Result-code-errors	@sdtc:valueSet
	SHALL contain exactly one [11] @classCode="OBS"		
	Observation (CodeSystem: HL7ActClass		
a-2228-28437-error	urn:oid:2.16.840.1.113883.5.6) (CONF:2228-28437).	Device-Allergy-errors	@classCode='OBS'
	SHALL contain exactly one [11] @moodCode="EVN" Event		
- 2220 20420	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)	Device Allergy errors	@mandCada='F\/N!
a-2228-28438-error	(CONF:2228-28438).	Device-Allergy-errors	@moodCode='EVN'
a-2228-28439-error	SHALL NOT contain [00] @negationInd (CONF:2228-28439).	Device-Allergy-errors	not(@negationInd)
u-2220-20437-CHUI	SHALL contain exactly one [11] templateId (CONF:2228-	Service ruleigy citors	notice riegationina)
	12134) such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.24.3.6" (CONF:2228-26941).		
	SHALL contain exactly one [11] @extension="2016-02-01"		count(cda:templateId[@root='2.16.840.1.113883
a-2228-12134-error	(CONF:2228-27033).	Device-Allergy-errors	.10.20.24.3.6'][@extension='2016-02-01'])=1
2 2220 12440	SHALL contain exactly one [11] value with @xsi:type="CD"	Davice Allergy errors	count/cdawalual@vsistsma_ICDU\ 4
a-2228-12140-error	(CONF:2228-12140).	Device-Allergy-errors	count(cda:value[@xsi:type='CD'])=1

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR	CONDITION/WHAT IS EXPECTED
CONFORMANCE ERROR	SHALL contain exactly one [11] participant (CodeSystem: HL7ParticipationType urn:oid:2.16.840.1.113883.5.90 STATIC) (CONF:2228-12141) such that it SHALL contain exactly one [11] @typeCode="PRD" product (CodeSystem: HL7ParticipationType urn:oid:2.16.840.1.113883.5.90) (CONF:2228-12142). SHALL contain exactly one [11] participantRole (CONF:2228-12143). This participantRole SHALL contain exactly one [11] @classCode="MANU" manufactured product (CodeSystem: RoleClass urn:oid:2.16.840.1.113883.5.110) (CONF:2228-12144). This participantRole SHALL contain exactly one [11] @classCode="DEV" device (CodeSystem: HL7ParticipationType urn:oid:2.16.840.1.113883.5.90) (CONF:2228-12146). This playingDevice SHALL contain exactly one [11] @classCode="DEV" device (CodeSystem: HL7ParticipationType urn:oid:2.16.840.1.113883.5.90) (CONF:2228-12146). This playingDevice SHALL contain exactly one [11] code (CONF:2228-12147). This code SHALL contain	OCCURRED	count(cda:participant[@typeCode='PRD'][count(c
a-2228-12141-error	exactly one [11] @sdtc:valueSet (CONF:2228-27583).	Device-Allergy-errors	da:participantRole[@classCode='MANU'][count(c da:playingDevice[@classCode='DEV'][count(cda:c ode[@sdtc:valueSet])=1])=1])=1])=1
	SHALL contain exactly one [11] entryRelationship (CONF:2228-12148) such that it SHALL contain exactly one [11] @typeCode="MFST" is manifestation of (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:2228-12149). SHALL contain exactly one [11] @inversionInd="true" (CONF:2228-12150). SHALL contain exactly one [11] Reaction (V2) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.24.3.85:2014-12-01) (CONF:2228-27127).		count(cda:entryRelationship[@typeCode='MFST'] [@inversionInd='true'][count(cda:observation[cd a:templateId[@root='2.16.840.1.113883.10.20.24
a-2228-12148-error	This value SHALL contain exactly one [11] @code="419199007" allergy to substance (CONF:2228-12188).	Device-Allergy-errors	.3.85'][@extension='2014-12-01']])=1])=1
a-2228-12188-error	This value SHALL contain exactly one [11] @codeSystem	Device-Allergy-value-errors	@code='419199007'
a-2228-28440-error	(CodeSystem: SNOMED CT urn:oid:2.16.840.1.113883.6.96)	Device-Allergy-value-errors	@codeSystem
u 2220 2040 CHO	SHALL contain exactly one [11] templateld (CONF:2228-14175) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.12" (CONF:2228-14176). SHALL contain exactly one [11] @extension="2016-02-01"	bettee rine gy value en as	geodesystem
a-2228-14175-error	(CONF:2228-26553).	Family_History_Organizer_QDM_V3-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.24.3.12'][@extension='2016-02-01'])=1
a-2228-27715-error	SHALL contain at least one [1*] component (CONF:2228-27715) such that it SHALL contain exactly one [11] Family History Observation QDM (V2) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.24.3.112:2016-02-01) (CONF:2228-27716).	Family History Organizer QDM V3-errors	(count(cda:component[count(cda:observation[cd a:templateid[@root='2.16.840.1.113883.10.20.24 .3.112']]) = 1]) > 0)
a-1098-8826-error	SHALL contain exactly one [11] @classCode="SBADM" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6	,_ ,_ ,_ ,_ ,	
	STATIC) (CONF:1098-8826). SHALL contain exactly one [11] @moodCode, which SHALL be selected from ValueSet MoodCodeEvnInt urn:oid:2.16.840.1.113883.11.20.9.18 STATIC 2014-09-01	Immunization_activity-errors	@classCode='SBADM' @moodCode and @moodCode=document('voc.xml')/voc:systems/ voc:system[@valueSetOid='2.16.840.1.113883.11
a-1098-8827-error	(CONF:1098-8827). SHALL contain exactly one [11] templateId (CONF:1098-8828) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.22.4.52" (CONF:1098-10498). SHALL contain exactly one [11] @extension="2014-06-10498].	Immunization_activity-errors	.20.9.18']/voc:code/@value count(cda:templateId[@root='2.16.840.1.113883
a-1098-8828-error a-1098-8829-error	09" (CONF:1098-32528). SHALL contain at least one [1*] id (CONF:1098-8829).	Immunization_activity-errors Immunization_activity-errors	.10.20.22.4.52'][@extension='2014-06-09'])=1 count(cda:id) > 0
a-1098-8833-error	SHALL contain exactly one [11] statusCode (CONF:1098-8833).	Immunization_activity-errors	count(cda:statusCode)=1
a-1098-8834-error	SHALL contain exactly one [11] effectiveTime (CONF:1098-8834).	Immunization_activity-errors	count(cda:effectiveTime)=1
a-1098-8847-error	SHALL contain exactly one [11] consumable (CONF:1098-8847).	Immunization_activity-errors	count(cda:consumable)=1
a-1098-32359-error	This statusCode SHALL contain exactly one [11] @code, which SHALL be selected from ValueSet ActStatus urn:oid:2.16.840.1.113883.1.11.159331 DYNAMIC (CONF:1098-32359).	Immunization activity-statusCode-errors	@code
a-1096-52355-e1101 a-1098-15546-error	This consumable SHALL contain exactly one [11] Immunization Medication Information (V2) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.54:2014-06-09) (CONF:1098-15546).	Immunization_activity-statuscode-errors	count(cda:manufacturedProduct[cda:templateId[@root='2.16.840.1.113883.10.20.22.4.54'][@extension='2014-06-09']])=1
	SHALL contain exactly one [11] @classCode="OBS" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6)	-	
a-2228-11373-error	(CONF:2228-11373). SHALL contain exactly one [11] @moodCode="EVN"	Procedure-Adverse-Event-errors	@classCode='OBS'
a-2228-11374-error	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001) (CONF:2228-11374).	Procedure-Adverse-Event-errors	@moodCode='EVN'

	F0000 117001 07		
CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
	SHALL contain exactly one [11] templateld (CONF:2228- 11375) such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.24.3.61" (CONF:2228-		
a-2228-11375-error	11376). SHALL contain exactly one [11] @extension="2016-02-01" (CONF:2228-27009).	Procedure-Adverse-Event-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.24.3.61'][@extension='2016-02-01'])=1
a-2228-11377-error	SHALL contain exactly one [11] id (CONF:2228-11377).	Procedure-Adverse-Event-errors	count(cda:id)=1
2220 46440	SHALL contain exactly one [11] value with @xsi:type="CD"	2	1/1 1 10 11 10 11 10 11
a-2228-16419-error	(CONF:2228-16419). SHALL contain exactly one [11] entryRelationship (CONF:2228-	Procedure-Adverse-Event-errors	count(cda:value[@xsi:type='CD'])=1
	11385) such that it SHALL contain exactly one [11] Procedure		
	Performed (V3) (identifier:		
	urn:hl7ii:2.16.840.1.113883.10.20.24.3.64:2016-02-01) (CONF:2228-27147). SHALL contain exactly one [11]		
	@typeCode="CAUS" (CodeSystem: HL7ActRelationshipType		
	urn:oid:2.16.840.1.113883.5.1002) (CONF:2228-11386). SHALL contain exactly one [11] @inversionInd="true" (CONF:2228-		<pre>count(cda:entryRelationship[@typeCode='CAUS'] [@inversionInd='true'][count(cda:procedure[cda:</pre>
	11387).		templateId[@root='2.16.840.1.113883.10.20.24.
a-2228-11385-error	This value SHALL contain exactly one [11]	Procedure-Adverse-Event-errors	3.64' and @extension = '2016-02-01']])=1])=1
	@code="281647001" Adverse reaction (CodeSystem: SNOMED		
a-2228-16420-error	CT urn:oid:2.16.840.1.113883.6.96) (CONF:2228-16420).	Procedure-Adverse-Event-value-errors	@code='281647001'
a-2226-10420-EITOI	SHALL contain exactly one [11] @classCode="ACT"	Trocedure-Adverse-Event-value-errors	@Code= 201047001
- 1000 0530	(CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6	Diament Antonion	Octobro IACT
a-1098-8538-error	STATIC) (CONF:1098-8538). SHALL contain exactly one [11] @moodCode, which SHALL be	Planned_Act-errors	@classCode='ACT'
	selected from ValueSet Planned moodCode		
	(Act/Encounter/Procedure) urn:oid:2.16.840.1.113883.11.20.9.23 STATIC 2011-09-30		@moodCode=document('voc.xml')/voc:systems/ voc:system[@valueSetOid='2.16.840.1.113883.11
a-1098-8539-error	(CONF:1098-8539).	Planned_Act-errors	.20.9.23']/voc:code/@value
	SHALL contain exactly one [11] templateId (CONF:1098- 30430) such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.22.4.39" (CONF:1098-		
	30431). SHALL contain exactly one [11] @extension="2014-06-		count(cda:templateId[@root='2.16.840.1.113883
a-1098-30430-error a-1098-8546-error	09" (CONF:1098-32552). SHALL contain at least one [1*] id (CONF:1098-8546).	Planned_Act-errors Planned Act-errors	.10.20.22.4.39'][@extension='2014-06-09']) = 1 count(cda:id) > 0
a-1098-31687-error	SHALL contain exactly one [11] code (CONF:1098-31687).	Planned_Act-errors	count(cda:code) = 1
a-1098-30432-error	SHALL contain exactly one [11] statusCode (CONF:1098-30432).	Planned Act-errors	count(cda:statusCode) = 1
a-1038-30432-CI10I	This statusCode SHALL contain exactly one [11]	Trainica_Acc cirors	count(cau.statascouc) - 1
- 1000 22010	@code="active" Active (CodeSystem: ActStatus	Diamad Ast status Code arrays	@code='active'
a-1098-32019-error	urn:oid:2.16.840.1.113883.5.14) (CONF:1098-32019). SHALL contain exactly one [11] @classCode="OBS"	Planned_Act-statusCode-errors	@code- active
	Observation (CodeSystem: HL7ActClass	21	o la cala longi
a-2228-27556-error	urn:oid:2.16.840.1.113883.5.6) (CONF:2228-27556). SHALL contain exactly one [11] @moodCode="INT" Intent	Physical_Exam_Recommended_V3-errors	@classCode='OBS'
	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)		
a-2228-12665-error	(CONF:2228-12665). SHALL contain exactly one [11] templateId (CONF:2228-	Physical_Exam_Recommended_V3-errors	@moodCode='INT'
	12666) such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.24.3.60" (CONF:2228-12667).		
	SHALL contain exactly one [11] @extension="2016-02-01"		count(cda:templateId[@root='2.16.840.1.113883
a-2228-12666-error a-2228-12669-error	(CONF:2228-27082).	Physical_Exam_Recommended_V3-errors Physical_Exam_Recommended_V3-errors	.10.20.24.3.60'][@extension='2016-02-01']) = 1 count(cda:code) = 1
a-2228-12009-e1101	SHALL contain exactly one [11] code (CONF:2228-12669). SHALL contain exactly one [11] value with @xsi:type="CD"	riiysicai_Lxaiii_Recollillelided_v3-e11015	count(cua.code) – 1
a-2228-13275-error	(CONF:2228-13275).	Physical_Exam_Recommended_V3-errors	count(cda:value[@xsi:type='CD']) = 1
	SHALL contain exactly one [11] Author Participation (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.119)		count(cda:author[cda:templateId[@root='2.16.84
a-2228-27351-error	(CONF:2228-27351).	Physical_Exam_Recommended_V3-errors	0.1.113883.10.20.22.4.119']]) = 1
a-2228-13274-error	This code SHALL contain exactly one [11] @code="29545-1" physical examination (CONF:2228-13274).	Physical Exam Recommended V3-code-errors	@code='29545-1'
	This code SHALL contain exactly one [11]	,	
a-2228-28132-error	@codeSystem="2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:2228-28132).	Physical Exam Recommended V3-code-errors	@codeSystem='2.16.840.1.113883.6.1'
3 2220 20132 CITO	This value SHALL contain exactly one [11] @sdtc:valueSet	ys.sai_Exam_neco/ilinelided_vs-code-effors	@ 33453/36411- 2.10.040.1.113003.0.1
a-2228-27653-error	(CONF:2228-27653).	Physical_Exam_Recommended_V3-effectiveTime-errors	@sdtc:valueSet
	SHALL contain exactly one [11] @classCode="OBS" Observation (CodeSystem: HL7ActClass		
a-1140-28033-error	urn:oid:2.16.840.1.113883.5.6) (CONF:1140-28033).	Target-Outcome-errors	@classCode='OBS'
	SHALL contain exactly one [11] @moodCode="EVN" Event (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)		
a-1140-28034-error	(CONF:1140-28034).	Target-Outcome-errors	@moodCode='EVN'
	SHALL contain exactly one [11] templateld (CONF:1140- 28025) such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.24.3.119" (CONF:1140-		
2 1140 29025 2000	28028). SHALL contain exactly one [11] @extension="2014-12-		count(cda:templateId[@root='2.16.840.1.113883
a-1140-28025-error a-1140-28035-error	01" (CONF:1140-28029). SHALL contain at least one [1*] id (CONF:1140-28035).	Target-Outcome-errors Target-Outcome-errors	.10.20.24.3.119'][@extension='2014-12-01'])=1 count(cda:id)>=1
	SHALL contain exactly one [11] code, which SHOULD be		
a-1140-28026-error	selected from CodeSystem LOINC (urn:oid:2.16.840.1.113883.6.1) (CONF:1140-28026).	Target-Outcome-errors	count(cda:code)=1
a-1140-28027-error	SHALL contain exactly one [11] value (CONF:1140-28027).	Target-Outcome-errors	count(cda:value)=1

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
	SHALL contain exactly one [11] @classCode="MANU"		
a-81-7490-error	(CodeSystem: RoleClass urn:oid:2.16.840.1.113883.5.110 STATIC) (CONF:81-7490).	Drug-Vehicle-errors	@classCode='MANU'
0 0 7 150 01101	SHALL contain exactly one [11] templateld (CONF:817495)		
	such that it SHALL contain exactly one [11]		
a-81-7495-error	@root="2.16.840.1.113883.10.20.22.4.24" (CONF:81-10493).	Drug-Vehicle-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.22.4.24'][not(@extension)])=1
a-81-19137-error	SHALL contain exactly one [11] code (CONF:81-19137).	Drug-Vehicle-errors	count(cda:code)=1
	SHALL contain exactly one [11] playing Entity (CONF:81-7492).	S V.134	
a-81-7492-error	This code SHALL contain exactly one [11]	Drug-Vehicle-errors	count(cda:playingEntity)=1
a-81-30818-error	@code="412307009" Drug Vehicle (CONF:81-19138).	Drug-Vehicle-code-errors	@code='412307009'
	This code SHALL contain exactly one [11]		
	@codeSystem="2.16.840.1.113883.6.96" (CodeSystem: SNOMED CT urn:oid:2.16.840.1.113883.6.96) (CONF:81-26502).		
a-81-26502-error	· ·	Drug-Vehicle-code-errors	@codeSystem='2.16.840.1.113883.6.96'
a-81-7493-error	This playingEntity SHALL contain exactly one [11] code	Drug-Vehicle-playingEntity-errors	count(cda:code)=1
a-61-7495-e1101	(CONF:81-7493). Data types of ST SHALL either not be empty or have	Drug-verifice-playing Entity-entors	count(cua.code)=1
a-CMS_0112-error	@nullFlavor. (CONF: CMS_0112)	r-validate_ST-errors	string-length()>=1 or @nullFlavor
a-81-7292-error	SHALL contain exactly one [11] city (CONF:81-7292).	US-Realm-Address-errors	count(cda:city)=1
a-81-7291-error	SHALL contain at least one and not more than 4 [14] streetAddressLine (CONF:81-7291).	US-Realm-Address-errors	count(cda:streetAddressLine) > 0 and count(cda:streetAddressLine) < 5
	SHALL contain exactly one [11] @classCode="ACT" Act		,
2220 27254	(CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6)	Intervention Desferred V2	Option Code (ACT)
a-2228-27354-error	(CONF:2228-27354). SHALL contain exactly one [11] @moodCode="EVN" Event	Intervention_Performed_V3-errors	@classCode='ACT'
	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)		
a-2228-13590-error	(CONF:2228-13590).	Intervention_Performed_V3-errors	@moodCode='EVN'
	SHALL contain exactly one [11] templateld (CONF:2228- 13591) such that it		
	SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.24.3.32" (CONF:2228-		
	13592). SHALL contain exactly one [11] @extension="2016-02-01"		count(cda:templateId[@root='2.16.840.1.113883
a-2228-13591-error	(CONF:2228-27144).	Intervention_Performed_V3-errors	.10.20.24.3.32'][@extension='2016-02-01']) = 1
a-2228-27633-error	SHALL contain exactly one [11] code (CONF:2228-27633).	Intervention_Performed_V3-errors	count(cda:code) = 1
a-2228-27362-error	SHALL contain exactly one [11] statusCode (CONF:2228-27362).	Intervention Performed V3-errors	count(cda:statusCode)=1
	SHALL contain exactly one [11] effectiveTime (CONF:2228-		
a-2228-13611-error	13611).	Intervention_Performed_V3-errors	count(cda:effectiveTime) = 1
a-2228-27634-error	This code SHALL contain exactly one [11] @sdtc:valueSet (CONF:2228-27634).	Intervention_Performed_V3-code-errors	@sdtc:valueSet
	This statusCode SHALL contain exactly one [11]		
2 2220 27262 orror	@code="completed" Completed (CodeSystem: ActStatus	Intervention Performed V3-statusCode-errors	@code='completed'
a-2228-27363-error	urn:oid:2.16.840.1.113883.5.14) (CONF:2228-27363). This effectiveTime SHALL contain exactly one [11] low	intervention_Performed_vs-statuscode-errors	@code= completed
a-2228-13612-error	(CONF:2228-13612).	Intervention_Performed_V3-effectiveTime-errors	count(cda:low)=1
	SHALL contain exactly one [11] @classCode="PROC"		
a-2228-27308-error	Procedure (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:2228-27308).	Procedure-Performed-errors	@classCode='PROC'
	SHALL contain exactly one [11] @moodCode="EVN"		
2220 44264	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)	2	010115.01
a-2228-11261-error	(CONF:2228-11261). SHALL contain exactly one [11] templateId (CONF:2228-	Procedure-Performed-errors	@moodCode='EVN'
	11262) such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.24.3.64" (CONF:2228-		
a-2228-11262-error	11263). SHALL contain exactly one [11] @extension="2016-02-01" (CONF:2228-27129).	Procedure-Performed-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.24.3.64'][@extension='2016-02-01'])=1
a-2228-27309-error	SHALL contain exactly one [11] code (CONF:2228-27309).	Procedure-Performed-errors	count(cda:code)=1
- 2220 27205	SHALL contain exactly one [11] statusCode (CONF:2228-	Dracedure Derformed	count/adoctatusC-d-\ 1
a-2228-27305-error	27305). SHALL contain exactly one [11] effectiveTime (CONF:2228-	Procedure-Performed-errors	count(cda:statusCode)=1
a-2228-11669-error	11669).	Procedure-Performed-errors	count(cda:effectiveTime)=1
2 2220 27240	This code SHALL contain exactly one [11] @sdtc:valueSet	Procedure Performed ends arrays	@cdtcygluoSat
a-2228-27310-error	(CONF:2228-27310). This statusCode SHALL contain exactly one [11]	Procedure-Performed-code-errors	@sdtc:valueSet
	@code="completed" Completed (CodeSystem: ActStatus		
a-2228-27367-error	urn:oid:2.16.840.1.113883.5.14) (CONF:2228-27367).	Procedure-Performed-statusCode-errors	@code='completed'
a-2228-11670-error	This effectiveTime SHALL contain exactly one [11] low (CONF:2228-11670).	Procedure-Performed-effectiveTime-errors	count(cda:low)=1
	This effectiveTime SHALL contain exactly one [11] high		
a-2228-11671-error	(CONF:2228-11671).	Procedure-Performed-effectiveTime-errors	count(cda:high)=1
a-2228-27313-error	The approachSiteCode, if present, SHALL contain exactly one [11] @sdtc:valueSet (CONF:2228-27313).	Procedure-Performed-approachSiteCode-errors	@sdtc:valueSet
	The translation, if present, SHALL contain exactly one [11]		
a-2228-27766-error	@sdtc:valueSet (CONF:2228-27766).	Procedure-Performed-targetSiteCode-translation-errors	@sdtc:valueSet
	SHALL contain exactly one [11] @classCode="PROC" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6		
a-1098-8568-error	STATIC) (CONF:1098-8568).	Planned-Procedure-errors	@classCode='PROC'

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
a-1098-8569-error	SHALL contain exactly one [11] @moodCode, which SHALL be selected from ValueSet Planned moodCode (Act/Encounter/Procedure) urn:oid:2.16.840.1.113883.11.20.9.23 STATIC 2011-09-30 (CONF:1098-8569). SHALL contain exactly one [11] templateId (CONF:1098-30444) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.22.4.41" (CONF:1098-	Planned-Procedure-errors	@moodCode and @moodCode=document('voc.xml')/voc:systems/ voc:system[@valueSetOid='2.16.840.1.113883.11 .20.9.23']/voc:code/@value
	30445). SHALL contain exactly one [11] @extension="2014-06		count(cda:templateId[@root='2.16.840.1.113883
a-1098-30444-error a-1098-8571-error	09" (CONF:1098-32554). SHALL contain at least one [1*] id (CONF:1098-8571).	Planned-Procedure-errors Planned-Procedure-errors	.10.20.22.4.41'][@extension='2014-06-09'])=1 count(cda:id) >= 1
u 1050 0571 01101	SHALL contain exactly one [11] statusCode (CONF:1098-		
a-1098-30446-error	30446).	Planned-Procedure-errors Planned-Procedure-errors	count(cda:statusCode)=1
a-1098-31976-error	SHALL contain exactly one [11] code (CONF:1098-31976). This statusCode SHALL contain exactly one [11]	Planned-Procedure-errors	count(cda:code)=1
	@code="active" Active (CodeSystem: ActStatus		
a-1098-31978-error	urn:oid:2.16.840.1.113883.5.14) (CONF:1098-31978).	Planned-Procedure-statusCode-errors	@code='active'
a-1098-32017-error a-1098-31471-error	SHALL contain exactly one [11] templateId (CONF:1098-32017) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.22.4.119" (CONF:1098-32018). SHALL contain exactly one [11] time (CONF:1098-31471).	Author-Participation-errors Author-Participation-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.22.4.119'][not(@extension)])=1 count(cda:time)=1
u 1050 51471 Citor	SHOULD contain zero or one [01] state (ValueSet:	Tation Full Experience Circles	
a-1098-31472-error	StateValueSet urn:oid:2.16.840.1.113883.3.88.12.80.1 DYNAMIC) (CONF:81-7293). This assignedAuthor SHALL contain at least one [1*] id	Author-Participation-errors	count(cda:assignedAuthor)=1
a-1098-31473-error	(CONF:1098-31473).	Author-Participation-assignedAuthor-errors	count(cda:id)>=1
a-CMS_0105-error	Data types of BL SHALL have either @value or @nullFlavor but SHALL NOT have both @value and @nullFlavor (CONF: CMS_0105)	r-validate_BL-errors	(@value or @nullFlavor) and not(@value and @nullFlavor)
	SHALL contain exactly one [11] templateld (CONF:2228-12910) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.1.1" (CONF:2228-14613). SHALL contain exactly one [11] @extension="2016-02-01"		count(cda:templateId[@root='2.16.840.1.113883
a-2228-12910-error	(CONF:2228-27005)	QRDA_Category_I_V3-errors	.10.20.24.1.1'][@extension='2016-02-01'])=1
a-2228-12911-error a-2228-12912-error	SHALL contain exactly one [11] code (CONF:2228-12911). SHALL contain exactly one [11] title (CONF:2228-12912).	QRDA_Category_I_V3-errors QRDA_Category_I_V3-errors	count(cda:code)=1 count(cda:title)=1
a-2228-12913-error	SHALL contain exactly one [11] recordTarget (CONF:2228-12913).	QRDA_Category_I_V3-errors	count(cda:recordTarget)=1
a-2228-12914-error	SHALL contain exactly one [11] custodian (CONF:2228-12914).	QRDA_Category_I_V3-errors	count(cda:custodian)=1
a-2228-13817-error	SHALL contain exactly one [11] legalAuthenticator (CONF:2228-13817).	QRDA_Category_I_V3-errors	count(cda:legalAuthenticator)=1
a-2228-12918-error	SHALL contain exactly one [11] component (CONF:2228-12918).	QRDA_Category_I_V3-errors	count(cda:component)=1
u 2220 12910 Citor	This code SHALL contain exactly one [11] @code="55182-0"	Quency cross	count(caa.component)=1
a-2228-28137-error	Quality Measure Report (CONF:2228-28137). This code SHALL contain exactly one [11] @codeSystem="2.16.840.1.113883.6.1" (CodeSystem: LOINC	QRDA_Category_I_V3-code-errors	@code='55182-0'
a-2228-28138-error	urn:oid:2.16.840.1.113883.6.1) (CONF:2228-28138).	QRDA_Category_I_V3-code-errors	@codeSystem='2.16.840.1.113883.6.1'
a-2228-28387-error	This recordTarget SHALL contain exactly one [11] patientRole (CONF:2228-28387).	QRDA_Category_I_V3-recordTarget-errors	count(cda:patientRole)=1
	This custodian SHALL contain exactly one [11]		
a-2228-12915-error	assignedCustodian (CONF:2228-12915). This assignedCustodian SHALL contain exactly one [11]	QRDA_Category_I_V3-custodian-errors	count(cda:assignedCustodian)=1
a-2228-12916-error	representedCustodianOrganization (CONF:2228-12916).	${\sf QRDA_Category_I_V3-custodian-assignedCustodian-errors}$	count(cda:representedCustodianOrganization)=1
a-2228-12919-error	This component SHALL contain exactly one [11] structuredBody (CONF:2228-12919).	QRDA_Category_I_V3-component-errors	count(cda:structuredBody)=1
d-2220-12919-e1101	This structuredBody SHALL contain exactly one [11] component (CONF:2228-12920) such that it SHALL contain exactly one [11] Measure Section (identifier: urn:oid:2.16.840.1.113883.10.20.24.2.2) (CONF:2228-17078).	QNDA_Category_i_vo-component-entris	count(cda:component[count(cda:section[cda:tem plateld[@root='2.16.840.1.113883.10.20.24.2.2']]
a-2228-12920-error	33.3.2.13.070.1.113003.10.20.24.2.2) (CON1.2220°17070).	QRDA_Category_I_V3-component-structuredBody-errors	
a-2228-12923-error	This structuredBody SHALL contain exactly one [11] component (CONF:2228-12923) such that it SHALL contain exactly one [11] Reporting Parameters Section (identifier: urn:oid:2.16.840.1.113883.10.20.17.2.1) (CONF:2228-17079).	QRDA_Category_I_V3-component-structuredBody-errors	count(cda:component[count(cda:section[cda:tem plateId[@root='2.16.840.1.113883.10.20.17.2.1']])=1])=1
a-2228-12924-error	This structuredBody SHALL contain exactly one [11] component (CONF:2228-12924) such that it SHALL contain exactly one [11] Patient Data Section (identifier: urn:oid:2.16.840.1.113883.10.20.17.2.4) (CONF:2228-17080).	QRDA_Category_I_V3-component-structuredBody-errors	count(cda:component[count(cda:section[cda:tem plateId[@root='2.16.840.1.113883.10.20.17.2.4']])=1])=1
a-81-8621-error	SHALL contain exactly one [11] @classCode="OBS" Observation (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 STATIC) (CONF:81-8621).	Family_History_Death_Observation-errors	@classCode='OBS'
	SHALL contain exactly one [11] @moodCode="EVN" Event (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001 STATIC) (CONF:81-8622).		
a-81-8622-error		Family_History_Death_Observation-errors	@moodCode='EVN'

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
a-81-8623-error a-81-19141-error	SHALL contain exactly one [11] templateld (CONF:81-8623) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.22.4.47" (CONF:81-10495).	Family_History_Death_Observation-errors Family History Death Observation-errors	count(cda:templateId[@root='2.16.840.1.113883
a-81-8625-error	SHALL contain exactly one [11] code (CONF:81-19141). SHALL contain exactly one [11] statusCode (CONF:81-8625).	Family_History_Death_Observation-errors	count(cda:statusCode)=1
a-81-8626-error	SHALL contain exactly one [11] value with @xsi:type="CD" (CONF:81-8626).	Family_History_Death_Observation-errors	count(cda:value[@xsi:type='CD'])=1
a 91 10142 arrar	This code SHALL contain exactly one [11]	Family History Death Observation-code-errors	@code ='ASSERTION'
a-81-19142-error	@code="ASSERTION" Assertion (CONF:81-19142). This code SHALL contain exactly one [11] @codeSystem="2.16.840.1.113883.5.4" (CodeSystem: ActCode		ecoue - Assertion
a-81-26504-error	urn:oid:2.16.840.1.113883.5.4) (CONF:81-26504). This statusCode SHALL contain exactly one [11]	Family_History_Death_Observation-code-errors	@codeSystem='2.16.840.1.113883.5.4'
a-81-19097-error	@code="completed" Completed (CodeSystem: ActStatus urn:oid:2.16.840.1.113883.5.14 STATIC) (CONF:81-19097). This value SHALL contain exactly one [11]	Family_History_Death_Observation-statusCode-errors	@code='completed'
a-81-26470-error	@code="419099009" Dead (CodeSystem: SNOMED CT urn:oid:2.16.840.1.113883.6.96 STATIC) (CONF:81-26470). Data types of TS SHALL have either @value or @nullFlavor but	Family_History_Death_Observation-value-errors	@code='419099009'
a-CMS_0113-error	SHALL NOT have @value and @nullFlavor. (CONF: CMS_0113)	r-validate_TS-errors-abstract	count(@value @nullFlavor)<2
a-1140-28373-error	SHALL contain exactly one [11] @classCode="SPLY" Supply (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:1140-28373).	Medication Supply Request-errors	@classCode='SPLY'
	SHALL contain exactly one [11] @moodCode="RQO" Request (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)		O In Inde
a-1140-13820-error	(CONF:1140-13820). SHALL contain exactly one [11] templateld (CONF:1140-13821) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.99" (CONF:1140-13822). SHALL contain exactly one [11] @extension="2014-04-140.11"]	Medication_Supply_Request-errors	@moodCode='RQO' count(cda:templateId[@root='2.16.840.1.113883
a-1140-13821-error	05" (CONF:1140-28374). SHALL contain exactly one [11] effectiveTime (CONF:1140-	Medication_Supply_Request-errors	.10.20.24.3.99'][@extension='2014-04-05']) = 1
a-1140-13829-error	13829). SHALL contain exactly one [11] @classCode="MANU"	Medication_Supply_Request-errors	count(cda:effectiveTime) = 1
a-1098-7408-error	(CodeSystem: RoleClass urn:oid:2.16.840.1.113883.5.110 STATIC) (CONF:1098-7408). SHALL contain exactly one [11] templateld (CONF:1098-7409)	Medication_Information-errors	@classCode='MANU'
a-1098-7409-error	such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.22.4.23" (CONF:1098-10506). SHALL contain exactly one [11] @extension="2014-06-09" (CONF:1098-32579).	Medication Information-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.22.4.23'][@extension='2014-06-09']) = 1
	SHALL contain exactly one [11] manufacturedMaterial		
a-1098-7411-error	(CONF:1098-7411). This manufacturedMaterial SHALL contain exactly one [11] code, which SHALL be selected from ValueSet Medication Clinical Drug urn:oid:2.16.840.1.113762.1.4.1010.4 DYNAMIC (CONF:1098-7412).	Medication_Information-errors	count(cda:manufacturedMaterial) = 1
a-1098-7412-error		Medication_Information-manufacturedMaterial-errors	count(cda:code) = 1
a-1098-31931-error	encounter SHALL contain exactly one [11] @moodCode="EVN" Event	External-Document-Reference-errors	@classCode='DOCCLIN'
a-1098-31932-error	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001) (CONF:1098-31932).	External-Document-Reference-errors	@moodCode='EVN'
	SHALL contain exactly one [11] templateId (CONF:1098- 32748) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.22.4.115" (CONF:1098- 32750).SHALL contain exactly one [11] @extension="2014-06-		count(cda:templateId[@root='2.16.840.1.113883
a-1098-32748-error	09" (CONF:1098-32749).	External-Document-Reference-errors	.10.20.22.4.115'][@extension='2014-06-09'])=1
a-1098-32751-error	SHALL contain exactly one [11] id (CONF:1098-32751).	External-Document-Reference-errors External-Document-Reference-errors	count(cda:id)=1 count(cda:code)=1
a-1098-31933-error	SHALL contain exactly one [11] code (CONF:1098-31933). SHALL contain exactly one [11] @classCode="OBS" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6)	external-Document-Reference-errors	count(coa:code)=1
a-2228-11767-error	(CONF:2228-11767). SHALL contain exactly one [11] @moodCode="EVN" (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)	Diagnostic-Study-Adverse-Event-errors	@classCode='OBS'
a-2228-11768-error	(COOESystem: ACTMOOD urn:0id:2.16.840.1.113883.5.1001) (CONF:2228-11768). SHALL contain exactly one [11] templateld (CONF:2228-	Diagnostic-Study-Adverse-Event-errors	@moodCode='EVN'
	11769) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.15" (CONF:2228- 11770). SHALL contain exactly one [11] @extension="2016-02-		count(cda:templateId[@root='2.16.840.1.113883
a-2228-11769-error	01" (CONF:2228-27012). SHALL contain exactly one [11] value with @xsi:type="CD"	Diagnostic-Study-Adverse-Event-errors	.10.20.24.3.15'][@extension='2016-02-01'])=1
a-2228-16408-error	(CONF:2228-16408).	Diagnostic-Study-Adverse-Event-errors	count(cda:value[@xsi:type='CD'])=1

	EDDOD MESSACE	TEACH ATE ID (TEACH ATE WHERE THE EDGO	
CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
	SHALL contain exactly one [11] entryRelationship (CONF:2228-11779) such that it SHALL contain exactly one [11] @typeCode="CAUS" (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:2228-11780). SHALL contain exactly one [11] @inversionInd="true" (CONF:2228-11781). SHALL contain exactly one [11] Diagnostic Study Performed (V3) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.24.3.18:2016-02-01) (CONF:2228-27149).		count(cda:entryRelationship[@typeCode='CAUS'] [@inversionInd='true'] [count(cda:observation[cda:templateId[@root='2 .16.840.1.113883.10.20.24.3.18'
a-2228-11779-error	This value SHALL contain exactly one [11]	Diagnostic-Study-Adverse-Event-errors][@extension='2016-02-01']])=1])=1
a-2228-26938-error	@code="281647001" Adverse reaction (CONF:2228-26938).	Diagnostic-Study-Adverse-Event-value-errors	@code='281647001'
a-2228-26939-error	This value SHALL contain exactly one [11] @codeSystem="2.16.840.1.113883.6.96" (CONF:2228-26939).	Diagnostic-Study-Adverse-Event-value-errors	@codeSystem='2.16.840.1.113883.6.96'
	SHALL contain exactly one [11] @classCode="OBS" Observation (CodeSystem: HL7ActClass		<u></u>
a-1098-7318-error	urn:oid:2.16.840.1.113883.5.6 STATIC) (CONF:1098-7318). SHALL contain exactly one [11] @moodCode="EVN" Event (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001	Allergy_status_observation-errors	@classCode='OBS'
a-1098-7319-error	STATIC) (CONF:1098-7319).	Allergy_status_observation-errors	@moodCode='EVN'
a-1098-7317-error	SHALL contain exactly one $[11]$ templateld (CONF:1098-7317) such that it SHALL contain exactly one $[11]$ @root="2.16.840.1.113883.10.20.22.4.28" (CONF:1098-10490).	Allergy_status_observation-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.22.4.28'][not(@extension)])=1
a-1098-7320-error	SHALL contain exactly one [11] code (CONF:1098-7320). SHALL contain exactly one [11] statusCode (CONF:1098-7321).	Allergy_status_observation-errors	count(cda:code)=1
a-1098-7321-error		Allergy_status_observation-errors	count(cda:statusCode)=1
	SHALL contain exactly one [11] value with @xsi:type="CE", where the code SHALL be selected from ValueSet Problem Status urn:oid:2.16.840.1.113883.3.88.12.80.68 DYNAMIC (CONF:1098-7322).		
a-1098-7322-error	This code SHALL contain exactly one [11] @code="33999-4"	Allergy_status_observation-errors	count(cda:value[@xsi:type='CE'])=1
a-1098-19131-error	Status (CONF:1098-19131). This code SHALL contain exactly one [11]	Allergy_status_observation-code-errors	@code='33999-4'
a-1098-32155-error	@codeSystem="2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:1098-32155). This statusCode SHALL contain exactly one [11]	Allergy_status_observation-code-errors	@codeSystem='2.16.840.1.113883.6.1'
a-1098-19087-error	@code="completed" Completed (CodeSystem: ActStatus urn:oid:2.16.840.1.113883.5.14 STATIC) (CONF:1098-19087).	Allergy_status_observation-statusCode-errors	@code='completed'
	SHALL contain exactly one [11] @classCode="OBS" Observation (CodeSystem: HL7ActClass		
a-2228-13538-error	urn:oid:2.16.840.1.113883.5.6) (CONF:2228-13538). SHALL contain exactly one [11] @moodCode="EVN" Event (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)	Intervention_Adverse_Event-errors	@classCode='OBS'
a-2228-13539-error	(CONF:2228-13539).	Intervention_Adverse_Event-errors	@moodCode='EVN'
2 2220 425 40 2002	SHALL contain exactly one [11] templateId (CONF:2228-13540) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.29" (CONF:2228-13541). SHALL contain exactly one [11] @extension="2016-02-		count(cda:templateId[@root='2.16.840.1.113883
a-2228-13540-error a-2228-13542-error	01" (CONF:2228-27016). SHALL contain exactly one [11] id (CONF:2228-13542).	Intervention_Adverse_Event-errors Intervention_Adverse_Event-errors	.10.20.24.3.29'][@extension='2016-02-01']) = 1 count(cda:id) = 1
a-2228-16412-error	SHALL contain exactly one [11] value with @xsi:type="CD" (CONF:2228-16412).	Intervention_Adverse_Event-errors	cda:value[@xsi:type='CD']
	SHALL contain exactly one [11] entryRelationship (CONF:2228-13549) such that it SHALL contain exactly one [11] @typeCode="CAUS" (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:2228-13550). SHALL contain exactly one [11] @inversionInd="true" (CONF:2228-13551). SHALL contain exactly one [11] Intervention Performed (V3) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.24.3.32:2016-02-01) (CONF:2228-27151).		count(cda:entryRelationship[@typeCode='CAUS'] [@inversionInd='true'][count(cda:act[cda:templat eld[@root='2.16.840.1.113883.10.20.24.3.32'][@
a-2228-13549-error		Intervention_Adverse_Event-errors	extension='2016-02-01']])=1])=1
a-2228-16413-error	This value SHALL contain exactly one [11] @ccode="281647001" Adverse reaction (CodeSystem: SNOMED CT urn:oid:2.16.840.1.113883.6.96) (CONF:2228-16413).	Intervention_Adverse_Event-value-errors	@code='281647001'
a-2228-28487-error	SHALL contain exactly one [11] @classCode="ACT" Act (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:2228-28487).	Encounter-Recommended-Act-errors	@classCode='ACT'
	SHALL contain exactly one [11] @moodCode="INT" Intent (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)		
a-2228-28488-error	(CONF:2228-28488 SHALL contain exactly one [11] templateId (CONF:2228-28485) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.134" (CONF:2228-	Encounter-Recommended-Act-errors	@moodCode='INT' count(cda:templateId[@root='2.16.840.1.113883
a-2228-28485-error a-2228-28491-error	28490). SHALL contain at least one [1*] id (CONF:2228-28491).	Encounter-Recommended-Act-errors Encounter-Recommended-Act-errors	.10.20.24.3.134'][not(@extension)])=1 count(cda:id)>=1

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
a-2228-28677-error	SHALL contain exactly one [11] code (CONF:2228-28677). SHALL contain exactly one [11] entryRelationship (CONF:2228	Encounter-Recommended-Act-errors	count(cda:code)=1
	28486) such that it SHALL contain exactly one [11]		
	@typeCode="SUBJ" has subject (CodeSystem:		
	HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002)		
	(CONF:2228-28492). SHALL contain exactly one [11] Encounter Recommended (V3) (identifier:		count(cda:entryRelationship[@typeCode='SUBJ'][
	urn:hl7ii:2.16.840.1.113883.10.20.24.3.24:2016-02-01)		count(cda:encounter[cda:templateId[@root='2.1
	(CONF:2228-28493).		6.840.1.113883.10.20.24.3.24'][@extension='201
a-2228-28486-error	This code SHALL contain exactly one [11] @code="ENC"	Encounter-Recommended-Act-errors	6-02-01']])=1])=1
	Encounter (CodeSystem: HL7ActClass		
a-2228-28678-error	urn:oid:2.16.840.1.113883.5.6) (CONF:2228-28678).	Encounter-Recommended-Act-code-errors	@code='ENC'
	SHALL contain exactly one [11] @classCode="ENC"		
a-1198-8710-error	(CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 STATIC) (CONF:1198-8710).	Encounter-Activity-errors	@classCode='ENC'
	SHALL contain exactly one [11] @moodCode="EVN"		
a 1100 0711 arrar	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001	Encounter Activity, orrors	@mandCada='F\/N'
a-1198-8711-error	STATIC) (CONF:1198-8711). SHALL contain exactly one [11] templateId (CONF:1198-8712)	Encounter-Activity-errors	@moodCode='EVN'
	such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.22.4.49" (CONF:1198-		sount/sdattomplateId(@t 12.46.040.4.442000
a-1198-8712-error	26353). SHALL contain exactly one [11] @extension="2015-08 01" (CONF:1198-32546).	- Encounter-Activity-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.22.4.49'][@extension='2015-08-01'])=1
a-1198-8713-error	SHALL contain at least one [1*] id (CONF:1198-8713).	Encounter-Activity-errors	count(cda:id)>=1
a-1198-8714-error	SHALL contain exactly one [11] code (CONF:1198-8714).	Encounter-Activity-errors	count(cda:code)=1
a-1198-8715-error	SHALL contain exactly one [11] effectiveTime (CONF:1198-8715).	Encounter-Activity-errors	count(cda:effectiveTime)=1
	This reference/@value SHALL begin with a '#' and SHALL point		,
	to its corresponding narrative (using the approach defined in	5	
a-1198-15972-error	CDA Release 2, section 4.3.5.1) (CONF:1198-15972).	Encounter-Activity-code-originalText-reference-value- errors	starts-with(@value,'#')
0 1130 13371 01101	The performer, if present, SHALL contain exactly one [11]		states mange raide; in y
a-1198-8726-error	assignedEntity (CONF:1198-8726).	Encounter-Activity-performer-errors	count(cda:assignedEntity)=1
	SHALL contain exactly one [11] @classCode="OBS" Observation (CodeSystem: HL7ActClass		
a-81-8991-error	urn:oid:2.16.840.1.113883.5.6 STATIC) (CONF:81-8991).	Immunization_refusal_reason-errors	@classCode='OBS'
	SHALL contain exactly one [11] @moodCode="EVN" Event		
	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001 STATIC) (CONF:81-8992).		
a-81-8992-error	STATIC) (CONT. 81-8552).	Immunization_refusal_reason-errors	@moodCode='EVN'
	SHALL contain exactly one [11] templateld (CONF:81-8993)		
	such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.22.4.53" (CONF:81-10500).		count(cda:templateId[@root='2.16.840.1.113883
a-81-8993-error	(con or 10300).	Immunization_refusal_reason-errors	.10.20.22.4.53'][not(@extension)])=1
a-81-8994-error	SHALL contain at least one [1*] id (CONF:81-8994).	Immunization_refusal_reason-errors	count(cda:id) > 0
	SHALL contain exactly one [11] code, which SHALL be selected from ValueSet No Immunization Reason Value Set		
	urn:oid:2.16.840.1.113883.1.11.19717 DYNAMIC (CONF:81-		
a-81-8995-error	8995).	Immunization_refusal_reason-errors	count(cda:code)=1
a-81-8996-error	SHALL contain exactly one [11] statusCode (CONF:81-8996).	Immunization_refusal_reason-errors	count(cda:statusCode)=1
	This statusCode SHALL contain exactly one [11]		
- 01 10104	@code="completed" Completed (CodeSystem: ActStatus	In	Ocada Januarista II
a-81-19104-error	urn:oid:2.16.840.1.113883.5.14 STATIC) (CONF:81-19104). SHALL contain exactly one [11] @classCode="ACT" Act	Immunization_refusal_reason-statusCode-errors	@code='completed'
	(CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6)		
a-1098-31500-error	(CONF:1098-31500).	Substance-Administered-Act-errors	@classCode='ACT'
	SHALL contain exactly one [11] @moodCode="EVN" Event (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)		
a-1098-31501-error	(CONF:1098-31501).	Substance-Administered-Act-errors	@moodCode='EVN'
	SHALL contain exactly one [11] templateld (CONF:1098-		
	31502) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.22.4.118" (CONF:1098-		count(cda:templateId[@root='2.16.840.1.113883
a-1098-31502-error	31503).	Substance-Administered-Act-errors	.10.20.22.4.118'])=1
a-1098-31504-error	SHALL contain at least one [1*] id (CONF:1098-31504).	Substance-Administered-Act-errors Substance-Administered-Act-errors	count(cda:code)=1
a-1098-31506-error	SHALL contain exactly one [11] code (CONF:1098-31506). SHALL contain exactly one [11] statusCode="completed"	Substance-Authinistereu-Act-errors	count(cda:code)=1
	Completed (CodeSystem: ActStatus		
a-1098-31505-error	urn:oid:2.16.840.1.113883.5.14) (CONF:1098-31505). This code SHALL contain exactly one [11]	Substance-Administered-Act-errors	count(cda:statusCode[@code='completed'])=1
a-1098-31507-error	@code="416118004" Administration (CONF:1098-31507).	Substance-Administered-Act-code-errors	@code='416118004'
	This code SHALL contain exactly one [11]		
	@codeSystem="2.16.840.1.113883.6.96" (CodeSystem:		
a-1098-31508-error	SNOMED CT urn:oid:2.16.840.1.113883.6.96) (CONF:1098-31508).	Substance-Administered-Act-code-errors	@codeSystem='2.16.840.1.113883.6.96'
	SHALL contain exactly one [11] @classCode="ENC"		
a-1098-8564-error	(CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 STATIC) (CONF:1098-8564).	Planned Encounter-errors	@classCode='ENC'
u 1030-0304-Ci10i	STATIC/ (CONF.1030-0304).	ea_Encounter errors	E STATES CONT. LITT

		l	
CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
a-1098-8565-error	SHALL contain exactly one [11] @moodCode, which SHALL be selected from ValueSet Planned moodCode (Act/Encounter/Procedure) urn:oid:2.16.840.1.113883.11.20.9.23 STATIC 2011-09-30 (CONF:1098-8565).	Planned_Encounter-errors	@moodCode=document('voc.xml')/voc:systems/ voc:system[@valueSetOid='2.16.840.1.113883.11 .20.9.23']/voc:code/@value
a-1098-30437-error	SHALL contain exactly one [11] templateId (CONF:1098-30437) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.22.4.40" (CONF:1098-30438). SHALL contain exactly one [11] @extension="2014-0609" (CONF:1098-32553).	Planned Encounter-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.22.4.40'][@extension='2014-06-09']) = 1
a-1098-8567-error	SHALL contain at least one [1*] id (CONF:1098-8567). SHALL contain exactly one [11] statusCode (CONF:1098-	Planned_Encounter-errors	count(cda:id) > 0
a-1098-30439-error	30439). This statusCode SHALL contain exactly one [11]	Planned_Encounter-errors	count(cda:statusCode) = 1
a-1098-31880-error	@code="active" Active (CodeSystem: ActStatus urn:oid:2.16.840.1.113883.5.14) (CONF:1098-31880). SHALL contain exactly one [11] @classCode="ACT" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6)	Planned_Encounter-statusCode-errors	@code='active'
a-2228-28426-error	(CONF:2228-28426). SHALL contain exactly one [11] @moodCode="EVN"	Transfer-To-Act-errors	@classCode='ACT'
a-2228-28427-error	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001) (CONF:2228-28427). SHALL contain exactly one [11] templateId (CONF:2228-	Transfer-To-Act-errors	@moodCode='EVN'
a-2228-28421-error	28421).	Transfer-To-Act-errors	count(cda:templateId)=1
a-2228-28428-error a-2228-28422-error	SHALL contain at least one [1*] id (CONF:2228-28428).	Transfer-To-Act-errors Transfer-To-Act-errors	count(cda:id)>=1 count(cda:code)=1
	SHALL contain exactly one [11] code (CONF:2228-28422). SHALL contain exactly one [11] entryRelationship (CONF:2228 28420) such that it SHALL contain exactly one [11] @typeCode="SUBJ" Has subject (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:2228-28429). SHALL contain exactly one [11] Transfer To (V3) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.24.3.82:2016-02-01)		count(cda:entryRelationship[@typeCode='SUBJ'][count(cda:encounter[cda:templateId[@root='2.1 6.840.1.113883.10.20.24.3.82'][@extension='201
a-2228-28420-error	(CONF:2228-28423). This templateld SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.142" (CONF:2228-	Transfer-To-Act-errors	6-02-01']])=1])=1
a-2228-28424-error	28424). This code SHALL contain exactly one [11] @code="ENC" encounter (CodeSystem: HL7ActClass	Transfer-To-Act-templateId-errors	@root='2.16.840.1.113883.10.20.24.3.142'
a-2228-28425-error	urn:oid:2.16.840.1.113883.5.6) (CONF:2228-28425). SHALL contain exactly one [11] @classCode="ACT" Act (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6	Transfer-To-Act-code-errors	@code='ENC'
a-1198-9024-error	STATIC) (CONF:1198-9024). SHALL contain exactly one [11] @moodCode="EVN" Event (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001 STATIC) (CONF:1198-9025).	Problem-Concern-Act-errors	@ classCode='ACT'
a-1198-9025-error	SHALL contain exactly one [11] templateId (CONF:1198-	Problem-Concern-Act-errors	@moodCode='EVN'
a-1198-16772-error	16772) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.22.4.3" (CONF:1198-16773). SHALL contain exactly one [11] @extension="2015-08-01" (CONF:1198-32509).	Problem-Concern-Act-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.22.4.3'][@extension='2015-08-01'])=1
a-1198-9026-error	SHALL contain at least one [1*] id (CONF:1198-9026).	Problem-Concern-Act-errors	count(cda:id) >= 1
a-1198-9027-error	SHALL contain exactly one [11] code (CONF:1198-9027). SHALL contain exactly one [11] statusCode (CONF:1198-9029)	Problem-Concern-Act-errors	count(cda:code)=1
a-1198-9029-error	SHALL contain exactly one [11] effectiveTime (CONF:1198-	Problem-Concern-Act-errors	count(cda:statusCode)=1
a-1198-9030-error	9030). SHALL contain at least one [1*] entryRelationship (CONF:1198 9034) such that it SHALL contain exactly one [11] Problem	Problem-Concern-Act-errors	count(cda:effectiveTime)=1
2 1109 0024 orrer	Observation (V3) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.4:2015-08-01) (CONF:1198-15980). SHALL contain exactly one [11] @typeCode="SUBJ" Has subject (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002	Droblam Concorn Act orrors	count(cda:entryRelationship[@typeCode='SUBJ'][count(cda:observation[cda:templateId[@root='2. 16.840.1.113883.10.20.22.4.4'][@extension='201
a-1198-9034-error a-1198-19184-error	STATIC) (CONF:1198-9035). This code SHALL contain exactly one [11] @code="CONC" Concern (CONF:1198-19184).	Problem-Concern-Act-errors Problem-Concern-Act-code-errors	5-08-01']])=1]) >= 1 @code='CONC'
a-1198-32168-error	This code SHALL contain exactly one [11] @codeSystem="2.16.840.1.113883.5.6" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:1198-32168).	Problem-Concern-Act-code-errors	@codeSystem='2.16.840.1.113883.5.6'
	This statusCode SHALL contain exactly one [11] @code, which SHALL be selected from ValueSet ProblemAct statusCode urn:oid:2.16.840.1.113883.11.20.9.19 STATIC (CONF:1198-		
a-1198-31525-error	31525). This effectiveTime SHALL contain exactly one [11] low	Problem-Concern-Act-statusCode-errors	@code
a-1198-9032-error	(CONF:1198-9032). SHALL contain exactly one [11] @classCode="OBS"	Problem-Concern-Act-effectiveTime-errors	count(cda:low)=1
a-1198-7130-error	Observation (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 STATIC) (CONF:1198-7130).	Result-Observation-errors	@classCode='OBS'

	EDDOD MESSACE	TENADI ATE ID TENADI ATE WILEDE THE EDDOR	
CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
	SHALL contain exactly one [11] @moodCode="EVN" Event (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001		
- 1100 7121	STATIC) (CONF:1198-7131).	Result Observation errors	@moodCode='EVN'
a-1198-7131-error	SHALL contain exactly one [11] templateId (CONF:1198-7136)	Result-Observation-errors	@moodcode= EVN
	such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.22.4.2" (CONF:1198-9138). SHALL contain exactly one [11] @extension="2015-08-01"		count(cda:templateId[@root='2.16.840.1.113883
a-1198-7136-error	(CONF:1198-32575).	Result-Observation-errors Result-Observation-errors	.10.20.22.4.2'][@extension='2015-08-01'])=1 count(cda:id)>=1
a-1198-7137-error	SHALL contain at least one [1*] id (CONF:1198-7137). SHALL contain exactly one [11] code, which SHOULD be	Result-Observation-errors	count(cua.iu)>=1
a-1198-7133-error	selected from CodeSystem LOINC	Result-Observation-errors	count(cda:code)=1
a-1136-7133-EITOI	(urn:oid:2.16.840.1.113883.6.1) (CONF:1198-7133). SHALL contain exactly one [11] statusCode (CONF:1198-7134).	Nesutr-Observation-entits	count(cua.coue)=1
a-1198-7134-error	SHALL contain exactly one [11] effectiveTime (CONF:1198-	Result-Observation-errors	count(cda:statusCode)=1
a-1198-7140-error	7140).	Result-Observation-errors	count(cda:effectiveTime)=1
a-1198-7143-error	SHALL contain exactly one [11] value (CONF:1198-7143). This statusCode SHALL contain exactly one [11] @code, which	Result-Observation-errors	count(cda:value)=1
	SHALL be selected from ValueSet Result Status		
a-1198-14849-error	urn:oid:2.16.840.1.113883.11.20.9.39 STATIC (CONF:1198-14849).	Result-Observation-statusCode-errors	@code
	The interpretationCode, if present, SHALL contain exactly one		
	[11] @code, which SHALL be selected from ValueSet Observation Interpretation (HL7)		
a-1198-32476-error	urn:oid:2.16.840.1.113883.1.11.78 STATIC (CONF:1198-32476).	Result-Observation-interpretationCode-errors	@code
	The referenceRange, if present, SHALL contain exactly one		
a-1198-7151-error	[11] observationRange (CONF:1198-7151). This observationRange SHALL NOT contain [00] code	Result-Observation-referenceRange-errors Result-Observation-referenceRange-observationRange-	count(cda:observationRange)=1
a-1198-7152-error	(CONF:1198-7152).	errors	count(cda:code)=0
a-1198-32175-error	This observationRange SHALL contain exactly one [11] value (CONF:1198-32175).	Result-Observation-referenceRange-observationRange- errors	count(cda:value)=1
	SHALL contain exactly one [11] @classCode="OBS" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6)		
a-2228-11433-error	(CONF:2228-11433).	Procedure-Intolerance-errors	@classCode='OBS'
	SHALL contain exactly one [11] @moodCode="EVN" (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)		
a-2228-11434-error	(CONF:2228-11434).	Procedure-Intolerance-errors	@moodCode='EVN'
	SHALL contain exactly one [11] templateId (CONF:2228- 11435) such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.24.3.62" (CONF:2228-		count(cda:templateId[@root='2.16.840.1.113883
a-2228-11435-error	11436). SHALL contain exactly one [11] @extension="2016-02-01" (CONF:2228-27020).	Procedure-Intolerance-errors	.10.20.24.3.62'][@extension='2016-02-01'])=1
a-2228-11437-error	SHALL contain exactly one [11] id (CONF:2228-11437). SHALL contain exactly one [11] value with @xsi:type="CD"	Procedure-Intolerance-errors	count(cda:id)=1
a-2228-14574-error	(CONF:2228-14574).	Procedure-Intolerance-errors	count(cda:value[@xsi:type='CD'])=1
	SHALL contain exactly one [11] entryRelationship (CONF:2228-11601) such that it SHALL contain exactly one [11]		
	@typeCode="CAUS" (CodeSystem: HL7ParticipationType		
	urn:oid:2.16.840.1.113883.5.90) (CONF:2228-11602). SHALL contain exactly one [11] @inversionInd="true" (CONF:2228-		
	11603). SHALL contain exactly one [11] Procedure Performed (V3) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.24.3.64:2016		<pre>count(cda:entryRelationship[@typeCode='CAUS'] [@inversionInd='true'][count(cda:procedure[cda:</pre>
	02-01) (CONF:2228-27148).		templateId[@root='2.16.840.1.113883.10.20.24.
a-2228-11601-error	This value SHALL contain exactly one [11]	Procedure-Intolerance-errors	3.64' and @extension = '2016-02-01']])=1])=1
	@code="102460003" Decreased tolerance (CodeSystem:		
a-2228-16421-error	SNOMED CT urn:oid:2.16.840.1.113883.6.96) (CONF:2228-16421).	Procedure-Intolerance-value-errors	@code='102460003'
	SHALL contain exactly one [11] @classCode="OBS"		
a-2228-11733-error	(CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:2228-11733).	Diagnostic-Study-Intolerance-errors	@classCode='OBS'
	SHALL contain exactly one [11] @moodCode="EVN" (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)		
a-2228-11734-error	(CONF:2228-11734).	Diagnostic-Study-Intolerance-errors	@moodCode='EVN'
	SHALL contain exactly one [11] templateId (CONF:2228- 11735) such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.24.3.16" (CONF:2228-		sount/edutempletold/@rz-t-12.46.040.4.442002
a-2228-11735-error	11736). SHALL contain exactly one [11] @extension="2016-02-01" (CONF:2228-27015).	Diagnostic-Study-Intolerance-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.24.3.16'][@extension='2016-02-01'])=1
a-2228-11737-error	SHALL contain exactly one [11] id (CONF:2228-11737).	Diagnostic-Study-Intolerance-errors	count(cda:id)=1
a-2228-14572-error	SHALL contain exactly one [11] value with @xsi:type="CD" (CONF:2228-14572).	Diagnostic-Study-Intolerance-errors	count(cda:value[@xsi:type='CD'])=1
	SHALL contain exactly one [11] entryRelationship (CONF:2228-11745) such that it SHALL contain exactly one [11]		
	@typeCode="CAUS" (CodeSystem: HL7ActRelationshipType		
	urn:oid:2.16.840.1.113883.5.90) (CONF:2228-11746). SHALL contain exactly one [11] @inversionInd="true" (CONF:2228-		count(cda:entryRelationship[@typeCode='CAUS']
	11747). SHALL contain exactly one [11] Diagnostic Study		[@inversionInd='true']
	Performed (V3) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.24.3.18:2016-02-01)		[count(cda:observation[cda:templateId[@root='2 .16.840.1.113883.10.20.24.3.18'
a-2228-11745-error	(CONF:2228-27150).	Diagnostic-Study-Intolerance-errors][@extension='2016-02-01']])=1])=1

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
a-2228-16411-error	This value SHALL contain exactly one [11] @code="102460003" Decreased tolerance (CONF:2228-16411).	Diagnostic-Study-Intolerance-value-errors	@code='102460003'
a-2228-28406-error	This value SHALL contain exactly one [11] @codeSystem="2.16.840.1.113883.6.96" (CONF:2228-28406).	Diagnostic-Study-Intolerance-value-errors	@codeSystem='2.16.840.1.113883.6.96'
a-2228-27355-error	SHALL contain exactly one [11] @classCode="ACT" Act (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:2228-27355).	Intervention_Recommended_V3-errors	@classCode='ACT'
	SHALL contain exactly one [11] @moodCode="INT" Intent (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)		
a-2228-13763-error	(CONF:2228-13763). SHALL contain exactly one [11] templateld (CONF:2228-13764) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.33" (CONF:2228-13765). SHALL contain exactly one [11] @extension="2016-02-01"	Intervention_Recommended_V3-errors	@moodCode='INT' count(cda:templateId[@root='2.16.840.1.113883
a-2228-13764-error a-2228-13767-error	(CONF:2228-26557). SHALL contain exactly one [11] code (CONF:2228-13767).	Intervention_Recommended_V3-errors Intervention_Recommended_V3-errors	.10.20.24.3.33'][@extension='2016-02-01']) = 1 count(cda:code) = 1
a-2228-27349-error	SHALL contain exactly one [11] Author Participation (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.119) (CONF:2228-27349).	Intervention_Recommended_V3-errors	count(cda:author[cda:templateId[@root='2.16.84 0.1.113883.10.20.22.4.119']]) = 1
a-2228-27635-error	This code SHALL contain exactly one [11] @sdtc:valueSet (CONF:2228-27635).	Intervention_Recommended_V3-code-errors	@sdtc:valueSet
a-2228-12464-error	SHALL contain exactly one [11] @classCode="OBS" observation, which SHALL be selected from CodeSystem HL7ActClass (urn:oid:2.16.840.1.113883.5.6) (CONF:2228-12464).	Patient care experience-errors	@classCode='OBS'
d-2220-12404-CHOI	SHALL contain exactly one [11] @moodCode="EVN" event, which SHALL be selected from CodeSystem ActMood (urn:oid:2.16.840.1.113883.5.1001) (CONF:2228-12465).	rutent_tare_experience entris	genesseed - obs
a-2228-12465-error	SHALL NOT contain [00] @negationInd (CONF:2228-28085)	Patient_care_experience-errors	@moodCode='EVN'
a-2228-28085-error		Patient_care_experience-errors	not(@negationInd)
	SHALL contain exactly one [11] templateId (CONF:2228- 12466) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.48" (CONF:2228- 12467). SHALL contain exactly one [11] @extension="2016-02-01"		count(cda:templateId[@root='2.16.840.1.113883
a-2228-12466-error a-2228-12469-error	(CONF:2228-27290). SHALL contain at least one [1*] id (CONF:2228-12469).	Patient_care_experience-errors Patient_care_experience-errors	.10.20.24.3.48'][@extension='2016-02-01']) = 1 count(cda:id) > 0
a-2228-12470-error	SHALL contain exactly one [1] id (CONF:2228-1240).	Patient_care_experience-errors	count(cda:code) = 1
a-2228-12471-error	SHALL contain exactly one [11] statusCode="completed", which SHALL be selected from CodeSystem ActStatus (urn:oid:2.16.840.1.113883.5.14) (CONF:2228-12471). SHALL contain exactly one [11] effectiveTime (CONF:2228-	Patient_care_experience-errors	count(cda:statusCode[@code='completed']) = 1
a-2228-12472-error	12472). SHALL contain exactly one [11] value with @xsi:type="CD"	Patient_care_experience-errors	count(cda:effectiveTime) = 1
a-2228-13038-error	(CONF:2228-13038).	Patient_care_experience-errors	count(cda:value[@xsi:type='CD'])=1
	This code SHALL contain exactly one [11] @code="77218-6" Patient satisfaction with healthcare delivery (CONF:2228-		
a-2228-13037-error	13037). This code SHALL contain exactly one [11] @codeSystem="2.16.840.1.113883.6.1" (CodeSystem: LOINC	Patient_care_experience-code-errors	@code='77218-6'
a-2228-27555-error	urn:oid:2.16.840.1.113883.6.1) (CONF:2228-27555). This effectiveTime SHALL contain exactly one [11] low	Patient_care_experience-code-errors	@codeSystem='2.16.840.1.113883.6.1'
a-2228-27553-error	(CONF:2228-27553). This value SHALL contain exactly one [11] @sdtc:valueSet	Patient_care_experience-effectiveTime-errors	count(cda:low) = 1
a-2228-27647-error	(CONF:2228-27647). SHALL contain exactly one [11] @classCode="OBS" Observation (CodeSystem: HL7ActClass	Patient_care_experience-value-errors	@sdtc:valueSet
a-1098-29035-error	urn:oid:2.16.840.1.113883.5.6 STATIC) (CONF:1098-29035).	Prognosis-Observation-errors	@classCode='OBS'
	SHALL contain exactly one [11] @moodCode="EVN" Event (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001 STATIC) (CONF:1098-29036).		
a-1098-29036-error	SHALL contain exactly one [11] templateId (CONF:1098-29037) such that it SHALL contain exactly one [11]	Prognosis-Observation-errors	@moodCode='EVN'
a-1098-29037-error	@root="2.16.840.1.113883.10.20.22.4.113" (CONF:1098-29038).	Prognosis-Observation-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.22.4.113'][not(@extension)])=1
a-1098-29439-error	SHALL contain exactly one [11] value (CONF:1098-29439). SHALL contain exactly one [11] statusCode (CONF:1098-	Prognosis-Observation-errors	count(cda:code)=1
a-1098-31350-error	31350).	Prognosis-Observation-errors	count(cda:statusCode)=1
a-1098-31123-error	SHALL contain exactly one [11] effectiveTime (CONF:1098-31123).	Prognosis-Observation-errors	count(cda:effectiveTime)=1
a-1098-29469-error	SHALL contain exactly one [11] value (CONF:1098-29469). This code SHALL contain exactly one [11] @code="75328-5"	Prognosis-Observation-errors	count(cda:value)=1
a-1098-29468-error	Prognosis (CONF:1098-29468). This code SHALL contain exactly one [11] @codeSystem="2.16.840.1.113883.6.1" (CodeSystem: LOINC	Prognosis-Observation-code-errors	@code='75328-5'
a-1098-31349-error	urn:oid:2.16.840.1.113883.6.1) (CONF:1098-31349).	Prognosis-Observation-code-errors	@codeSystem='2.16.840.1.113883.6.1'

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
	This statusCode SHALL contain exactly one [11]		
a-1098-31351-error	@code="completed" (CodeSystem: ActStatus urn:oid:2.16.840.1.113883.5.14) (CONF:1098-31351).	Prognosis-Observation-statusCode-errors	@code='completed'
u 1050 51351 Ciroi	Data types of PQ SHALL have either @value or @nullFlavor but	-	@code= completed
	SHALL NOT have both @value and @nullFlavor. If @value is		
	present then @unit SHALL be present but @unit SHALL NOT be		((@value and @unit) or @nullFlavor) and not (@value and @nullFlavor) and not(@unit and
a-CMS 0110-error	present if @value is not present. (CONF: CMS_0110)	r-validate PQ-errors	@nullFlavor) and not(not(@value) and @unit)
	A Coordinated Universal Time (UTC time) offset should not be		
	used anywhere in a QRDA Category I file or, if a UTC time offset		(parent::node()[parent::node()[parent::node()[cd
	is needed anywhere, then it must be specified everywhere a time field is provided (CONF: CMS_0121).		a:act[cda:templateId[@root='2.16.840.1.113883. 10.20.17.3.8.1'][@extension='2016-03-01']]]]]) or
	anne neid is provided (contrains_circ).		(\$timeZoneExists=(contains(normalize-
			space(@value), '-') or contains(normalize-
a-CMS_0121-error a-81-7159-error	SHALL contain exactly one [11] family (CONF:81-7159).	r-validate_TZ-errors US-Realm-Patient-Name-errors	space(@value), '+'))) or @nullFlavor count(cda:family[@xsi:type='ST'])=1
a-81-7157-error	SHALL contain at least one [1*] given (CONF:81-7157).	US-Realm-Patient-Name-errors	count(cda:given[@xsi:type='ST']) >=1
	SHALL contain exactly one [11] @classCode="OBS"		
a-2228-16711-error	(CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:2228-16711).	Patient_Characteristic_Clinical_Trial_Participant-errors	@classCode='OBS'
d-2228-10711-entor	SHALL contain exactly one [11] @moodCode="EVN" event,	Tatient_enaracteristic_enineal_frial_farticipanteefrois	e classes de la constant de la const
	which SHALL be selected from CodeSystem ActMood		
a-2228-12526-error	(urn:oid:2.16.840.1.113883.5.1001) (CONF:2228-12526).	Patient Characteristic Clinical Trial Participant-errors	@moodCode='EVN'
a-2220-12320-enoi	SHALL NOT contain [00] @negationInd (CONF:2228-28086).	raticit_entracteristic_entrical_trial_traticipant errors	@IIIDOGCOGC LVIII
a-2228-28086-error		Patient_Characteristic_Clinical_Trial_Participant-errors	not(@negationInd)
	SHALL contain exactly one [11] templateId (CONF:2228- 12537) such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.24.3.51" (CONF:2228-		
	12538). SHALL contain exactly one [11] @extension="2016-02		count(cda:templateId[@root='2.16.840.1.113883
a-2228-12537-error	01" (CONF:2228-27026). SHALL contain at least one [1*] id (CONF:2228-26996).	Patient_Characteristic_Clinical_Trial_Participant-errors	.10.20.24.3.51'][@extension='2016-02-01']) = 1
a-2228-26996-error	STATE CONTAIN AT ICASE ONE [1] IN (COM .2220 20330).	Patient_Characteristic_Clinical_Trial_Participant-errors	count(cda:id) > 0
	SHALL contain exactly one [11] code (CONF:2228-13041).		
a-2228-13041-error	SHALL contain exactly one [11] statusCode (CONF:2228-	Patient_Characteristic_Clinical_Trial_Participant-errors	count(cda:code) = 1
a-2228-13042-error	13042).	Patient_Characteristic_Clinical_Trial_Participant-errors	count(cda:statusCode) = 1
a-2228-12536-error	SHALL contain exactly one [11] effectiveTime (CONF:2228-	Patient Characteristic Clinical Trial Participant-errors	count(cda:effectiveTime) = 1
a-2228-12330-e1101	12536). SHALL contain exactly one [11] value with @xsi:type="CD"	ratient_Characteristic_Chinical_That_Participant-entits	count(cua.enectiverime) = 1
a-2228-16712-error	(CONF:2228-16712).	Patient_Characteristic_Clinical_Trial_Participant-errors	count(cda:value[@xsi:type='CD']) = 1
a-2228-28130-error	This code SHALL contain exactly one [11] @code="ASSERTION" Assertion (CONF:2228-28130).	Patient_Characteristic_Clinical_Trial_Participant-code- errors	@code='ASSERTION'
u 2220 20130 CHOI	This code SHALL contain exactly one [11]	Citors	@code= PoseMioN
	@codeSystem="2.16.840.1.113883.5.4" (CodeSystem: ActCode		
a-2228-28131-error	urn:oid:2.16.840.1.113883.5.4) (CONF:2228-28131).	Patient_Characteristic_Clinical_Trial_Participant-code- errors	@codeSystem='2.16.840.1.113883.5.4'
	SHALL contain exactly one [11] code="active" (CodeSystem:		
2220 42042	ActStatus urn:oid:2.16.840.1.113883.5.14) (CONF:2228-13042).	Patient_Characteristic_Clinical_Trial_Participant- statusCode-errors	Ocada ladinal
a-2228-13042-c-error	This effectiveTime SHALL contain exactly one [11] low	Patient Characteristic Clinical Trial Participant-	@code='active'
a-2228-27668-error	(CONF:2228-27668).	effectiveTime-errors	count(cda:low)=1
a-2228-27648-error	This value SHALL contain exactly one [11] @sdtc:valueSet (CONF:2228-27648).	Patient_Characteristic_Clinical_Trial_Participant-value- errors	@sdtc:valueSet
a-2220-27040-E1101	SHALL contain exactly one [11] @classCode="OBS"	Citors	@sutc.valueset
	(CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6)		
a-1098-30949-error	(CONF:1098-30949). SHALL contain exactly one [11] @moodCode="EVN"	Priority-Preference-errors	@classCode='OBS'
	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)		
a-1098-30950-error	(CONF:1098-30950).	Priority-Preference-errors	@moodCode='EVN'
	SHALL contain exactly one [11] templateId (CONF:1098-30951) such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.22.4.143" (CONF:1098-		count(cda:templateId[@root='2.16.840.1.113883
a-1098-30951-error	30952).	Priority-Preference-errors Priority-Preference-errors	.10.20.22.4.143'][not(@extension)])=1 count(cda:id) >= 1
a-1098-30953-error a-1098-30954-error	SHALL contain at least one [1*] id (CONF:1098-30953). SHALL contain exactly one [11] code (CONF:1098-30954).	Priority-Preference-errors	count(cda:code)=1
	SHALL contain exactly one [11] value with @xsi:type="CD",		
	where the code SHALL be selected from ValueSet Priority Level		count(cda:value[@xsi:type='CD' and @code=document('voc.xml')/voc:systems/voc:sy
	urn:oid:2.16.840.1.113883.11.20.9.60 STATIC 2014-06-11 (CONF:1098-30957).		stem[@valueSetOid='2.16.840.1.113883.11.20.9.
a-1098-30957-error		Priority-Preference-errors	60']/voc:code/@value or @nullFlavor])=1
a-1098-30955-error	This code SHALL contain exactly one [11] @code="225773000" Preference (CONF:1098-30955).	Priority-Preference-code-errors	@code='225773000'
. 2222 22305 Circl	This code SHALL contain exactly one [11]	, , , , , , , , , , , , , , , , , , , ,	
	@codeSystem="2.16.840.1.113883.6.96" (CodeSystem:		
a-1098-30956-error	SNOMED CT urn:oid:2.16.840.1.113883.6.96) (CONF:1098-30956).	Priority-Preference-code-errors	@codeSystem='2.16.840.1.113883.6.96'
	SHALL contain exactly one [11] @classCode="ACT" Act		,
2 2220 20444 07707	(CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6)	Device-Order-Act-V3-errors	@classCode='ACT'
a-2228-28444-error	(CONF:2228-28444). SHALL contain exactly one [11] @moodCode="RQO" Request	Device-Order-Act-V3-errors	e classeoue - AcT
	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)		
a-2228-28445-error	(CONF:2228-28445).	Device-Order-Act-V3-errors	@moodCode='RQO'

	ERROR MESSAGE	TEMPLATE ID/TEMPLATE WHERE THE ERROR	
CONFORMANCE ERROR		OCCURRED	CONDITION/WHAT IS EXPECTED
	SHALL contain at least one [1*] templateId (CONF:2228-28441) such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.24.3.130" (CONF:2228-		count(cda:templateId[@root='2.16.840.1.113883
a-2228-28441-error	28447).	Device-Order-Act-V3-errors	.10.20.24.3.130'][not(@extension)]]>0
a-2228-28442-error	SHALL contain exactly one [11] code (CONF:2228-28442). SHALL contain exactly one [11] entryRelationship (CONF:2228-	Device-Order-Act-V3-errors	count(cda:code) =1
	28443) such that it SHALL contain exactly one [11]		
	@typeCode="SUBJ" Has subject (CodeSystem:		
	HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:2228-28450). SHALL contain exactly one [11] Device		count(cda:entryRelationship[@typeCode='SUBJ']
	Order (V3) (identifier:		[count(cda:supply[cda:templateId[@root='2.16.8
	urn:hl7ii:2.16.840.1.113883.10.20.24.3.9:2016-02-01)		40.1.113883.10.20.24.3.9' and @extension =
a-2228-28443-error	(CONF:2228-28451). This code SHALL contain exactly one [11] @code="SPLY"	Device-Order-Act-V3-errors	'2016-02-01']])=1])=1
a-2228-28448-error	Supply (CONF:2228-28448).	Device-Order-Act-V3-code-errors	@code='SPLY'
	This code SHALL contain exactly one [11] @codeSystem		
a-2228-28449-error	(CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:2228-28449).	Device-Order-Act-V3-code-errors	@codeSystem
	SHALL contain exactly one [11] @classCode="OBS"		
	Observation (CodeSystem: HL7ActClass		
a-1098-7345-error	urn:oid:2.16.840.1.113883.5.6 STATIC) (CONF:1098-7345). SHALL contain exactly one [11] @moodCode="EVN" Event	Severity-Observation-errors	@classCode='OBS'
	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001		
	STATIC) (CONF:1098-7346).		
a-1098-7346-error	SHALL contain exactly one [11] templateId (CONF:1098-7347)	Severity-Observation-errors	@moodCode='EVN'
	such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.22.4.8" (CONF:1098-10525).		
a-1098-7347-error	SHALL contain exactly one [11] @extension="2014-06-09" (CONF:1098-32577).	Severity-Observation-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.22.4.8'][@extension='2014-06-09'])=1
a-1098-19168-error	SHALL contain exactly one [11] code (CONF:1098-19168).	Severity-Observation-errors	count(cda:code)=1
	SHALL contain exactly one [11] statusCode (CONF:1098-7352).		
a-1098-7352-error	SHALL contain exactly one [11] value with @xsi:type="CD",	Severity-Observation-errors	count(cda:statusCode)=1
	where the code SHALL be selected from ValueSet Problem		
	Severity urn:oid:2.16.840.1.113883.3.88.12.3221.6.8 DYNAMIC		
a-1098-7356-error	(CONF:1098-7356).	Severity-Observation-errors	count(cda:value[@xsi:type='CD'])=1
	This code SHALL contain exactly one [11] @code="SEV"		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
a-1098-19169-error	Severity (CONF:1098-19169).	Severity-Observation-code-errors	@code='SEV'
	This code SHALL contain exactly one [11] @codeSystem="2.16.840.1.113883.5.4" (CodeSystem: ActCode		
	urn:oid:2.16.840.1.113883.5.4) (CONF:1098-32170).		
a-1098-32170-error	The second secon	Severity-Observation-code-errors	@codeSystem='2.16.840.1.113883.5.4'
	This statusCode SHALL contain exactly one [11] @code="completed" Completed (CodeSystem: ActStatus		
	urn:oid:2.16.840.1.113883.5.14 STATIC) (CONF:1098-19115).		
a-1098-19115-error	CHAIL contain averable and [4, 4] Octoor de HACT!	Severity-Observation-statusCode-errors	@code='completed'
	SHALL contain exactly one [11] @classCode="ACT" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6)		
a-2228-16550-error	(CONF:2228-16550).	Discharge-Medication-errors	@classCode='ACT'
	SHALL contain exactly one [11] @moodCode="RQO" (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)		
a-2228-16551-error	(CONF:2228-16551).	Discharge-Medication-errors	@moodCode='RQO'
	SHALL contain exactly one [11] templateId (CONF:2228-		
	26956) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.105" (CONF:2228-		
	26957). SHALL contain exactly one [11] @extension="2016-02-		count(cda:templateId[@root='2.16.840.1.113883
a-2228-26956-error	01" (CONF:2228-27037).	Discharge-Medication-errors	.10.20.24.3.105'][@extension='2016-02-01'])=1
a-2228-26955-error	SHALL contain at least one [1*] id (CONF:2228-26955).	Discharge-Medication-errors	count(cda:id)>=1
a-2228-16552-error	SHALL contain exactly one [11] code (CONF:2228-16552). SHALL contain exactly one [11] entryRelationship (CONF:2228-	Discharge-Medication-errors	count(cda:code)=1
	16553) such that it SHALL contain exactly one [11]		
	@typeCode="SUBJ" (CodeSystem: HL7ActRelationshipType		
	urn:oid:2.16.840.1.113883.5.1002) (CONF:2228-16554) SHALL contain exactly one [11] Medication Activity (V2) (identifier:		count(cda:entryRelationship[@typeCode='SUBJ']
	urn:hl7ii:2.16.840.1.113883.10.20.22.4.16:2014-06-09)		[count(cda:substance Administration [cda:templat
2_7778_16552 orror	(CONF:2228-16555).	Discharge-Medication-errors	eld[@root='2.16.840.1.113883.10.20.22.4.16'
a-2228-16553-error	This code SHALL contain exactly one [11] @code="75311-1"	DISCHARGE TYPE GROUP CHILDS][@extension='2014-06-09']])=1])=1
a-2228-28140-error	Discharge medications (CONF:2228-28140).	Discharge-Medication-code-errors	@code='75311-1'
	This code SHALL contain exactly one [11] @codeSystem="2.16.840.1.113883.6.1" (CodeSystem: LOINC		
a-2228-28141-error	urn:oid:2.16.840.1.113883.6.1) (CONF:2228-28141).	Discharge-Medication-code-errors	@codeSystem='2.16.840.1.113883.6.1'
	SHALL contain exactly one [11] @classCode="ACT"		
a-2228-11484-error	(CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:2228-11484).	Communication-From-Patient-To-Provider-V3-errors	@classCode='ACT'
	SHALL contain exactly one [11] @moodCode="EVN"		
2 2220 11/05 2552	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)	Communication From Patient To President 12	@moodCodo='EVN'
a-2228-11485-error	(CONF:2228-11485).	Communication-From-Patient-To-Provider-V3-errors	@moodCode='EVN'

	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR	
CONFORMANCE ERROR	EMION MESSAGE	OCCURRED	CONDITION/WHAT IS EXPECTED
a-2228-11486-error	SHALL contain exactly one [11] templateId (CONF:2228-11486) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.2" (CONF:2228-11487). SHALL contain exactly one [11] @extension="2016-02-01" (CONF:2228-27275).	Communication-From-Patient-To-Provider-V3-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.24.3.2'][@extension='2016-02-01'])=1
a-2228-11619-error	SHALL contain at least one [1*] id (CONF:2228-11619).	Communication-From-Patient-To-Provider-V3-errors	count(cda:id)>=1
a-2228-26946-error	SHALL contain exactly one [11] code (CONF:2228-27576).	Communication-From-Patient-To-Provider-V3-errors	count(cda:code)=1
a-2228-11620-error	SHALL contain exactly one [11] statusCode="completed" (CodeSystem: ActStatus urn:oid:2.16.840.1.113883.5.14) (CONF:2228-11620). SHALL contain exactly one [11] effectiveTime (CONF:2228-	Communication-From-Patient-To-Provider-V3-errors	count(cda:statusCode[@code='completed'])=1
a-2228-11622-error	11622).	Communication-From-Patient-To-Provider-V3-errors	count(cda:effectiveTime)=1
a-2228-11631-error	SHALL contain exactly one [11] participant (CONF:2228-11631) such that it SHALL contain exactly one [11] participantRole (CONF:2228-11633). This participantRole SHALL contain exactly one [11] code (CONF:2228-11651). This code SHALL contain exactly one [11] @code="158965000" Medical practitioner (CONF:2228-27272). This code SHALL contain exactly one [11] @codeSystem="2.16.840.1.113883.6.96" (CodeSystem: SNOMED CT urn:oid:2.16.840.1.113883.6.96) (CONF:2228-26945). This participantRole SHALL contain exactly one [11] @classCode="ASSIGNED" assigned entity (CodeSystem: RoleClass urn:oid:2.16.840.1.113883.5.110) (CONF:2228-12098). SHALL contain exactly one [11] @typeCode="IRCP" information recipient (CodeSystem: HL7ParticipationType urn:oid:2.16.840.1.113883.5.90) (CONF:2228-11632).	Communication-From-Patient-To-Provider-V3-errors	count(cda:participant[@typeCode='IRCP'][count(cda:participantRole[@classCode='ASSIGNED'][count(cda:code[@code='158965000'][@codeSystem='2.16.840.1.113883.6.96']]=1]]=1]
	SHALL contain exactly one [11] participant (CONF:2228-11835) such that it SHALL contain exactly one [11] participantRole (CONF:2228-11836). This participantRole SHALL contain exactly one [11] @classCode="PAT" patient (CodeSystem: RoleClass urn:oid:2.16.840.1.113883.5.110) (CONF:2228-12100). SHALL contain exactly one [11] @typeCode="AUT" author (originator) (CodeSystem: HL7ParticipationType urn:oid:2.16.840.1.113883.5.90)		count(cda:participant[@typeCode='AUT'][count(c
a-2228-11835-error	(CONF:2228-12099).	Communication-From-Patient-To-Provider-V3-errors	da:participantRole[@classCode='PAT'])=1])=1
a-2228-27578-error	This code SHALL contain exactly one [11] @sdtc:valueSet (CONF:2228-27578). This effectiveTime SHALL contain exactly one [11] low	Communication-From-Patient-To-Provider-V3-code-errors Communication-From-Patient-To-Provider-V3-	@sdtc:valueSet
a-2228-27543-error	(CONF:2228-27543).	effectiveTime-errors	count(cda:low)=1
a-2228-16536-error	SHALL contain exactly one [11] @classCode="OBS" Observation (CONF:2228-16536).	Patient_Characteristic_Observation_Assertion-errors	@classCode='OBS'
a-2228-16537-error	SHALL contain exactly one [11] @moodCode="EVN" Event (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:2228-16537).	Patient_Characteristic_Observation_Assertion-errors	@moodCode='EVN'
	SHALL NOT contain [00] @negationInd (CONF:2228-28623).		
a-2228-28623-error a-2228-26962-error a-2228-16538-error	SHALL contain exactly one [11] templateld (CONF:2228-26962) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.103" (CONF:2228-26963). SHALL contain exactly one [11] @extension="2016-02-01" (CONF:2228-27781). SHALL contain at least one [1*] id (CONF:2228-16538).	Patient_Characteristic_Observation_Assertion-errors Patient_Characteristic_Observation_Assertion-errors Patient Characteristic Observation Assertion-errors	not(@negationInd) count(cda:templateId[@root='2.16.840.1.113883 .10.20.24.3.103'][@extension='2016-02-01']) = 1 count(cda:id) > 0
a-2228-16544-error	SHALL contain at least one [1] Id (CONF.2226-16536).	Patient Characteristic Observation Assertion-errors	count(cda:code) = 1
	SHALL contain exactly one [11] code (CONF:2228-		
a-2228-16539-error	16539).	Patient_Characteristic_Observation_Assertion-errors	count(cda:statusCode) = 1
a-2228-16540-error	SHALL contain exactly one [11] effectiveTime (CONF:2228-16540).	Patient_Characteristic_Observation_Assertion-errors	count(cda:effectiveTime) = 1
a-2228-16541-error	SHALL contain exactly one [11] value with @xsi:type="CD" (CONF:2228-16541)	Patient_Characteristic_Observation_Assertion-errors	count(cda:value[@xsi:type='CD']) = 1
a-2228-16545-error	This code SHALL contain exactly one [11] @code="ASSERTION" (CONF:2228-16545).	Patient_Characteristic_Observation_Assertion-code-errors	@code='ASSERTION'
a-2228-28135-error	This code SHALL contain exactly one [11] @codeSystem="2.16.840.1.113883.5.4" (CodeSystem: ActCode urn:oid:2.16.840.1.113883.5.4) (CONF:2228-28135).		
a-2228-16545-c-error	This statusCode SHALL contain exactly one [11]	Patient_Characteristic_Observation_Assertion-statusCode- errors	@code='completed'
u 2220-10545-C-CHUI	@code="completed" (CONF:2228-16539) This effectiveTime SHALL contain exactly one [11] low	Patient_Characteristic_Observation_Assertion-	
a-2228-27670-error	(CONF:2228-27670). This value SHALL contain exactly one [11] @sdtc:valueSet	effectiveTime-errors Patient Characteristic Observation Assertion-value-	count(cda:low)=1
a-2228-27672-error	(CONF:2228-27672).	errors	@sdtc:valueSet
_ ILLO L. O. L. CITO	SHALL contain exactly one [11] @classCode="OBS"		
a-1140-11357-error	(CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:1140-11357).	Reason-errors	@classCode='OBS'
4 1140 1100/-CHU	SHALL contain exactly one [11] @moodCode="EVN"		
a-1140-11358-error	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001) (CONF:1140-11358).	Reason-errors	@moodCode='EVN'

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
a-1140-11359-error	SHALL contain exactly one [11] templateId (CONF:1140-11359) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.88" (CONF:1140-11360). SHALL contain exactly one [11] @extension="2014-12-01" (CONF:1140-27027).		count(cda:templateId[@root='2.16.840.1.113883
		Reason-errors	.10.20.24.3.88'][@extension='2014-12-01'])=1 count(cda:id) >= 1
a-1140-26998-error a-1140-11361-error	SHALL contain at least one [1*] id (CONF:1140-26998).	Reason-errors	
	SHALL contain exactly one [11] code (CONF:1140-11361). SHALL contain exactly one [11] statusCode (CONF:1140-	Reason-errors	count(cda:code)=1
a-1140-11364-error	11364). SHALL contain exactly one [11] effectiveTime (CONF:1140-	Reason-errors Reason-errors	count(cda:statusCode)=1 count(cda:effectiveTime)=1
a-1140-11366-error	11366). SHALL contain exactly one [11] value with @xsi:type="CD"	Reason-errors	count(cda.enectivenine)=1
a-1140-11367-error	(CONF:1140-11367). This code SHALL contain exactly one [11] @code="77301-0"	Reason-errors	count(cda:value)=1
a-1140-11362-error	Reason care action performed or not (CONF:1140-11362).	Reason-code-errors	@code='77301-0'
	This code SHALL contain exactly one [11] @codeSystem="2.16.840.1.113883.6.1" (CodeSystem: LOINC		
a-1140-27028-error	urn:oid:2.16.840.1.113883.6.1) (CONF:1140-27028). This statusCode SHALL contain exactly one [11]	Reason-code-errors	@codeSystem='2.16.840.1.113883.6.1'
a-1140-11365-error	@code="completed" (CodeSystem: ActStatus urn:oid:2.16.840.1.113883.5.14) (CONF:1140-11365).	Reason-statusCode-errors	@code='completed'
a-1140-27551-error	This effectiveTime SHALL contain exactly one [11] low (CONF:1140-27551).	Reason-effectiveTime-errors	count(cda:low)=1
a-1140-27657-error	This value SHALL contain exactly one [11] @sdtc:valueSet (CONF:1140-27657).	Reason-value-errors	@sdtc:valueSet
a-1140-27037-e1101	SHALL contain exactly one [11] @classCode="OBS" Observation (CodeSystem: HL7ActClass	Reason-value-errors	e satte. value set
a-2228-28087-error	urn:oid:2.16.840.1.113883.5.6) (CONF:2228-28087). SHALL contain exactly one [11] @moodCode="EVN" Event	Patient_Characteristic_Expired-errors	@classCode='OBS'
a-2228-28088-error	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001) (CONF:2228-28088).	Patient_Characteristic_Expired-errors	@moodCode='EVN'
a-2228-28089-error	SHALL NOT contain [00] @negationInd (CONF:2228-28089).	Patient_Characteristic_Expired-errors	not(@negationInd)
	SHALL contain exactly one [11] templated (CONF:2228-12540) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.54" (CONF:2228-12541). SHALL contain exactly one [11] @extension="2016-02-		count(cda:templateId[@root='2.16.840.1.113883
a-2228-12540-error	01" (CONF:2228-27014).	Patient_Characteristic_Expired-errors	.10.20.24.3.54'][@extension='2016-02-01']) = 1
67.40704	SHALL contain exactly one [11] templateId (CONF:67-12794) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.17.2.4" (CONF:67-12795).		count(cda:templateId[@root='2.16.840.1.113883
a-67-12794-error a-67-3865-error	SHALL contain exactly one [11] code (CONF:67-3865).	Patient-data-section-errors Patient-data-section-errors	.10.20.17.2.4'][not(@extension)])=1 count(cda:code)=1
u 0, 3003 ciro.	SHALL contain exactly one [11] title="Patient Data" (CONF:67-3866).		count(cda:title[translate(text(), 'ABCDEFGHIJKLMNOPQRSTUVWXYZ',
a-67-3866-error		Patient-data-section-errors	'abcdefghijklmnopqrstuvwxyz')='patient data'])=1
a-67-3867-error	SHALL contain exactly one [11] text (CONF:67-3867).	Patient-data-section-errors	count(cda:text)=1
a-67-14567-error	SHALL contain at least one [1*] entry (CONF:67-14567).	Patient-data-section-errors	count(cda:entry) > 0
a-67-26548-error	This code SHALL contain exactly one [11] @code="55188-7" (CONF:67-26548).	Patient-data-section-code-errors	@code='55188-7'
2 67 27012 orror	This code SHALL contain exactly one [11] @codeSystem="2.16.840.1.113883.6.1" (CodeSystem: LOINC	Dationt data section code arrays	@codeCurtom=12.16.940.1.112992.6.11
a-67-27013-error	urn:oid:2.16.840.1.113883.6.1) (CONF:67-27013). SHALL contain exactly one [11] @classCode="OBS"	Patient-data-section-code-errors	@codeSystem='2.16.840.1.113883.6.1'
a-1098-8581-error	(CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 STATIC) (CONF:1098-8581). SHALL contain exactly one [11] @moodCode, which SHALL be	Planned-Observation-errors	@classCode='OBS' @moodCode and
a-1098-8582-error	selected from ValueSet Planned moodCode (Observation) urn:oid:2.16.840.1.113883.11.20.9.25 STATIC 2011-09-30 (CONF:1098-8582).	Planned-Observation-errors	@moodCode=document('voc.xml')/voc:systems/ voc:system[@valueSetOid='2.16.840.1.113883.11 .20.9.25']/voc:code/@value
	SHALL contain exactly one [11] templateld (CONF:1098-30451) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.22.4.44" (CONF:1098-		count/edute melatald/@cost-13 16 040 1 113093
a-1098-30451-error	30452). SHALL contain exactly one [11] @extension="2014-06-09" (CONF:1098-32555).	Planned-Observation-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.22.4.44'][@extension='2014-06-09'])=1
a-1098-8584-error	SHALL contain at least one [1*] id (CONF:1098-8584).	Planned-Observation-errors	count(cda:id) >= 1
	SHALL contain exactly one [11] statusCode (CONF:1098-		
a-1098-30453-error	30453). SHALL contain exactly one [11] code, which SHOULD be	Planned-Observation-errors	count(cda:statusCode)=1
a-1098-31030-error	selected from CodeSystem LOINC (urn:oid:2.16.840.1.113883.6.1) (CONF:1098-31030).	Planned-Observation-errors	count(cda:code)=1
a-1098-32032-error	This statusCode SHALL contain exactly one [11] @code="active" Active (CodeSystem: ActStatus urn:oid:2.16.840.1.113883.5.14) (CONF:1098-32032).	Planned-Observation-statusCode-errors	@code='active'
	SHALL contain exactly one [11] @classCode="ENC" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6)		
a-2228-27530-error	(CONF:2228-27530). SHALL contain exactly one [11] @moodCode="EVN"	Encounter-Active-errors	@classCode='ENC'
a-2228-27531-error	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001) (CONF:2228-27531).	Encounter-Active-errors	@moodCode='EVN'

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
	SHALL contain exactly one [11] templateId (CONF:2228- 11888) such that it SSHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.24.3.21" (CONF:2228-11889). SHALL contain exactly one [11] @extension="2016-02-		count(cda:templateId[@root='2.16.840.1.113883
a-2228-11888-error	01" (CONF:2228-26551).	Encounter-Active-errors	.10.20.24.3.21'][@extension='2016-02-01'])=1
a-2228-27621-error	SHALL contain exactly one [11] code (CONF:2228-27621).	Encounter-Active-errors	count(cda:code)=1
- 2220 44005	SHALL contain exactly one [11] statusCode (CONF:2228-	Encounter Active errors	sount/adaystatusCodo\-1
a-2228-11895-error	11895). SHALL contain exactly one [11] effectiveTime (CONF:2228-	Encounter-Active-errors	count(cda:statusCode)=1
a-2228-11898-error	11898).	Encounter-Active-errors	count(cda:effectiveTime)=1
	This code SHALL contain exactly one [11] @sdtc:valueSet		
a-2228-27622-error	(CONF:2228-27622). This statusCode SHALL contain exactly one [11]	Encounter-Active-code-errors	@sdtc:valueSet
	@code="active" (CodeSystem: ActStatus		
a-2228-11896-error	urn:oid:2.16.840.1.113883.5.14) (CONF:2228-11896).	Encounter-Active-statusCode-errors	@code='active'
a-2228-26549-error	This effectiveTime SHALL contain exactly one [11] low (CONF:2228-26549).	Encounter-Active-effectiveTime-errors	count(cda:low)=1
a-2220-20343-CITOI	SHALL contain exactly one [11] @classCode="OBS"	Encounter Active encouvering errors	count(cau.iow)=1
	Observation (CodeSystem: HL7ActClass		
a-2228-27416-error	urn:oid:2.16.840.1.113883.5.6) (CONF:2228-27416).	Laboratory_Test_Recommended_V3-errors	@classCode='OBS'
	SHALL contain exactly one [11] @moodCode="INT" Intent (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)		
a-2228-11793-error	(CONF:2228-11793).	Laboratory_Test_Recommended_V3-errors	@moodCode='INT'
	SHALL contain exactly one [11] templateId (CONF:2228-		
	11794) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.39" (CONF:2228-		
	11795).		
	SHALL contain exactly one [11] @extension="2016-02-01"		count(cda:templateId[@root='2.16.840.1.113883
a-2228-11794-error	(CONF:2228-27077).	Laboratory_Test_Recommended_V3-errors	.10.20.24.3.39'][@extension='2016-02-01']) = 1
a-2228-27639-error	SHALL contain exactly one [11] code (CONF:2228-27639). SHALL contain exactly one [11] Author Participation	Laboratory_Test_Recommended_V3-errors	count(cda:code) = 1
	(identifier: urn:oid:2.16.840.1.113883.10.20.22.4.119)		count(cda:author[cda:templateId[@root='2.16.84
a-2228-27350-error	(CONF:2228-27350).	Laboratory_Test_Recommended_V3-errors	0.1.113883.10.20.22.4.119']])=1
a-2228-27640-error	This code SHALL contain exactly one [11] @sdtc:valueSet (CONF:2228-27640).	Laboratory Test Recommended V3-code-errors	@sdtc:valueSet
d-2220-27040-CITOI	SHALL contain exactly one [11] templateld (CONF:23-14611)	Eaboratory_rest_recommended_vs code errors	@ Jacc. value Sec
	such that it SHALL contain exactly one [11]		
2 22 14611 arrar	@root="2.16.840.1.113883.10.20.17.2.1" (CONF:23-14612).	Poporting parameters section errors	count(cda:templateId[@root='2.16.840.1.113883
a-23-14611-error a-23-18191-error	SHALL contain exactly one [11] code (CONF:23-18191).	Reporting-parameters-section-errors Reporting-parameters-section-errors	.10.20.17.2.1'][not(@extension)])=1 count(cda:code)=1
	SHALL contain exactly one [11] title="Reporting Parameters"		count(cda:title[translate(text(),
	(CONF:23-4142).		'ABCDEFGHIJKLMNOPQRSTUVWXYZ',
a-23-4142-error		Reporting-parameters-section-errors	'abcdefghijklmnopqrstuvwxyz')='reporting parameters'])=1
a-23-4143-error	SHALL contain exactly one [11] text (CONF:23-4143).	Reporting-parameters-section-errors	count(cda:text)=1
	SHALL contain exactly one [11] entry (CONF:23-3277) such		
	that it SHALL contain exactly one [11] @typeCode="DRIV" Is derived from (CodeSystem: HL7ActRelationshipType		
	urn:oid:2.16.840.1.113883.5.1002 STATIC) (CONF:23-3278).		
	SHALL contain exactly one [11] Reporting Parameters Act		count(cda:entry[@typeCode='DRIV'][count(cda:a
a-23-3277-error	(identifier: urn:oid:2.16.840.1.113883.10.20.17.3.8) (CONF:23-	Reporting-parameters-section-errors	ct[cda:templateId[@root='2.16.840.1.113883.10. 20.17.3.8']])=1])=1
a-23-32//-e1101	17496). This code SHALL contain exactly one [11] @code="55187-9"	Neporting-parameters-section-errors	20.17.3.0]]]-1]]-1
a-23-19229-error	Reporting Parameters (CONF:23-19229).	Reporting-parameters-section-code-errors	@code='55187-9'
	This code SHALL contain exactly one [11]		
a-23-26552-error	@codeSystem="2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:23-26552).	Reporting-parameters-section-code-errors	@codeSystem='2.16.840.1.113883.6.1'
	SHALL contain exactly one [11] @classCode="OBS"		
2 2220 27605	Observation (CodeSystem: HL7ActClass	Family History Observation ODM 1/2 arrays	@classCodo='OBS'
a-2228-27685-error	urn:oid:2.16.840.1.113883.5.6) (CONF:2228-27685). SHALL contain exactly one [11] @moodCode="EVN" Event	Family_History_Observation_QDM_V2-errors	@classCode='OBS'
	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)		
a-2228-27686-error	(CONF:2228-27686).	Family_History_Observation_QDM_V2-errors	@moodCode='EVN'
a-2228-28057-error	SHALL NOT contain [00] @negationInd (CONF:2228-28057).	Family_History_Observation_QDM_V2-errors	not(@negationInd)
	SHALL contain exactly one [11] templateId (CONF:2228-	,,	(5.1-8-11-11-11-11-11-11-11-11-11-11-11-11-
	27675) such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.24.3.112" (CONF:2228-27681).		
	SHALL contain exactly one [11] @extension="2016-02-01"		count(cda:templateId[@root='2.16.840.1.113883
a-2228-27675-error	(CONF:2228-27682).	Family_History_Observation_QDM_V2-errors	.10.20.24.3.112'][@extension='2016-02-01'])=1
3-2228-27688-crror	SHALL contain exactly one [11] value with @xsi:type="CD"	Family History Observation QDM V2-errors	count(cda:value[@xsi:type='CD'])=1
a-2228-27688-error	(CONF:2228-27688). This template SHALL be contained by a Family History	ranny_natory_observation_QDIVI_v2-entris	count(//cda:templateId[@root='2.16.840.1.11
	Organizer QDM (V3) (CONF:2228-28661).		3883.10.20.24.3.12'][@extension='2016-02-
a-2228-28661-error	The Association of Service County	Family_History_Observation_QDM_V2-errors	01'])=1
a-2228-27695-error	The translation, if present, SHALL contain exactly one [11] @sdtc:valueSet (CONF:2228-27695).	Family_History_Observation_QDM_V2-may-code- translation-errors	@sdtc:valueSet
	SHALL contain exactly one [11] @classCode="OBS"		
- 2220 14000	(CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6)	Johannes Took Adv. 5 122	Salar Cada JOBS
a-2228-14060-error	(CONF:2228-14060).	Laboratory_Test_Adverse_Event_V3-errors	@classCode='OBS'

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
	SHALL contain exactly one [11] @moodCode="EVN" (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)		
a-2228-14061-error	(CONF:2228-14061).	Laboratory_Test_Adverse_Event_V3-errors	@moodCode='EVN'
a-2228-14062-error	SHALL contain exactly one [11] templateId (CONF:2228-14062) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.35" (CONF:2228-14063). SHALL contain exactly one [11] @extension="2016-02-01" (CONF:2228-27018).	Laboratory_Test_Adverse_Event_V3-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.24.3.35'][@extension='2016-02-01']) = 1
a-2228-16416-error	SHALL contain exactly one [11] value with @xsi:type="CD"	Laboratory Test Adverse Event V3-errors	count(cda:value[@xsi:type='CD']) = 1
d-2220-10410-eHUI	(CONF:2228-16416). SHALL contain exactly one [11] entryRelationship (CONF:2228-14072) such that it SHALL contain exactly one [11] @typeCode="CAUS" (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:2228-14073). SHALL contain exactly one [11] @inversionInd="true" (CONF:2228-14074). SHALL contain exactly one [11] Laboratory Test Performed (V3) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.24.3.38:2016 02-01) (CONF:2228-27154).	Lauviatory_rest_Auverse_Event_vs-errors	count(cda:entryRelationship[@typeCode='CAUS'] [@inversionInd='true'][count(cda:observation[cda:templateId[@root='2.16.840.1.113883.10.20.24
a-2228-14072-error	This value SHALL contain exactly one [11]	Laboratory_Test_Adverse_Event_V3-errors	.3.38'][@extension='2016-02-01']])=1])=1
a-2228-16417-error	@code="281647001" Adverse reaction (CodeSystem: SNOMED CT urn:oid:2.16.840.1.113883.6.96) (CONF:2228-16417)	Laboratory_Test_Adverse_Event_V3-value-errors	@code='281647001'
a-1098-7427-error	SHALL contain exactly one [11] @classCode="SPLY" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 STATIC) (CONF:1098-7427).	Medication_Supply_Order-errors	@classCode='SPLY'
	SHALL contain exactly one [11] @moodCode="INT" (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001		
a-1098-7428-error	STATIC) (CONF:1098-7428).	Medication_Supply_Order-errors	@moodCode='INT'
a-1098-7429-error	SHALL contain exactly one [11] templateId (CONF:1098-7429) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.22.4.17" (CONF:1098-10507). SHALL contain exactly one [11] @extension="2014-06-09" (CONF:1098-32578).	Medication Supply Order-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.22.4.17'][@extension='2014-06-09']) = 1
a-1098-7429-error	SHALL contain at least one [1*] id (CONF:1098-7430).	Medication_Supply_Order-errors	count(cda:id) > 0
a-1098-7432-error	SHALL contain exactly one [11] statusCode (CONF:1098-7432).	Medication_Supply_Order-errors	count(cda:statusCode) = 1
a-1098-32362-error	This statusCode SHALL contain exactly one [11] @code, which SHALL be selected from ValueSet ActStatus urn:oid:2.16.840.1.113883.1.11.159331 DYNAMIC (CONF:1098-32362).	Medication_Supply_Order-statusCode-errors	count(@code)=1
	The entryRelationship, if present, SHALL contain exactly one [11] @typeCode="SUBJ" (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002		
a-1098-7444-error	STATIC) (CONF:1098-7444). The entryRelationship, if present, SHALL contain exactly one	Medication_Supply_Order-may-entryRelationship-errors	@typeCode='SUBJ'
a-1098-7445-error	[11] @inversionInd="true" True (CONF:1098-7445).	Medication_Supply_Order-may-entryRelationship-errors	@inversionInd='true'
a-1098-31391-error	The entryRelationship, if present, SHALL contain exactly one [11] Instruction (V2) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.20:2014-06-09) (CONF:1098-31391).	Medication_Supply_Order-may-entryRelationship-errors	count(cda:act[cda:templateId[@root='2.16.840.1. 113883.10.20.22.4.20'][@extension='2014-06- 09']]]=1
	SHALL contain exactly one [11] @classCode="ACT" act (CodeSystem: ActCode urn:oid:2.16.840.1.113883.5.4)		
a-1098-31945-error	(CONF:1098-31945). SHALL contain exactly one [11] @moodCode="INT" Intent	Planned_Coverage-errors	@classCode='ACT'
a-1098-31946-error	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001) (CONF:1098-31946).	Planned_Coverage-errors	@moodCode='INT'
	SHALL contain exactly one [11] templateld (CONF:1098- 31947) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.22.4.129" (CONF:1098-		count(cda:templateId[@root='2.16.840.1.113883
a-1098-31947-error	31948).	Planned_Coverage-errors	.10.20.22.4.129'][not(@extension)]) = 1
a-1098-31950-error a-1098-31951-error	SHALL contain at least one [1*] id (CONF:1098-31950). SHALL contain exactly one [11] code (CONF:1098-31951).	Planned_Coverage-errors Planned_Coverage-errors	count(cda:id) > 0 count(cda:code) = 1
G-1030-31331-CHUI	SHALL contain exactly one [11] code (CONF:1098-31951). SHALL contain exactly one [11] statusCode (CONF:1098-		
a-1098-31954-error	31954). SHALL contain exactly one [11] entryRelationship (CONF:1098-	Planned_Coverage-errors	count(cda:statusCode) = 1
a-1098-31967-error	@typeCode="COMP" has component (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1098-31968). SHALL contain exactly one [11] act (CONF:1098-31969).	Planned_Coverage-errors	count(cda:entryRelationship[@typeCode='COMP'][count(cda:act)=1]) = 1
a-1098-31952-error	This code SHALL contain exactly one [11] @code="48768-6" Payment Sources (CONF:1098-31952).	Planned_Coverage-code-errors	@code='48768-6'
	This code SHALL contain exactly one [11] @codeSystem="2.16.840.1.113883.6.1" (CodeSystem: LOINC		
a-1098-31953-error	urn:oid:2.16.840.1.113883.6.1) (CONF:1098-31953). This statusCode SHALL contain exactly one [11] @code="active" Active (CodeSystem: ActCode	Planned_Coverage-code-errors	@codeSystem='2.16.840.1.113883.6.1'
a-1098-31955-error	urn:oid:2.16.840.1.113883.5.4) (CONF:1098-31955).	Planned_Coverage-statusCode-errors	@code='active'

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
a-1098-31970-error	This act SHALL contain exactly one [11] @classCode="ACT" ACT (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:1098-31970).	Planned Coverage-act-errors	@classCode='ACT'
	This act SHALL contain exactly one [11] @moodCode="INT" intent (CodeSystem: ActMood		
a-1098-31971-error	urn:oid:2.16.840.1.113883.5.1001) (CONF:1098-31971). This act SHALL contain at least one [1*] id (CONF:1098-	Planned_Coverage-act-errors	@moodCode='INT'
a-1098-31972-error	31972). This act SHALL contain exactly one [11] code, which SHALL be selected from ValueSet Payer urn:oid:2.16.840.1.114222.4.11.3591 DYNAMIC (CONF:1098-	Planned_Coverage-act-errors	count(cda:id) > 0
a-1098-31973-error	31973).	Planned_Coverage-act-errors	count(cda:code) = 1
a-1098-31974-error	This act SHALL contain exactly one [11] statusCode (CONF:1098-31974). This statusCode SHALL contain exactly one [11]	Planned_Coverage-act-errors	count(cda:statusCode) = 1
a-1098-31975-error	@code="active" Active (CodeSystem: ActStatus urn:oid:2.16.840.1.113883.5.14) (CONF:1098-31975). SHALL contain exactly one [11] @classCode="OBS"	Planned_Coverage-act-statusCode-errors	@code='active'
a-2228-28510-error	(CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:2228-28510).	Diagnosis-errors	@classCode='OBS'
a-2228-28511-error	SHALL contain exactly one [11] @moodCode="EVN" Event (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001) (CONF:2228-28511).	Diagnosis-errors	@moodCode='EVN'
2220 20542	SHALL NOT contain [00] @negationInd (CONF:2228-28512).	Diamenta como	
a-2228-28512-error	SHALL contain exactly one [11] templateId (CONF:2228- 28498) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.135" (CONF:2228-	Diagnosis-errors	not(@negationInd) count(cda:templateId[@root='2.16.840.1.113883
a-2228-28498-error	28503).	Diagnosis-errors	.10.20.24.3.135'][not(@extension)])=1
a-2228-28499-error	SHALL contain exactly one [11] code (CONF:2228-28499). SHALL contain exactly one [11] value with @xsi:type="CD"	Diagnosis-errors	count(cda:code)=1
a-2228-28500-error	(CONF:2228-28500). This template SHALL be contained by a Diagnosis Concern Act (V2) (CONF:2228-28658).	Diagnosis-errors	count(cda:value[@xsi:type='CD'])=1 count(//cda:templateId[@root='2.16.840.1.11 3883.10.20.24.3.137'][@extension='2016-08-
a-2228-28658-error	This code SHALL contain exactly one [11] @code="29308-4"	Diagnosis-errors	01'])=1
a-2228-28505-error	diagnosis (CONF:2228-28505). This code SHALL contain exactly one [11] @codeSystem="2.16.840.1.113883.6.1" (CodeSystem: LOINC	Diagnosis-code-errors	@code='29308-4'
a-2228-28506-error	urn:oid:2.16.840.1.113883.6.1) (CONF:2228-28506). This value SHALL contain exactly one [11] @sdtc:valueSet	Diagnosis-code-errors	@codeSystem='2.16.840.1.113883.6.1'
a-2228-28508-error	(CONF:2228-28508). SHALL contain exactly one [11] @classCode="SBADM"	Diagnosis-value-errors	@sdtc:valueSet
a-2228-27495-error	(CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:2228-27495).	Substance-Recommended-errors	@classCode='SBADM'
a-2228-13784-error	SHALL contain exactly one [11] @moodCode="INT" intent (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001) (CONF:2228-13784).	Substance-Recommended-errors	@moodCode='INT'
a-2228-13785-error	SHALL contain exactly one [11] templateId (CONF:2228-13785) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.75" (CONF:2228-13786). SHALL contain exactly one [11] @extension="2016-281	Substant December of the second	count(cda:templateId[@root='2.16.840.1.113883
a-2228-27988-error	02-01" (CONF:2228-27152). SHALL contain exactly one [11] consumable (CONF:2228-27988).	Substance-Recommended-errors Substance-Recommended-errors	.10.20.24.3.75'][@extension='2016-02-01'])=1 count(cda:consumable)=1
	SHALL contain exactly one [11] Author Participation (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.119)		count(cda:author[cda:templateId[@root='2.16.84
a-2228-27720-error	(CONF:2228-27720). This consumable SHALL contain exactly one [11]	Substance-Recommended-errors	0.1.113883.10.20.22.4.119']])=1
a-2228-27989-error	manufacturedProduct (CONF:2228-27989). This manufacturedProduct SHALL contain exactly one [11]	Substance-Recommended-consumable-errors Substance-Recommended-consumable-	count(cda:manufacturedProduct)=1
a-2228-27990-error	manufacturedMaterial (CONF:2228-27990). This manufacturedMaterial SHALL contain exactly one [11]	manufacturedProduct-errors Substance-Recommended-consumable-	count(cda:manufacturedMaterial)=1
a-2228-27991-error	code (CONF:2228-27991). This code SHALL contain exactly one [11] @sdtc:valueSet (CONF:2228-27992).	manufacturedProduct-manufacturedMaterial-errors Substance-Recommended-consumable-	count(cda:code)=1
a-2228-27992-error	SHALL contain exactly one [11] @classCode="SBADM"	manufacturedProduct-manufacturedMaterial-code-errors	@sdtc:valueSet
a-1198-32770-error	(CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 STATIC) (CONF:1198-32770). SHALL contain exactly one [11] @moodCode, which SHALL be	Medication_Free_Text_Sig-errors	@classCode='SBADM' @moodCode and
- 1400 22774	selected from ValueSet MoodCodeEvnInt urn:oid:2.16.840.1.113883.11.20.9.18 STATIC 2011-04-03	Medication From Toyl Communication	@moodCode=document('voc.xml')/voc:systems/voc:system[@valueSetOid='2.16.840.1.113883.11
a-1198-32771-error	(CONF:1198-32771). SHALL contain exactly one [11] templateld (CONF:1198-32753) such that it SHALL contain exactly one [11]	Medication_Free_Text_Sig-errors	.20.9.18']/voc:code/@value
a-1198-32753-error	@root="2.16.840.1.113883.10.20.22.4.147" (CONF:1198- 32772). SHALL contain exactly one [11] code (CodeSystem: LOINC	Medication_Free_Text_Sig-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.22.4.147'][not(@extension)]) = 1
a-1198-32775-error	urn:oid:2.16.840.1.113883.6.1) (CONF:1198-32775).	Medication_Free_Text_Sig-errors	count(cda:code) = 1
a-1198-32754-error	SHALL contain exactly one [11] text (CONF:1198-32754). SHALL contain exactly one [11] consumable (CONF:1198-	Medication_Free_Text_Sig-errors	count(cda:text) = 1
a-1198-32776-error	32776).	Medication_Free_Text_Sig-errors	count(cda:consumable) = 1

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
a-1198-32780-error	This code SHALL contain exactly one [11] @code="76662-6" Instructions Medication (CONF:1198-32780).	Medication_Free_Text_Sig-code-errors	@code='76662-6'
	This code SHALL contain exactly one [11] @codeSystem="2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1 STATIC) (CONF:1198-32781).		
a-1198-32781-error	This text SHALL contain exactly one [11] reference	Medication_Free_Text_Sig-code-errors	@codeSystem='2.16.840.1.113883.6.1'
a-1198-32755-error	(CONF:1198-32755). This reference/@value SHALL begin with a '#' and SHALL point	Medication_Free_Text_Sig-text-errors	count(cda:reference) = 1
	to its corresponding narrative (using the approach defined in CDA Release 2, section 4.3.5.1) (CONF:1198-32774).		
a-1198-32774-error	This consumable SHALL contain exactly one [11]	Medication_Free_Text_Sig-reference-errors	starts-with(@value, '#')
a-1198-32777-error	manufacturedProduct (CONF:1198-32777). This manufacturedProduct SHALL contain exactly one [11]	Medication_Free_Text_Sig-consumable-errors	count(cda:manufacturedProduct) = 1
a-1198-32778-error	(CONF:1198-32778). This manufacturedLabeledDrug SHALL contain exactly one	Medication_Free_Text_Sig-manufacturedProduct-errors	count(cda:manufacturedLabeledDrug) = 1
a-1198-32779-error	[11] @nullFlavor="NA" Not Applicable (CONF:1198-32779).	Medication_Free_Text_Sig-manufacturedLabeledDrug- errors	@nullFlavor='NA'
a-67-14213-error	SHALL contain exactly one [11] @classCode="OBS" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 STATIC) (CONF:67-14213).	Patient Characteristic Payer-errors	@classCode='OBS'
u 07 14213 CHOI	SHALL contain exactly one [11] @moodCode="EVN"	Tutent_characteristic_t ayer errors	eriusseode- obs
a-67-14214-error	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001 STATIC) (CONF:67-14214).	Patient_Characteristic_Payer-errors	@moodCode='EVN'
	SHALL contain exactly one [11] templateId (CONF:67-12561) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.55" (CONF:67-12562).		count(cda:templateId[@root='2.16.840.1.113883
a-67-12561-error a-67-12564-error	SHALL contain at least one [1*] id (CONF:67-12564).	Patient_Characteristic_Payer-errors Patient_Characteristic_Payer-errors	.10.20.24.3.55'][not(@extension)]) = 1 count(cda:id) > 0
a-67-12565-error	SHALL contain exactly one [11] code (CONF:67-12565).	Patient_Characteristic_Payer-errors	count(cda:code) = 1
C7 20022	SHALL contain exactly one [11] effectiveTime (CONF:67-	Dationt Characteristic Davis and	
a-67-26933-error	26933). SHALL contain exactly one [11] value with @xsi:type="CD", where the code SHALL be selected from ValueSet Payer	Patient_Characteristic_Payer-errors	count(cda:effectiveTime) = 1
a-67-16710-error	urn:oid:2.16.840.1.114222.4.11.3591 DYNAMIC (CONF:67-16710).	Patient_Characteristic_Payer-errors	count(cda:value[@xsi:type='CD']) = 1
	This code SHALL contain exactly one [11] @code="48768-6"		
a-67-14029-error	Payment source (CONF:67-14029). This code SHALL contain exactly one [11]	Patient_Characteristic_Payer-code-errors	@code='48768-6'
a-67-27009-error	@codeSystem="2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:67-27009).	Patient_Characteristic_Payer-code-errors	@codeSystem='2.16.840.1.113883.6.1'
a-67-26934-error	This effectiveTime SHALL contain exactly one [11] low (CONF:67-26934).	Patient_Characteristic_Payer-effectiveTime-errors	count(cda:low)=1
	SHALL contain exactly one [11] @classCode="OBS" observation, which SHALL be selected from CodeSystem HL7ActClass (urn:oid:2.16.840.1.113883.5.6) (CONF:2228-		
a-2228-12479-error	12479).	Provider-Care-Experience-errors	@classCode='OBS'
	SHALL contain exactly one [11] @moodCode="EVN" event, which SHALL be selected from CodeSystem ActMood (urn:oid:2.16.840.1.113883.5.1001) (CONF:2228-12480).		
a-2228-12480-error	SHALL NOT contain [00] @negationInd (CONF:2228-28100).	Provider-Care-Experience-errors	@moodCode='EVN'
a-2228-28100-error	SHALL contain exactly one [11] templateId (CONF:2228-	Provider-Care-Experience-errors	not(@negationInd)
	12481) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.67" (CONF:2228-		
a-2228-12481-error	12482). SHALL contain exactly one [11] @extension="2016-02-01" (CONF:2228-27293).	Provider-Care-Experience-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.24.3.67'][@extension='2016-02-01'])=1
a-2228-12484-error	SHALL contain at least one [1*] id (CONF:2228-12484).	Provider-Care-Experience-errors	count(cda:id) >= 1
a-2228-12485-error	SHALL contain exactly one [11] code (CONF:2228-12485).	Provider-Care-Experience-errors	count(cda:code)=1
	SHALL contain exactly one [11] statusCode="completed", which SHALL be selected from CodeSystem ActStatus	2	// hat 1 00 1 10 at 1 had 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
a-2228-12486-error	(urn:oid:2.16.840.1.113883.5.14) (CONF:2228-12486). SHALL contain exactly one [11] effectiveTime (CONF:2228-	Provider-Care-Experience-errors	count(cda:statusCode[@code='completed'])=1
a-2228-12487-error	12487). SHALL contain exactly one [11] value with @xsi:type="CD"	Provider-Care-Experience-errors	count(cda:effectiveTime)=1
a-2228-12572-error	(CONF:2228-12572). This code SHALL contain exactly one [11] @code="77219-4"	Provider-Care-Experience-errors	count(cda:value[@xsi:type='CD'])=1
a-2228-27562-error	Provider satisfaction with healthcare delivery (CONF:2228-27562).	Provider-Care-Experience-code-errors	@code='77219-4'
	This code SHALL contain exactly one [11] @codeSystem="2.16.840.1.113883.6.1" (CodeSystem: LOINC		
a-2228-27563-error	urn:oid:2.16.840.1.113883.6.1) (CONF:2228-27563). This effectiveTime SHALL contain exactly one [11] low	Provider-Care-Experience-code-errors	@codeSystem='2.16.840.1.113883.6.1'
a-2228-28435-error	(CONF:2228-28435). This value SHALL contain exactly one [11] @sdtc:valueSet	Provider-Care-Experience-effectiveTime-errors	count(cda:low)=1
a-2228-27655-error	(CONF:2228-27655).	Provider-Care-Experience-value-errors	@sdtc:valueSet
a-2228-11840-error	SHALL contain exactly one [11] @classCode="ACT" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:2228-11840).	Communication-From-Provider-To-Patient-V3-errors	@classCode='ACT'

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
a-2228-11841-error	SHALL contain exactly one [11] @moodCode="EVN" (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)	Communication-From-Provider-To-Patient-V3-errors	@moodCode='EVN'
a-2228-11842-error	(CONF:2228-11841). SHALL contain exactly one [11] templateld (CONF:2228-11842) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.3" (CONF:2228-11843). SHALL contain exactly one [11] @extension="2016-02-01" (CONF:2228-27280).	Communication-From-Provider-To-Patient-V3-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.24.3.3'][@extension='2016-02-01'])=1
a-2228-11845-error	SHALL contain at least one [1*] id (CONF:2228-11845). SHALL contain exactly one [11] statusCode="completed" (CodeSystem: ActStatus urn:oid:2.16.840.1.113883.5.14)	Communication-From-Provider-To-Patient-V3-errors	count(cda:id)>=1
a-2228-11846-error	(CONF:2228-11846).	Communication-From-Provider-To-Patient-V3-errors	count(cda:statusCode[@code='completed'])=1
a-2228-26947-error	SHALL contain exactly one [11] code (CONF:2228-26947). SHALL contain exactly one [11] effectiveTime (CONF:2228- 11847).	Communication-From-Provider-To-Patient-V3-errors Communication-From-Provider-To-Patient-V3-errors	count(cda:code)=1 count(cda:effectiveTime)=1
a-2228-11850-error	SHALL contain exactly one [11] participant (CONF:2228-11850) such that it SHALL contain exactly one [11] @typeCode="AUI" author (originator) (CodeSystem: HL7ParticipationType urn.:oid:2.16.840.1.113883.5.90) (CONF:2228-11851) SHALL contain exactly one [11] participantRole (CONF:2228-11852). This participantRole SHALL contain exactly one [11] @classCode="ASSIGNED" assigned entity (CodeSystem: RoleClass urn:oid:2.16.840.1.113883.5.110) (CONF:2228-12101). This participantRole SHALL contain exactly one [11] code (CONF:2228-11853). This code SHALL contain exactly one [11] @code="158965000" Medical practitioner (CONF:2228-26948). This code SHALL contain exactly one [11] @codeSystem="2.16.840.1.113883.6.96" (CONF:2228-26949).	Communication-From-Provider-To-Patient-V3-errors	count(cda:participant[@typeCode='AUT'][count(cda:participantRole[@classCode='ASSIGNED'][count(cda:code[@code='158965000'][@codeSystem='2.16.840.1.113883.6.96']=1]=1]
	SHALL contain exactly one [11] participant (CONF:2228-11856) such that it SHALL contain exactly one [11] @typeCode="IRCP" information recipient (CodeSystem: HL7ParticipationType urn:oid:2.16.840.1.113883.5.90) (CONF:2228-11857) SHALL contain exactly one [11] participantRole (CONF:2228-11858). This participantRole SHALL contain exactly one [11] @classCode="PAT" patient (CodeSystem: RoleClass urn:oid:2.16.840.1.113883.5.110)		count(cda:participant[@typeCode='IRCP'][count(
a-2228-11856-error a-2228-27579-error	(CONF:2228-12102). This code SHALL contain exactly one [11] @sdtc:valueSet (CONF:2228-27579).	Communication-From-Provider-To-Patient-V3-errors Communication-From-Provider-To-Patient-V3-code-errors	cda:participantRole[@classCode='PAT'])=1])=1 @sdtc:valueSet
a-2228-27545-error	This effectiveTime SHALL contain exactly one [11] low (CONF:2228-27545).	Communication-From-Provider-To-Patient-V3- effectiveTime-errors	count(cda:low)=1
	SHALL contain exactly one [11] @classCode="SBADM"		
a-1098-32091-error	(CONF:1098-32091). SHALL contain exactly one [11] @moodCode, which SHALL be selected from ValueSet Planned moodCode (SubstanceAdministration/Supply) urn:oid:2.16.840.1.113883.11.20.9.24 STATIC 2014-09-01	Planned_Immunization_Activity-errors	@classCode='SBADM' @moodCode=document('voc.xml')/voc:systems/ voc:system[@valueSetOid='2.16.840.1.113883.11
a-1098-32097-error	(CONF:1098-32097). SHALL contain exactly one [11] templateId (CONF:1098-32098) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.22.4.120" (CONF:1098-	Planned_Immunization_Activity-errors	.20.9.24']/voc:code/@value count(cda:templateId[@root='2.16.840.1.113883
a-1098-32098-error	32099).	Planned_Immunization_Activity-errors	.10.20.22.4.120'][not(@extension)]) = 1
a-1098-32100-error a-1098-32101-error	SHALL contain at least one [1*] id (CONF:1098-32100). SHALL contain exactly one [11] statusCode (CONF:1098-32101).	Planned_Immunization_Activity-errors Planned_Immunization_Activity-errors	count(cda:id) > 0 count(cda:statusCode) = 1
a-1098-32103-error	SHALL contain exactly one [11] effectiveTime (CONF:1098-32103).	Planned_Immunization_Activity-errors	count(cda:effectiveTime) = 1
a-1098-32131-error	SHALL contain exactly one [11] consumable (CONF:1098-32131).	Planned_Immunization_Activity-errors	count(cda:consumable) = 1
a-1098-32132-error	This consumable SHALL contain exactly one [11] Immunization Medication Information (V2) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.54:2014-06-09) (CONF:1098-32132).	Planned_Immunization_Activity-consumable-errors	count(cda:manufacturedProduct[cda:templateId[@root='2.16.840.1.113883.10.20.22.4.54'][@extension='2014-06-09']]) = 1
a-1098-32102-error	This statusCode SHALL contain exactly one [11] @code="active" Active (CodeSystem: ActStatus urn:oid:2.16.840.1.113883.5.14) (CONF:1098-32102).	Planned_Immunization_Activity-statusCode-errors	@code='active'
a-1098-30823-error	SHALL contain exactly one [11] @classCode="ACT" act (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:1098-30823).	Drug-Monitoring-Act-errors	@classCode='ACT'
a-1098-28656-error	SHALL contain exactly one [11] @moodCode="INT" (CONF:1098-28656).	Drug-Monitoring-Act-errors	@moodCode='INT'
a-1098-28657-error	SHALL contain exactly one [11] templateId (CONF:1098-28657) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.22.4.123" (CONF:1098-28658).	Drug-Monitoring-Act-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.22.4.123'][not(@extension)])=1
a-1098-31920-error	SHALL contain at least one [1*] id (CONF:1098-31920).	Drug-Monitoring-Act-errors	count(cda:id)>=1
a-1098-28660-error	SHALL contain exactly one [1] code (CONF:1098-28660). SHALL contain exactly one [11] statusCode (CONF:1098-	Drug-Monitoring-Act-errors	count(cda:code)=1
a-1098-31921-error	31921). SHALL contain exactly one [11] effectiveTime (CONF:1098-	Drug-Monitoring-Act-errors	count(cda:statusCode)=1
a-1098-31922-error	31922).	Drug-Monitoring-Act-errors	count(cda:effectiveTime)=1

	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR	CONDITION (ANIMATIC EVAPORED
CONFORMANCE ERROR		OCCURRED	CONDITION/WHAT IS EXPECTED
a-1098-28661-error	SHALL contain at least one [1*] participant (CONF:1098-28661) such that it SHALL contain exactly one [11] @typeCode="RESP" (CONF:1098-28663). SHALL contain exactly one [11] participantRole (CONF:1098-28662). This participantRole SHALL contain exactly one [11] @classCode="ASSIGNED" (CONF:1098-28664). This participantRole SHALL contain at least one [1*] id (CONF:1098-28665). This participantRole SHALL contain exactly one [11] playingEntity (CONF:1098-28667). This playingEntity (CONF:1098-28667). This playingEntity SHALL contain exactly one [11] @classCode="PSN" (CONF:1098-28668). This playingEntity SHALL contain exactly one [11] US Realm Patient Name (PTN.US.FIELDED) (identifier: urn:oid:2.16.840.1.113883.10.20.22.5.1) (CONF:1098-28669).		count(cda:participant[@typeCode='RESP'][count(cda:participantRole[@classCode='ASSIGNED'][count(cda:playingEntity[@classCode='PSN'][count(cda:playingEntity[@classCode='PSN']]
g-1039-59001-61101	This code SHALL contain exactly one [11]	Drug-Monitoring-Act-errors	nt(cda:name)=1])=1])=1])=1
a-1098-30818-error	@code="395170001" medication monitoring (regime/therapy) (CONF:1098-30818).	Drug-Monitoring-Act-code-errors	@code='395170001'
a-1098-30819-error	This code SHALL contain exactly one [11] @codeSystem="2.16.840.1.113883.6.96" (CodeSystem: SNOMED CT urn:oid:2.16.840.1.113883.6.96) (CONF:1098-30819). This statusCode SHALL contain exactly one [11] @code, which	Drug-Monitoring-Act-code-errors	@codeSystem='2.16.840.1.113883.6.96'
a-1098-32358-error	SHALL be selected from ValueSet ActStatus urn:oid:2.16.840.1.113883.1.11.159331 DYNAMIC (CONF:1098-32358). SHALL contain exactly one [11] templateId (CONF:3265-12972) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.1.2" (CONF:3265-26943).	Drug-Monitoring-Act-statusCode-errors	@code
a-3265-12972-error	SHALL contain exactly one [11] @extension="2016-08-01" (CONF:3265-28696).	QDM based QRDA-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.24.1.2'][@extension='2016-08-01'])=1
	SHALL contain exactly one [11] recordTarget (CONF:3265-		
a-3265-16598-error	16598). SHALL contain exactly one [11] custodian (CONF:3265-16600).	QDM_based_QRDA-errors	count(cda:recordTarget)=1
a-3265-16600-error	SHALL contain exactly one [11] component (CONF:3265-	QDM_based_QRDA-errors	count(cda:custodian)=1
a-3265-12973-error	12973) such that it SHALL contain exactly one [11] structuredBody (CONF:3265-17081).	QDM_based_QRDA-errors	count(cda:component[count(cda:structuredBody) =1])=1
a-3265-16856-error	This recordTarget SHALL contain exactly one [11] patientRole (CONF:3265-16856).	QDM_based_QRDA-recordTarget-errors	count(cda:patientRole)=1
a-3265-27570-error	This patientRole SHALL contain exactly one [11] patient (CONF:3265-27570).	QDM_based_QRDA-recordTarget-patientRole-errors	count(cda:patient)=1
a-3265-27571-error	This patient SHALL contain exactly one [11] birthTime	QDM_based_QRDA-recordTarget-patientRole-patient- errors	count(cda:birthTime)=1
	(CONF:3265-27571). This patient SHALL contain exactly one [11]	QDM_based_QRDA-recordTarget-patientRole-patient-	
a-3265-27572-error	administrativeGenderCode (CONF:3265-27572). This patient SHALL contain exactly one [11] raceCode	errors QDM_based_QRDA-recordTarget-patientRole-patient-	count(cda:administrativeGenderCode)=1
a-3265-27573-error	(CONF:3265-27573). This patient SHALL contain exactly one [11] ethnicGroupCode	errors ODM based ORDA-recordTarget-natientRole-natient-	count(cda:raceCode)=1
a-3265-27574-error	(CONF:3265-27574).	errors	count(cda:ethnicGroupCode)=1
a-3265-28239-error	This custodian SHALL contain exactly one [11] assignedCustodian (CONF:3265-28239).	QDM_based_QRDA-custodian-errors	count(cda:assignedCustodian)=1
a-3265-28240-error	This assignedCustodian SHALL contain exactly one [11] representedCustodianOrganization (CONF:3265-28240).	QDM based QRDA-custodian-assignedCustodian-errors	count(cda:representedCustodianOrganization)=1
	The informationRecipient, if present, SHALL contain exactly one		
a-3265-16704-error	[11] intendedRecipient (CONF:3265-16704). This intendedRecipient SHALL contain at least one [1*] id	QDM_based_QRDA-informationRecipient-errors QDM_based_QRDA-informationRecipient-	count(cda:intendedRecipient)=1
a-3265-16705-error	(CONF:3265-16705). This structuredBody SHALL contain exactly one [11] component (CONF:3265-17082). This component SHALL contain exactly one [11] Measure Section QDM (identifier:	intendedRecipient-errors	<pre>count(cda:id) > 0 count(cda:component[count(cda:section[cda:tem</pre>
a-3265-17082-error	urn:oid:2.16.840.1.113883.10.20.24.2.3) (CONF:3265-17083).	QDM_based_QRDA-component-structuredBody-errors	plateId[@root='2.16.840.1.113883.10.20.24.2.3']])=1])=1
a-3265-17090-error	This structuredBody SHALL contain exactly one [11] component (CONF:3265-17090). This component SHALL contain exactly one [11] Reporting Parameters Section (identifier: urn:oid:2.16.840.1.113883.10.20.17.2.1) (CONF:3265-17092).	QDM_based_QRDA-component-structuredBody-errors	count(cda:component[count(cda:section[cda:tem plateId[@root='2.16.840.1.113883.10.20.17.2.1']])=1])=1
a-3265-17091-error	This structuredBody SHALL contain exactly one [11] component (CONF:3265-17091). This component SHALL contain exactly one [11] Patient Data Section QDM (V4) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.24.2.1:2016-08-01) (CONF:3265-17093).	QDM_based_QRDA-component-structuredBody-errors	count(cda:component[count(cda:section[cda:tem plateId[@root='2.16.840.1.113883.10.20.24.2.1'][@extension='2016-08-01']])=1])=1
	SHALL contain exactly one [11] @classCode="PROC"		
a-1098-7652-error	Procedure (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 STATIC) (CONF:1098-7652). SHALL contain exactly one [11] @moodCode="EVN" Event	Procedure-Activity-Procedure-errors	@classCode='PROC'
	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001 STATIC) (CONF:1098-7653).		
a-1098-7653-error		Procedure-Activity-Procedure-errors	@moodCode='EVN'

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
a-1098-7654-error a-1098-7655-error	SHALL contain exactly one [11] templateId (CONF:1098-7654) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.22.4.14" (CONF:1098-10521). SHALL contain exactly one [11] @extension="2014-06" (CONF:1098-35506).	- Procedure-Activity-Procedure-errors Procedure-Activity-Procedure-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.22.4.14'][@extension='2014-06-09'])=1 count(cda:id) >=1
a-1098-7656-error	SHALL contain at least one [1*] id (CONF:1098-7655). SHALL contain exactly one [11] code (CONF:1098-7656).	Procedure-Activity-Procedure-errors	count(cda:code)=1
1030 7030 61101	SHALL contain exactly one [11] code (CONF:1098-7661).		count(caa.coac)=1
a-1098-7661-error		Procedure-Activity-Procedure-errors	count(cda:statusCode)=1
a-1098-19206-error	This reference/@value SHALL begin with a '#' and SHALL point to its corresponding narrative (using the approach defined in CDA Release 2, section 4.3.5.1) (CONF:1098-19206).	Procedure-Activity-Procedure-code-errors	starts-with(@value, '#')
	This statusCode SHALL contain exactly one [11] @code, which SHALL be selected from ValueSet ProcedureAct statusCode urn:oid:2.16.840.1.113883.11.20.9.22 STATIC 2014-04-23		
a-1098-32366-error	(CONF:1098-32366).	Procedure-Activity-Procedure-statusCode-errors	@code
	The targetSiteCode, if present, SHALL contain exactly one [11] @code, which SHALL be selected from ValueSet Body Site urn:oid:2.16.840.1.113883.3.88.12.3221.8.9 DYNAMIC		
a-1098-16082-error	(CONF:1098-16082). The specimen, if present, SHALL contain exactly one [11]	Procedure-Activity-Procedure-targetSiteCode-errors	@code
a-1098-7704-error	specimenRole (CONF:1098-7704).	Procedure-Activity-Procedure-performer-specimen-errors	count(cda:specimenRole)=1
a-1098-7722-error	This assignedEntity SHALL contain at least one [1*] id (CONF:1098-7722).	Procedure-Activity-Procedure-performer-assignedEntity- errors	count(cda:id)>=1
a-1098-7732-error	This assignedEntity SHALL contain at least one [1*] telecom (CONF:1098-7732).	Procedure-Activity-Procedure-performer-assignedEntity- errors	count(cda:telecom)>=1
a-1098-7731-error	This assignedEntity SHALL contain at least one [1*] addr (CONF:1098-7731).	Procedure-Activity-Procedure-performer-assignedEntity- errors	count(cda:addr)>=1
	The representedOrganization, if present, SHALL contain exactly	Procedure-Activity-Procedure-performer-assignedEntity-	
a-1098-7737-error	one [11] telecom (CONF:1098-7737). The representedOrganization, if present, SHALL contain exactly	representedOrganization-errors Procedure-Activity-Procedure-performer-assignedEntity-	count(cda:telecom)=1
a-1098-7736-error	one [11] addr (CONF:1098-7736).	representedOrganization-errors	count(cda:addr)=1
a-2228-28412-error	SHALL contain exactly one [11] @classCode="ACT" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:2228-28412).	Transfer-From-Act-errors	@classCode='ACT'
u 2220 20412 CHOI	SHALL contain exactly one [11] @moodCode="EVN"	Transfer Transfer errors	e dusses at the
a-2228-28413-error	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001) (CONF:2228-28413).	Transfer-From-Act-errors	@moodCode='EVN'
a-2228-28410-error	SHALL contain exactly one [11] templateId (CONF:2228-28410).	Transfer-From-Act-errors	count(cda:templateId)=1
a-2228-28415-error	SHALL contain at least one [1*] id (CONF:2228-28415).	Transfer-From-Act-errors	count(cda:id)>=1
a-2228-28411-error	SHALL contain exactly one [11] code (CONF:2228-28411).	Transfer-From-Act-errors	count(cda:code)=1
a-2228-28417-error	SHALL contain exactly one [11] entryRelationship (CONF:2228-28417) such that it SHALL contain exactly one [11] @typeCode="SUB!" Has subject (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:2228-28418). SHALL contain exactly one [11] Transfer From (V3) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.24.3.81:2016-02-01) (CONF:2228-28419).	Transfer-From-Act-errors	count(cda:entryRelationship[@typeCode='SUBJ'][count(cda:encounter[cda:templateId[@root='2.1 6.840.1.113883.10.20.24.3.81'][@extension='201 6-02-01']])=1)=1
u 2220 20417 CHOI	This templateld SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.141" (CONF:2228-	Transfer From Fact Crisis	0 0 0 1 111 1 11 1
a-2228-28414-error	28414).	Transfer-From-Act-templateId-errors	@root='2.16.840.1.113883.10.20.24.3.141'
	This code SHALL contain exactly one [11] @code="ENC" encounter (CodeSystem: HL7ActClass		
a-2228-28416-error	urn:oid:2.16.840.1.113883.5.6) (CONF:2228-28416). SHALL contain exactly one [11] @moodCode="EVN"	Transfer-From-Act-code-errors	@code='ENC'
a-2228-28656-error	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001) (CONF:2228-28656). SHALL NOT contain [00] @negationInd (CONF:2228-28079).	Medication_Active_V3-errors	@moodCode='EVN'
a-2228-28079-error	5	Medication_Active_V3-errors	not(@negationInd)
	SHALL contain exactly one [11] templateId (CONF:2228-28651) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.41" (CONF:2228-28653). SHALL contain exactly one [11] @extension="2016-02-01"		count(cda:templateId[@root='2.16.840.1.113883
a-2228-28651-error	(CONF:2228-28654). SHALL contain exactly one [11] statusCode (CONF:2228-	Medication_Active_V3-errors	.10.20.24.3.41'][@extension='2016-02-01']) = 1
a-2228-28652-error	28652). This statusCode SHALL contain exactly one [11]	Medication_Active_V3-errors	count(cda:statusCode) = 1
a-2228-28655-error	@code="active" (CodeSystem: ActStatus urn:oid:2.16.840.1.113883.5.14) (CONF:2228-28655).	Medication_Active_V3-statusCode-errors	@code='active'
	The translation, if present, SHALL contain exactly one [11]		
a-2228-27645-error	@sdtc:valueSet (CONF:2228-27645). SHALL contain exactly one [11] templateId (CONF:67-12803)	Medication_Active_V3-may-translation-errors	@sdtc:valueSet
2 67 12902	such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.2.3" (CONF:67-12804).	Macaura cartian adm	count(cda:templateId[@root='2.16.840.1.113883
a-67-12803-error a-67-12978-error	SHALL contain at least one [1*] entry (CONF:67-12978).	Measure-section-qdm-errors Measure-section-qdm-errors	.10.20.24.2.3'][not(@extension)])=1 count(cda:entry) > 0
2 07 22575 (110)	2 Jenery (COM .07-12370).		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
	Such entries SHALL contain exactly one [11] eMeasure	GECORRED	
	Reference QDM (identifier: urn:oid:2.16.840.1.113883.10.20.24.3.97) (CONF:67-13193).		count(cda:organizer[cda:templateId[@root='2.16
a-67-13193-error	· · · · · · · · · · · · · · · · · · ·	Measure-section-qdm-entry-errors	.840.1.113883.10.20.24.3.97']])=1
	SHALL contain exactly one [11] @classCode="OBS" Observation (CodeSystem: HL7ActClass		
a-1198-8586-error	urn:oid:2.16.840.1.113883.5.6 STATIC) (CONF:1198-8586).	Family_History_Observation_V3-errors	@classCode='OBS'
	SHALL contain exactly one [11] @moodCode="EVN" Event (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001		
	STATIC) (CONF:1198-8587).		
a-1198-8587-error	SHALL contain exactly one [11] templateId (CONF:1198-8599)	Family_History_Observation_V3-errors	@moodCode='EVN'
	such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.22.4.46" (CONF:1198-10496). SHALL contain exactly one [11] @extension="2015-08		count(cda:templateId[@root='2.16.840.1.113883
a-1198-8599-error	01" (CONF:1198-32605).	Family_History_Observation_V3-errors	.10.20.22.4.46'][@extension='2015-08-01'])=1
a-1198-8592-error	SHALL contain at least one [1*] id (CONF:1198-8592). SHALL contain exactly one [11] code, which SHOULD be	Family_History_Observation_V3-errors	count(cda:id) > 0
	selected from ValueSet Problem Type		
a-1198-32427-error	urn:oid:2.16.840.1.113883.3.88.12.3221.7.2 STATIC 2012-06-01 (CONF:1198-32427).	Family_History_Observation_V3-errors	count(cda:code)=1
	SHALL contain exactly one [11] statusCode (CONF:1198-8590).		
a-1198-8590-error	SHALL contain exactly one [11] value with @xsi:type="CD",	Family_History_Observation_V3-errors	count(cda:statusCode)=1
	where the code SHALL be selected from ValueSet Problem		
	urn:oid:2.16.840.1.113883.3.88.12.3221.7.4 DYNAMIC (CONF:1198-8591).		
a-1198-8591-error		Family_History_Observation_V3-errors	count(cda:value[@xsi:type='CD'])=1
	This code SHALL contain at least one [1*] translation, which SHOULD be selected from ValueSet Problem Type		
	urn:oid:2.16.840.1.113883.3.88.12.3221.7.2 STATIC 2014-09-02		
a-1198-32847-error	(CONF:1198-32847). This statusCode SHALL contain exactly one [11]	Family_History_Observation_V3-code-errors	count(cda:translation) > 0
	@code="completed" Completed (CodeSystem: ActStatus		
a-1198-19098-error	urn:oid:2.16.840.1.113883.5.14 STATIC) (CONF:1198-19098).	Family_History_Observation_V3-statusCode-errors	@code='completed'
	SHALL contain exactly one [11] @classCode="ACT"	, , , , , , , , , , , , , , , , , , ,	
a-23-3269-error	(CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 STATIC) (CONF:23-3269).	Reporting-Parameters-Act-errors	@classCode='ACT'
	SHALL contain exactly one [11] @moodCode="EVN" Event		
	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001 STATIC) (CONF:23-3270).		
a-23-3270-error		Reporting-Parameters-Act-errors	@moodCode='EVN'
	SHALL contain exactly one [11] templateId (CONF:23-18098) such that it SHALL contain exactly one [11]		
- 22 40000	@root="2.16.840.1.113883.10.20.17.3.8" (CONF:23-18099).	Departing Dayameters Act arrays	count(cda:templateId[@root='2.16.840.1.113883
a-23-18098-error a-23-26549-error	SHALL contain at least one [1*] id (CONF:23-26549).	Reporting-Parameters-Act-errors Reporting-Parameters-Act-errors	.10.20.17.3.8'][not(@extension)])=1 count(cda:id) >= 1
a-23-3272-error	SHALL contain exactly one [11] code (CONF:23-3272). SHALL contain exactly one [11] effectiveTime (CONF:23-3273).	Reporting-Parameters-Act-errors	count(cda:code)=1
a-23-3273-error	SHALL CONTAIN exactly one [11] effective fille (CONF.25-5275).	Reporting-Parameters-Act-errors	count(cda:effectiveTime)=1
	This code SHALL contain exactly one [11] @code="252116004" Observation Parameters (CONF:23-		
a-23-26550-error	26550).	Reporting-Parameters-Act-code-errors	@code='252116004'
	This code SHALL contain exactly one [11] @codeSystem="2.16.840.1.113883.6.96" (CodeSystem:		
	SNOMED CT urn:oid:2.16.840.1.113883.6.96) (CONF:23-26551).		
a-23-26551-error	This effectiveTime SHALL contain exactly one [11] low	Reporting-Parameters-Act-code-errors	@codeSystem='2.16.840.1.113883.6.96'
a-23-3274-error	(CONF:23-3274).	Reporting-Parameters-Act-effectiveTime-errors	count(cda:low)=1
a-23-3275-error	This effectiveTime SHALL contain exactly one [11] high (CONF:23-3275).	Reporting-Parameters-Act-effectiveTime-errors	count(cda:high)=1
	Data types of INT SHALL NOT have both @value and		(@value or @nullFlavor) and not (@value and
a-CMS_0109-error	@nullFlavor. (CONF: CMS_0109) SHALL contain exactly one [11] @classCode="OBS"	r-validate_INT-errors	@nullFlavor)
	(CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6)		
a-2228-11705-error	(CONF:2228-11705). SHALL contain exactly one [11] @moodCode="EVN"	Laboratory_Test_Performed_V3-errors	@classCode='OBS'
200 1155	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)		0 10 1 17 10
a-2228-11706-error	(CONF:2228-11706). SHALL contain exactly one [11] templateId (CONF:2228-	Laboratory_Test_Performed_V3-errors	@moodCode='EVN'
	11721) such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.24.3.38" (CONF:2228-11722).		
- 2220 11721	SHALL contain exactly one [11] @extension="2016-02-01"	Johannan Ton Bart 199	count(cda:templateId[@root='2.16.840.1.113883
a-2228-11721-error a-2228-11707-error	(CONF:2228-27021). SHALL contain at least one [1*] id (CONF:2228-11707).	Laboratory_Test_Performed_V3-errors Laboratory_Test_Performed_V3-errors	.10.20.24.3.38'][@extension='2016-02-01']) = 1 count(cda:id) > 0
a-2228-27637-error	SHALL contain exactly one [11] code (CONF:2228-27637).	Laboratory_Test_Performed_V3-errors	count(cda:code) = 1
a-2228-11709-error	SHALL contain exactly one [11] statusCode (CONF:2228-11709).	Laboratory_Test_Performed_V3-errors	count(cda:statusCode)=1
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	SHALL contain exactly one [11] effectiveTime (CONF:2228-	Laboratory, Test Derformed 1/2	sount/adausffactiveTime) 1
a-2228-11711-error	11711).	Laboratory_Test_Performed_V3-errors	count(cda:effectiveTime) = 1

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
a-2228-27638-error	This code SHALL contain exactly one [11] @sdtc:valueSet (CONF:2228-27638).	Laboratory Test Performed V3-code-errors	@sdtc:valueSet
	This statusCode SHALL contain exactly one [11] @code="completed" (CodeSystem: ActStatus		
a-2228-11710-error	urn:oid:2.16.840.1.113883.5.14) (CONF:2228-11710). This effectiveTime SHALL contain exactly one [11] low	Laboratory_Test_Performed_V3-statusCode-errors	@code='completed'
a-2228-11712-error	(CONF:2228-11712).	Laboratory_Test_Performed_V3-effectiveTime-errors	count(cda:low)=1
a-2228-11713-error	This effectiveTime SHALL contain exactly one [11] high (CONF:2228-11713).	Laboratory_Test_Performed_V3-effectiveTime-errors	count(cda:high)=1
	SHALL contain exactly one [11] @classCode="OBS" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6)		
a-3265-28670-error	(CONF:3265-28670). SHALL contain exactly one [11] @moodCode="EVN"	Assessment_performed-errors	@classCode='OBS'
a-3265-28669-error	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001) (CONF:3265-28669).	Assessment performed-errors	@moodCode='EVN'
a-3203-26003-21101	SHALL contain exactly one [11] templateld (CONF:3265-28652) such that it SHALL contain exactly one [11]	Assessment_periorined errors	e-modecate-2VV
	@root="2.16.840.1.113883.10.20.24.3.144" (CONF:3265-28660) SHALL contain exactly one [11] @extension="2016-08-		count(cda:templateId[@root='2.16.840.1.113883
a-3265-28652-error a-3265-28656-error	01" (CONF:3265-28701).	Assessment_performed-errors Assessment_performed-errors	.10.20.24.3.144'][@extension='2016-08-01'])=1 count(cda:code)=1
	SHALL contain exactly one [11] statusCode (CONF:3265-		
a-3265-28653-error	28653). SHALL contain exactly one [11] effectiveTime (CONF:3265-	Assessment_performed-errors	count(cda:statusCode)=1
a-3265-28654-error	28654). This code SHALL contain exactly one [11] @sdtc:valueSet	Assessment_performed-errors	count(cda:effectiveTime)=1
a-3265-28667-error	(CONF:3265-28667).	Assessment_performed-code-errors	@sdtc:valueSet
	This statusCode SHALL contain exactly one [11] @code="completed" Completed (CodeSystem: ActStatus		
a-3265-28662-error	urn:oid:2.16.840.1.113883.5.14) (CONF:3265-28662). This effectiveTime SHALL contain exactly one [11] low	Assessment_performed-statusCode-errors	@code='completed'
a-3265-28663-error	(CONF:3265-28663). The methodCode, if present, SHALL contain exactly one [11]	Assessment_performed-effectiveTime-errors	count(cda:low)=1
a-3265-28698-error	@sdtc:valueSet (CONF:3265-28698).	Assessment_performed-methodCode-errors	@sdtc:valueSet
	SHALL contain exactly one [11] @typeCode="LOC" location (CodeSystem: HL7ParticipationType		
a-67-13374-error	urn:oid:2.16.840.1.113883.5.90 STATIC) (CONF:67-13374). SHALL contain exactly one [11] templateld (CONF:67-13375)	Facility-Location-errors	@typeCode='LOC'
	such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.100" (CONF:67-13376).		count(cda:templateId[@root='2.16.840.1.113883
a-67-13375-error		Facility-Location-errors	.10.20.24.3.100'][not(@extension)])=1
a-67-13371-error	SHALL contain exactly one [11] time (CONF:67-13371). SHALL contain exactly one [11] participantRole (CONF:67-	Facility-Location-errors	count(cda:time)=1
a-67-13372-error	13372). This participantRole SHALL contain exactly one [11]	Facility-Location-errors	count(cda:participantRole)=1
	@classCode="SDLOC" service delivery location (CodeSystem: RoleClass urn:oid:2.16.840.1.113883.5.110 STATIC) (CONF:67-		
a-67-13373-error	13373). This participantRole SHALL contain exactly one [11] code	Facility-Location-participantRole-errors	@classCode='SDLOC'
a-67-13378-error	(CONF:67-13378).	Facility-Location-participantRole-errors	count(cda:code)=1
	The playingEntity, if present, SHALL contain exactly one [11] @classCode="PLC" place (CodeSystem: EntityClass		
a-67-13382-error	urn:oid:2.16.840.1.113883.5.41 STATIC) (CONF:67-13382). This time SHALL contain exactly one [11] low (CONF:67-	Facility-Location-participantRole-playingEntity-errors	@classCode='PLC'
a-67-13384-error	13384).	Facility-Location-time-errors	count(cda:low)=1
a-67-13385-error	This time SHALL contain exactly one [11] high (CONF:67-13385).	Facility-Location-time-errors	count(cda:high)=1
	Data types of II SHALL have either @root or @nullFlavor or (@root and @nullFlavor) or (@root and @extension) but		(@root or @nullFlavor or (@root and
a-CMS 0108-error	SHALL NOT have all three of (@root and @extension and @nullFlavor) (CONF: CMS_0108)	r-validate II-errors	@nullFlavor) or (@root and @extension)) and not (@root and @extension and @nullFlavor)
	SHALL contain exactly one [11] @classCode="OBS" Observation (CodeSystem: HL7ActClass		
a-2228-27417-error	urn:oid:2.16.840.1.113883.5.6) (CONF:2228-27417).	Laboratory_Test_Order_V3-errors	@classCode='OBS'
	SHALL contain exactly one [11] @moodCode="RQO" Request (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)		
a-2228-11953-error	(CONF:2228-11953). SHALL contain exactly one [11] templateId (CONF:2228-	Laboratory_Test_Order_V3-errors	@moodCode='RQO'
	11954) such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.24.3.37" (CONF:2228-11955).		
2220 4427	SHALL contain exactly one [11] @extension="2016-02-01" (CONF:2228-27075).		count(cda:templateId[@root='2.16.840.1.113883
a-2228-11954-error a-2228-11957-error	SHALL contain exactly one [11] code (CONF:2228-11957).	Laboratory_Test_Order_V3-errors Laboratory_Test_Order_V3-errors	.10.20.24.3.37'][@extension='2016-02-01']) = 1 count(cda:code) = 1
	SHALL contain exactly one [11] Author Participation (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.119)		count(cda:author[cda:templateId[@root='2.16.84
a-2228-27344-error	(CONF:2228-27344).	Laboratory_Test_Order_V3-errors	0.1.113883.10.20.22.4.119']])=1
a-2228-27636-error	This code SHALL contain exactly one [11] @sdtc:valueSet (CONF:2228-27636).	Laboratory_Test_Order_V3-code-errors	@sdtc:valueSet
	SHALL contain exactly one [11] @classCode="OBS" Observation (CodeSystem: HL7ActClass		
a-2228-13657-error	urn:oid:2.16.840.1.113883.5.6) (CONF:2228-13657).	Intervention_Intolerance-errors	@classCode='OBS'

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
	SHALL contain exactly one [11] @moodCode="EVN" Event	OCCORRED	
	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)		
a-2228-13658-error	(CONF:2228-13658).	Intervention_Intolerance-errors	@moodCode='EVN'
	SHALL contain exactly one [11] templateId (CONF:2228- 13659) such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.24.3.30" (CONF:2228-		
	13660). SHALL contain exactly one [11] @extension="2016-02		count(cda:templateId[@root='2.16.840.1.113883
a-2228-13659-error a-2228-13661-error	01" (CONF:2228-27017). SHALL contain exactly one [11] id (CONF:2228-13661).	Intervention_Intolerance-errors Intervention_Intolerance-errors	.10.20.24.3.30'][@extension='2016-02-01']) = 1 count(cda:id) = 1
d 2220 13001 Cirol	SHALL contain exactly one [11] to (cont.2226-13001). SHALL contain exactly one [11] value with @xsi:type="CD"	intervention_moderance errors	Countification of T
a-2228-16414-error	(CONF:2228-16414).	Intervention_Intolerance-errors	cda:value[@xsi:type='CD']
	SHALL contain exactly one [11] entryRelationship (CONF:2228-13679) such that it SHALL contain exactly one [11]		
	@typeCode="CAUS" (CodeSystem: HL7ParticipationType		
	urn:oid:2.16.840.1.113883.5.90) (CONF:2228-13680). SHALL		
	contain exactly one [11] @inversionInd="true" (CONF:2228-		count(cda:entryRelationship[@typeCode='CAUS']
	13681). SHALL contain exactly one [11] Intervention Performed (V3) (identifier:		[@inversionInd='true'][count(cda:act[cda:templat
	urn:hl7ii:2.16.840.1.113883.10.20.24.3.32:2016-02-01)		eld[@root='2.16.840.1.113883.10.20.24.3.32'][@
a-2228-13679-error	(CONF:2228-13683).	Intervention_Intolerance-errors	extension='2016-02-01']])=1])=1
	This value SHALL contain exactly one [11] @code="102460003" Decreased tolerance (CodeSystem:		
	SNOMED CT urn:oid:2.16.840.1.113883.6.96) (CONF:2228-		
a-2228-16415-error	16415).	Intervention_Intolerance-value-errors	@code='102460003'
	SHALL contain exactly one [11] @classCode="ACT" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6		
a-1098-7391-error	(CodeSystem: HL/ActClass urn:old:2.16.840.1.113883.5.6 STATIC) (CONF:1098-7391).	Instruction-errors	@classCode='ACT'
	SHALL contain exactly one [11] @moodCode="INT"		
- 1000 7202	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001	Instruction orrors	@maadCada_'INT'
a-1098-7392-error	STATIC) (CONF:1098-7392). SHALL contain exactly one [11] templateId (CONF:1098-7393)	Instruction-errors	@moodCode='INT'
	such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.22.4.20" (CONF:1098-		
a-1098-7393-error	10503). SHALL contain exactly one [11] @extension="2014-06-09" (CONF:1098-32598).	Instruction-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.22.4.20'][@extension='2014-06-09'])=1
a-1056-7353-EITOI	SHALL contain exactly one [11] code, which SHOULD be	instruction-errors	.10.20.22.4.20 @extension= 2014-00-05 -1
	selected from ValueSet Patient Education		
4000 40004	urn:oid:2.16.840.1.113883.11.20.9.34 DYNAMIC (CONF:1098-	In the control of the	
a-1098-16884-error	16884). SHALL contain exactly one [11] statusCode (CONF:1098-7396).	Instruction-errors	count(cda:code)=1
a-1098-7396-error	Simile contain exactly one [2112] statuscode (contribute)	Instruction-errors	count(cda:statusCode)=1
	This statusCode SHALL contain exactly one [11]		
	@code="completed" Completed (CodeSystem: ActStatus urn:oid:2.16.840.1.113883.5.14 STATIC) (CONF:1098-19106).		
a-1098-19106-error	u	Instruction-statusCode-errors	@code='completed'
a-CMS_0115-error	The NPI should have 10 digits. (CONF: CMS_0115)	r-validate_NPI_format-errors	not(@extension) or \$n = 10
a-CMS 0116-error	The NPI should be composed of all digits. (CONF: CMS_0116)	r-validate_NPI_format-errors	not(@extension) or number(\$s)=\$s
u cinio_0110 cinoi	The NPI should have a correct checksum, using the Luhn	- ranadae_nnonnae en ord	not(@extension) or number(substring(\$s, \$n, 1))
a-CMS_0117-error	algorithm. (CONF: CMS_0117)	r-validate_NPI_format-errors	= (10 - (\$sum mod 10)) mod 10
a-CMS 0118-error	The NPI should have @extension or @nullFlavor, but not both. (CONF: CMS 0118)	r-validate_NPI_format-errors	count(@extension @nullFlavor)=1
u civi3_0110 ciror	SHALL contain exactly one [11] @classCode="OBS"	- ranadae_nnonnae en ord	counting extension permanents of
	(CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6)		
a-2228-27408-error	(CONF:2228-27408).	Diagnostic-Study-Order-errors	@classCode='OBS'
	SHALL contain exactly one [11] @moodCode="RQO" (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)		
a-2228-13411-error	(CONF:2228-13411).	Diagnostic-Study-Order-errors	@moodCode='RQO'
	SHALL contain exactly one [11] templateld (CONF:2228-		
	13412) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.17" (CONF:2228-		
	13413). SHALL contain exactly one [11] @extension="2016-02		count(cda:templateId[@root='2.16.840.1.113883
a-2228-13412-error	01" (CONF:2228-27069).	Diagnostic-Study-Order-errors	.10.20.24.3.17'][@extension='2016-02-01'])=1
a-2228-27615-error	SHALL contain exactly one [11] code (CONF:2228-27615). SHALL contain exactly one [11] Author Participation	Diagnostic-Study-Order-errors	count(cda:code)=1
	(identifier: urn:oid:2.16.840.1.113883.10.20.22.4.119)		count(cda:author[cda:templateId[@root='2.16.84
a-2228-27340-error	(CONF:2228-27340).	Diagnostic-Study-Order-errors	0.1.113883.10.20.22.4.119']])=1
a-2228-27616-error	This code SHALL contain exactly one [11] @sdtc:valueSet (CONF:2228-27616).	Diagnostic-Study-Order-code-errors	@sdtc:valueSet
	SHALL contain exactly one [11] templateId (CONF:CMS_0044)	5 , 1, 2 6000 611010	
	such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.17.3.8.1" (CONF:CMS_0045)		count(cda:templateId[@root='2.16.840.1.113883
a-CMS_0044-error	SHALL contain exactly one [11] @extension="2016-03-01" (CONF:CMS_0046)	Reporting-Parameters-Act-CMS-errors	.10.20.17.3.8.1'][@extension='2016-03-01'])=1
	This low SHALL contain exactly one [11] @value		
a-CMS_0048-error	(CONF:CMS_0048).	Reporting-Parameters-Act-CMS-effectiveTime-low-errors	@value
a-CMS 0027-error	SHALL be precise to day (CONF:CMS_0027).	Reporting-Parameters-Act-CMS-effectiveTime-low-errors	string-length(@value)>=8
	This high SHALL contain exactly one [11] @value		
a-CMS_0050-error	(CONF:CMS_0050).	Reporting-Parameters-Act-CMS-effectiveTime-high-errors	@value
a-CMS 0028-error	SHALL be precise to day (CONF:CMS_0028).	Reporting-Parameters-Act-CMS-effectiveTime-high-errors	string-length(@value)>=8
			5 - 6 - (5 - 25)

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
	SHALL contain exactly one [11] @classCode="OBS" Observation (CodeSystem: HL7ActClass		
a-1098-8282-error	urn:oid:2.16.840.1.113883.5.6 STATIC) (CONF:1098-8282).	Procedure-Activity-Observation-errors	@classCode='OBS'
	SHALL contain exactly one [11] @moodCode="EVN" Event		
	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001		
a-1098-8237-error	STATIC) (CONF:1098-8237).	Procedure-Activity-Observation-errors	@moodCode='EVN'
a-1098-8237-E1101	SHALL contain exactly one [11] templateId (CONF:1098-8238)	Procedure-Activity-Observation-errors	@IIIOOUCOUE- EVIV
	such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.22.4.13" (CONF:1098-		
	10520). SHALL contain exactly one [11] @extension="2014-06-		count(cda:templateId[@root='2.16.840.1.113883
a-1098-8238-error	09" (CONF:1098-32507).	Procedure-Activity-Observation-errors	.10.20.22.4.13'][@extension='2014-06-09'])=1
a-1098-8239-error	SHALL contain at least one [1*] id (CONF:1098-8239).	Procedure-Activity-Observation-errors	count(cda:id) >= 1
a-1098-19197-error	SHALL contain exactly one [11] code (CONF:1098-19197). SHALL contain exactly one [11] statusCode (CONF:1098-8245).	Procedure-Activity-Observation-errors	count(cda:code)=1
a-1098-8245-error	STALE CONTAIN CAUCHY ONE [1] Statuscode (COM . 1050 0245).	Procedure-Activity-Observation-errors	count(cda:statusCode)=1
a-1098-16846-error	SHALL contain exactly one [11] value (CONF:1098-16846).	Procedure-Activity-Observation-errors	count(cda:value)=1
	This reference/@value SHALL begin with a '#' and SHALL point		
	to its corresponding narrative (using the approach defined in		
	CDA Release 2, section 4.3.5.1) (CONF:1098-19201).		11/0 1 1/10
a-1098-19201-error	This status Code CHAIL and the supplies are [4, 4] @code subject	Procedure-Activity-Observation-code-errors	starts-with(@value, '#')
	This statusCode SHALL contain exactly one [11] @code, which SHALL be selected from ValueSet ProcedureAct statusCode		
	urn:oid:2.16.840.1.113883.11.20.9.22 STATIC 2014-04-23		
a-1098-32365-error	(CONF:1098-32365).	Procedure-Activity-Observation-statusCode-errors	@code
	The performer, if present, SHALL contain exactly one [11]		
a-1098-8252-error	assignedEntity (CONF:1098-8252).	Procedure-Activity-Observation-performer-errors	count(cda:assignedEntity)=1
	This assignedEntity SHALL contain at least one [1*] id	Procedure-Activity-Observation-performer-assignedEntity-	
a-1098-8253-error	(CONF:1098-8253). This assignedEntity SHALL contain at least one [1*] addr	errors Procedure-Activity-Observation-performer-assignedEntity-	count(cda:id)>=1
a-1098-8254-error	(CONF:1098-8254).	errors	count(cda:addr)>=1
	This assignedEntity SHALL contain at least one [1*] telecom	Procedure-Activity-Observation-performer-assignedEntity-	
a-1098-8255-error	(CONF:1098-8255).	errors	count(cda:telecom)>=1
	The represented Organization, if present, SHALL contain exactly $% \left(1\right) =\left(1\right) \left($		
a-1098-8259-error	one [11] addr (CONF:1098-8259).	representedOrganization-errors	count(cda:addr)>=1
a-1098-8260-error	The representedOrganization, if present, SHALL contain exactly	representedOrganization-errors	count(cda:telecom)>=1
a-1098-8200-e1101	one [11] telecom (CONF:1098-8260). SHALL contain exactly one [11] @classCode="ENC" Encounter	represented organization errors	count(cua.telecom/>=1
	(CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6)		
a-2228-27534-error	(CONF:2228-27534).	Encounter-Order-errors	@classCode='ENC'
	SHALL contain exactly one [11] @moodCode="RQO" Request		
	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)	5	0
a-2228-11932-error	(CONF:2228-11932). SHALL contain exactly one [11] templateId (CONF:2228-	Encounter-Order-errors	@moodCode='RQO'
	11933) such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.24.3.22" (CONF:2228-		
	11934). SHALL contain exactly one [11] @extension="2016-		count(cda:templateId[@root='2.16.840.1.113883
a-2228-11933-error	02-01" (CONF:2228-27064).	Encounter-Order-errors	.10.20.24.3.22'][@extension='2016-02-01'])=1
a-2228-11936-error	SHALL contain exactly one [11] code (CONF:2228-11936).	Encounter-Order-errors	count(cda:code)=1
	SHALL contain exactly one [11] Author Participation		count(cda:author[cda:templateId[@root='2.16.84
a-2228-27341-error	(identifier: urn:oid:2.16.840.1.113883.10.20.22.4.119) (CONF:2228-27341).	Encounter-Order-errors	0.1.113883.10.20.22.4.119']])=1
	This template SHALL be contained by an Encounter Order Act		count(//cda:templateId[@root='2.16.840.1.11
a-2228-28668-error	(CONF:2228-28668).	Encounter-Order-errors	3883.10.20.24.3.132'])=1
	This code SHALL contain exactly one [11] @sdtc:valueSet		
a-2228-14896-error	(CONF:2228-27623).	Encounter-Order-code-errors	@sdtc:valueSet
	Data types of CD or CE SHALL have either @code or @nullFlavor or both (@codeSystem and @nullFlavor) but		(parent::cda:regionOfInterest) or ((@code or
	SHALL NOT have both @code and @nullFlavor and SHALL NOT		@nullFlavor or (@codeSystem and @nullFlavor))
	have @codeSystem and @nullFlavor (CONF: CMS_0107)		and not(@code and @nullFlavor) and
a-CMS_0107-error		r-validate_CD_CE-errors	not(@codeSystem and @nullFlavor))
	Data types of CS SHALL have either @code or @nullFlavor but		(O I O IIII
2 CMS 0106 orrer	SHALL NOT have both @code and @nullFlavor (CONF:	r validate CS errors	(@code or @nullFlavor) and not (@code and
a-CMS_0106-error	CMS_0106) SHALL contain exactly one [11] @classCode="ACT" Act	r-validate_CS-errors	@nullFlavor)
	(CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6)		
a-3265-28148-error	(CONF:3265-28148).	Diagnosis_concern_act_V2-errors	@classCode='ACT'
	SHALL contain exactly one [11] @moodCode="EVN" Event		
	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)		
a-3265-28149-error	(CONF:3265-28149).	Diagnosis_concern_act_V2-errors	@moodCode='EVN'
	SHALL contain exactly one [11] templateld (CONF:3265- 28143) such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.24.3.137" (CONF:3265-		
	28146). SHALL contain exactly one [11] @extension="2016-08-		count(cda:templateId[@root='2.16.840.1.113883
a-3265-28143-error	01" (CONF:3265-28692).	Diagnosis_concern_act_V2-errors	.10.20.24.3.137'][@extension='2016-08-01'])=1
	SHALL contain exactly one [11] statusCode (CONF:3265-		
a-3265-28144-error	28144).	Diagnosis_concern_act_V2-errors	count(cda:statusCode)=1
a-3265-28210-error	SHALL contain exactly one [11] effectiveTime (CONF:3265-28210).	Diagnosis concern act V2-errors	count(cda:effectiveTime)=1
3203 20210 CITOI	20210].		

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
2057 20442	SHALL contain exactly one [11] entryRelationship (CONF:3265-28142) such that it SHALL contain exactly one [11] @typeCode="SUBJ" Has subject (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:3265-28151). SHALL contain exactly one [11] Diagnosis (identifier: urn:oid:2.16.840.1.113883.10.20.24.3.135) (CONF:3265-		count(cda:entryRelationship[@typeCode='SUBJ'] [count(cda:observation[cda:templateId[@root='2
a-3265-28142-error	28145). This statusCode SHALL contain exactly one [11] @code, which SHALL be selected from ValueSet QDM Diagnosis Status urn:oid:2.16.840.1.113762.1.4.1021.35 DYNAMIC (CONF:3265-	Diagnosis_concern_act_V2-errors	.16.840.1.113883.10.20.24.3.135']])=1])=1
a-3265-28150-error	28150). This effectiveTime SHALL contain exactly one [11] low	Diagnosis_concern_act_V2-statusCode-errors	@code
a-3265-28211-error	(CONF:3265-28211). SHALL contain exactly one [11] @classCode="ACT"	Diagnosis_concern_act_V2-effectiveTime-errors	count(cda:low)=1
a-2228-28588-error	(CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:2228-28588).	Immunization_administered-errors	@classCode='ACT'
a-2228-28589-error	SHALL contain exactly one [11] @moodCode="EVN" (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001) (CONF:2228-28589).	Immunization_administered-errors	@moodCode='EVN'
	SHALL contain exactly one [11] templateId (CONF:2228- 28574) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.140" (CONF:2228-		count(cda:templateId[@root='2.16.840.1.113883
a-2228-28574-error	28581).	Immunization_administered-errors	.10.20.24.3.140'][not(@extension)])=1
a-2228-28590-error	SHALL contain at least one [1*] id (CONF:2228-28590).	Immunization_administered-errors	count(cda:id) > 0
a-2228-28575-error	SHALL contain exactly one [11] code (CONF:2228-28575).	Immunization_administered-errors	count(cda:code)=1
a-2228-28576-error	SHALL contain exactly one [11] statusCode (CONF:2228-28576).	Immunization_administered-errors	count(cda:statusCode)=1
a-2228-28578-error	SHALL contain exactly one [11] effectiveTime (CONF:2228-28578).	Immunization_administered-errors	count(cda:effectiveTime)=1
a-2228-28572-error	SHALL contain at least one [1*] entryRelationship (CONF:2228 28572) such that it SHALL contain exactly one [11] etypeCode="COMP" (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:2228-28580). SHALL contain exactly one [11] Immunization Activity (V2) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.52:2014-06-09) (CONF:2228-28573). This substanceAdministration SHALL contain exactly one [11] @moodCode="EVN" (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001) (CONF:2228-28579).		count(cda:entryRelationship[@typeCode='COMP'][count(cda:substanceAdministration[cda:templa teld[@root='2.16.840.1.113883.10.20.22.4.52'][@extension='2014-06-09']][@moodCode='EVN']]=1]) > 0
a-2228-28583-error	This code SHALL contain exactly one [11] @code="416118004" administration (CONF:2228-28583).	Immunization administered-code-errors	@code='416118004'
	This code SHALL contain exactly one [11] @codeSystem="2.16.840.1.113883.6.96" (CodeSystem: SNOMED CT urn:oid:2.16.840.1.113883.6.96) (CONF:2228-		
a-2228-28584-error	28584). This statusCode SHALL contain exactly one [11]	Immunization_administered-code-errors	@codeSystem='2.16.840.1.113883.6.96'
a-2228-28585-error	@code="completed" (CodeSystem: ActStatus urn:oid:2.16.840.1.113883.5.14) (CONF:2228-28585).	Immunization_administered-statusCode-errors	@code='completed'
a-2228-28591-error	This effectiveTime SHALL contain exactly one [11] low (CONF:2228-28591).	Immunization administered-effectiveTime-errors	count(cda:low)=1
	SHALL contain exactly one [11] @classCode="SPLY" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6		
a-1098-8577-error	STATIC) (CONF:1098-8577). SHALL contain exactly one [11] @moodCode, which SHALL be selected from ValueSet Planned moodCode (SubstanceAdministration/Supply) urn:oid:2.16.840.1.113883.11.20.9.24 STATIC 2011-09-30	Planned-Supply-errors	@classCode='SPLY' @moodCode and @moodCode=document('voc.xml')/voc:systems/ voc:system[@valueSetOid='2.16.840.1.113883.11
a-1098-8578-error	(CONF:1098-8578). SHALL contain exactly one [11] templateId (CONF:1098-30463) such that it SHALL contain exactly one [11] @root='2.16.840.1.113883.10.20.22.4.43" (CONF:1098-30464). SHALL contain exactly one [11] @extension="2014-06"	Planned-Supply-errors	.20.9.24']/voc:code/@value count(cda:templateId[@root='2.16.840.1.113883
a-1098-30463-error a-1098-8580-error	09" (CONF:1098-32556). SHALL contain at least one [1*] id (CONF:1098-8580).	Planned-Supply-errors Planned-Supply-errors	.10.20.22.4.43'][@extension='2014-06-09'])=1 count(cda:id) >= 1
a-1098-30458-error	SHALL contain exactly one [11] statusCode (CONF:1098-30458).	Planned-Supply-errors	count(cda:statusCode)=1
a-1098-32047-error	This statusCode SHALL contain exactly one [11] @code="active" Active (CodeSystem: ActStatus urn:oid:2.16.840.1.113883.5.14) (CONF:1098-32047). SHALL contain exactly one [11] @classCode="OBS"	Planned-Supply-statusCode-errors	@code='active'
a-2228-27559-error	(CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:2228-27559).	Physical Exam Performed V3-errors	@classCode='OBS'
a-2228-12643-error	SHALL contain exactly one [11] @moodCode="EVN" (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001) (CONF:2228-12643).	Physical_Exam_Performed_V3-errors	@moodCode='EVN'
	SHALL contain exactly one [11] templateId (CONF:2228- 12644) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.59" (CONF:2228- 12645).		
a-2228-12644-error	SHALL contain exactly one [11] @extension="2016-02-01" (CONF:2228-27135).	Physical_Exam_Performed_V3-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.24.3.59'][@extension='2016-02-01']) = 1

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR	CONDITION/WHAT IS EXPECTED
	CHAIL portain averable one [4, 4] and a (CONE-2220 27654)	OCCURRED Physical Exam Performed V3-errors	count(cda:code) = 1
a-2228-27651-error	SHALL contain exactly one [11] code (CONF:2228-27651). SHALL contain exactly one [11] statusCode (CONF:2228-	Physical_exam_Performed_vs-errors	count(cua.code) = 1
a-2228-12649-error	12649).	Physical_Exam_Performed_V3-errors	count(cda:statusCode) = 1
a-2228-12651-error	SHALL contain exactly one [11] effectiveTime (CONF:2228-12651).	Physical_Exam_Performed_V3-errors	count(cda:effectiveTime) = 1
- 2220 27652	This code SHALL contain exactly one [11] @sdtc:valueSet	Dhysical Evan Parformed V2 code arrors	@cdtcuplusCat
a-2228-27652-error	(CONF:2228-27652). This effectiveTime SHALL contain exactly one [11] low	Physical_Exam_Performed_V3-code-errors	@sdtc:valueSet
a-2228-12652-error	(CONF:2228-12652).	Physical_Exam_Performed_V3-effectiveTime-errors	count(cda:low)=1
a-2228-12653-error	This effectiveTime SHALL contain exactly one [11] high (CONF:2228-12653). This statusCode SHALL contain exactly one [11]	Physical_Exam_Performed_V3-effectiveTime-errors	count(cda:high)=1
	@code="completed" (CodeSystem: ActStatus		
a-2228-12650-error	urn:oid:2.16.840.1.113883.5.14) (CONF:2228-12650).	Physical_Exam_Performed_V3-statusCode-errors	@code='completed'
	SHALL contain exactly one [11] @classCode="ENC" Encounter (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6)		
a-2228-28306-error	(CONF:2228-28306).	Transfer-From-errors	@classCode='ENC'
	SHALL contain exactly one [11] @moodCode="EVN" Event (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)		
a-2228-28307-error	(CONF:2228-28307).	Transfer-From-errors	@moodCode='EVN'
	SHALL contain exactly one [11] templateId (CONF:2228- 13189) such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.24.3.81" (CONF:2228-		
a-2228-13189-error	13190). SHALL contain exactly one [11] @extension="2016-02-01" (CONF:2228-28308).	Transfer-From-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.24.3.81'][@extension='2016-02-01'])=1
a-2228-28309-error	SHALL contain at least one [1*] id (CONF:2228-28309).	Transfer-From-errors	count(cda:id)>=1
a-2228-28302-error	SHALL contain exactly one [11] code (CONF:2228-28302). SHALL contain exactly one [11] statusCode (CONF:2228-	Transfer-From-errors	count(cda:code)=1
a-2228-28303-error	28303).	Transfer-From-errors	count(cda:statusCode)=1
	SHALL contain exactly one [11] participant (CONF:2228-28304) such that it SHALL contain exactly one [11]		
	@typeCode="ORG" Origin (CodeSystem: HL7ParticipationType		
	urn:oid:2.16.840.1.113883.5.90) (CONF:2228-28313). SHALL		
	contain exactly one [11] time (CONF:2228-28305).SHALL contain exactly one [11] participantRole (CONF:2228-28316).		count(cda:participant[@typeCode='ORG'][count(
a-2228-28304-error		Transfer-From-errors	cda:time)=1] [count(cda:participantRole)=1])=1
a-2228-28663-error	This template SHALL be contained by a Transfer From Act (CONF:2228-28663).	Transfer-From-errors	count(//cda:templateId[@root='2.16.840.1.11 3883.10.20.24.3.141'])=1
2220 20240	This code SHALL contain exactly one [11] @code="77305-1"		0 1 177205 41
a-2228-28310-error	Transferred from (CONF:2228-28310). This code SHALL contain exactly one [11]	Transfer-From-code-errors	@code='77305-1'
	@codeSystem="2.16.840.1.113883.6.1" (CodeSystem: LOINC		
a-2228-28311-error	urn:oid:2.16.840.1.113883.6.1) (CONF:2228-28311). This statusCode SHALL contain exactly one [11]	Transfer-From-code-errors	@codeSystem='2.16.840.1.113883.6.1'
	@code="completed" Completed (CodeSystem: ActStatus		
a-2228-28312-error	urn:oid:2.16.840.1.113883.5.14) (CONF:2228-28312). This time SHALL contain exactly one [11] low (CONF:2228-	Transfer-From-statusCode-errors	@code='completed'
a-2228-28314-error	28314).	Transfer-From-participant-time-errors	count(cda:low)=1
	This participantRole SHALL contain exactly one [11] @classCode="LOCE" Located entity (CodeSystem: RoleClass		
	urn:oid:2.16.840.1.113883.5.110) (CONF:2228-28320).		
a-2228-28320-error	This participantRole SHALL contain exactly one [11] code	Transfer-From-participantRole-errors	@classCode='LOCE'
a-2228-28317-error	(CONF:2228-28317).	Transfer-From-participantRole-errors	count(cda:code)=1
a-2228-28321-error	This code SHALL contain exactly one [11] @sdtc:valueSet (CONF:2228-28321).	Transfer-From-participantRole-code-errors	@sdtc:valueSet
	SHALL contain exactly one [11] templateId (CONF:CMS_0036)		
	such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.2.1.1" (CONF:CMS 0037).		
	SHALL contain exactly one [11] @extension="2016-03-01"	CMS_QRDA_Category_I_Patient_Data_Section_QDM_CM	
a-CMS_0036-error	(CONF:CMS_0038). SHALL contain at least one [1*] entry (CONF:CMS_0051) such	S-errors	.10.20.24.2.1.1'][@extension='2017-07-01']) = 1
	that it SHALL contain exactly one [11] entry template that is		
	other than the Patient Characteristic Payer (identifier: urn:oid:2.16.840.1.113883.10.20.24.3.55) (CONF:CMS 0039).	CMS_QRDA_Category_I_Patient_Data_Section_QDM_CM	count(cda:entry[*[cda:template d[@root =
a-CMS_0051-error	um.ou.z.10.040.1.113883.10.20.24.3.33) (COM .CM3_0035).	S-errors	'2.16.840.1.113883.10.20.24.3.55']]]) > 0
	SHALL contain at least one [1*] entry (CONF:3265-14430_C01) such that it SHALL contain exactly one [11] Patient		
	Characteristic Payer (identifier:		count(cda:entry[count(cda:observation[cda:temp
a-3265-14430 C01-error	urn:oid:2.16.840.1.113883.10.20.24.3.55) (CONF:3265-14431).	CMS_QRDA_Category_I_Patient_Data_Section_QDM_CM S-errors	lateId[@root='2.16.840.1.113883.10.20.24.3.55']])=1]) > 0
3 3203 14430_001-61101	SHALL contain exactly one [11] @classCode="SPLY"		, -1, -
a-2228-27528-error	(CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6)	Medication Dispensed V3-errors	@classCode='SPLY'
u-2220-21320-CHUI	(CONF:2228-27528). SHALL contain exactly one [11] @moodCode="EVN"	medication_bispenseu_vs-entitis	Gridascoute at E1
2 2220 27520 2550	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)	Medication Dispensed 1/2 errors	@moodCode='FVN'
a-2228-27529-error	(CONF:2228-27529). SHALL contain exactly one [11] templateId (CONF:2228-	Medication_Dispensed_V3-errors	@moodCode='EVN'
	13851) such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.24.3.45" (CONF:2228-13852).		
- 2220 12051	SHALL contain exactly one [11] @extension="2016-02-01"	Madiantian Binarand V2	count(cda:templateId[@root='2.16.840.1.113883
a-2228-13851-error	(CONF:2228-26555).	Medication_Dispensed_V3-errors	.10.20.24.3.45'][@extension='2016-02-01']) = 1

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR	CONDITION/WHAT IS EXPECTED
a-2228-19440-error	SHALL contain exactly one [11] statusCode (CONF:2228-19440).	OCCURRED Medication_Dispensed_V3-errors	count(cda:statusCode) = 1
a-2228-13856-error	SHALL contain exactly one [11] effectiveTime with xsi:type="IVL TS" (CONF:2228-13856).	Medication_Dispensed_V3-errors	count(cda:effectiveTime[@xsi:type='IVL_TS']) = 1
a-2228-28669-error	This template SHALL be contained by a Medication Dispensed Act (CONF:2228-28669).	Medication_Dispensed_V3-errors	count(//cda:templateId[@root='2.16.840.1.11 3883.10.20.24.3.139']) = 1
	This statusCode SHALL contain exactly one [11] @code="completed" (CodeSystem: ActStatus		
a-2228-19441-error	urn:oid:2.16.840.1.113883.5.14) (CONF:2228-19441). This effectiveTime SHALL contain exactly one [11] low	Medication_Dispensed_V3-statuscode-errors	@code='completed'
a-2228-28555-error	(CONF:2228-28555). SHALL contain exactly one [11] @classCode="OBS"	Medication_Dispensed_V3-effectivetime-errors	count(cda:low) = 1
a-81-7613-error	Observation (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 STATIC) (CONF:81-7613).	Age-observation-errors	@classCode='OBS'
a-01-7013-ent01	SHALL contain exactly one [11] @moodCode="EVN" Event (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001	Age observation errors	g-class-code- obs
a-81-7614-error	STATIC) (CONF:81-7614).	Age-observation-errors	@moodCode='EVN'
	SHALL contain exactly one [11] templateId (CONF:81-7899) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.22.4.31" (CONF:81-10487).		count(cda:templateId[@root='2.16.840.1.113883
a-81-7899-error a-81-7615-error	SHALL contain exactly one [11] code (CONF:81-7615).	Age-observation-errors Age-observation-errors	.10.20.22.4.31'][not(@extension)])=1 count(cda:code)=1
	SHALL contain exactly one [11] statusCode (CONF:81-15965).		
a-81-15965-error	SHALL contain exactly one [11] value with @xsi:type="PQ"	Age-observation-errors	count(cda:statusCode)=1
a-81-7617-error	(CONF:81-7617). This code SHALL contain exactly one [11]	Age-observation-errors	count(cda:value[@xsi:type='PQ'])=1
a-81-16776-error	@code="445518008" Age At Onset (CONF:81-16776). This code SHALL contain exactly one [11]	Age-observation-code-errors	@code='445518008'
a-81-26499-error	@codeSystem="2.16.840.1.113883.6.96" (CodeSystem: SNOMED CT urn:oid:2.16.840.1.113883.6.96) (CONF:81-26499).	Age-observation-code-errors	@codeSystem='2.16.840.1.113883.6.96'
u 01 20455 CHOI	This statusCode SHALL contain exactly one [11] @code="completed" Completed (CodeSystem: ActStatus	Age observation code errors	@ code3y3cm = 2.10.0-0.1.113003.0.50
a-81-15966-error	urn:oid:2.16.840.1.113883.5.14 STATIC) (CONF:81-15966).	Age-observation-statusCode-errors	@code='completed'
	This value SHALL contain exactly one [11] @unit, which SHALL be selected from ValueSet AgePQ_UCUM urn:oid:2.16.840.1.113883.11.20.9.21 DYNAMIC (CONF:81-		
a-81-7618-error	7618). SHALL contain exactly one [11] @classCode="OBS" (CodeSystems III 7Act Class uppoids 16 840 1 113883 F.6.	Age-observation-value-errors	@unit
a-1098-7480-error	(CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 STATIC) (CONF:1098-7480).	Indication-errors	@classCode='OBS'
a-1098-7481-error	SHALL contain exactly one [11] @moodCode="EVN" (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001 STATIC) (CONF:1098-7481).	Indication-errors	@moodCode='EVN'
. 1550 / 161 61.01	SHALL contain exactly one [11] templateld (CONF:1098-7482) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.22.4.19" (CONF:1098-10502). SHALL contain exactly one [11] @extension="2014-06"		count(cda:templateId[@root='2.16.840.1.113883
a-1098-7482-error	09" (CONF:1098-32570).	Indication-errors	.10.20.22.4.19'][@extension='2014-06-09'])=1
a-1098-7483-error	SHALL contain at least one $[1^{+}]$ id (CONF:1098-7483). SHALL contain exactly one $[11]$ code, which MAY be selected from ValueSet Problem Type	Indication-errors	count(cda:id) > 0
a-1098-31229-error	urn:oid:2.16.840.1.113883.3.88.12.3221.7.2 STATIC 2014-09-02 (CONF:1098-31229).	Indication-errors	count(cda:code)=1
a-1098-7487-error	SHALL contain exactly one [11] statusCode (CONF:1098-7487).	Indication-errors	count(cda:statusCode)=1
	This statusCode SHALL contain exactly one [11] @code="completed" Completed (CodeSystem: ActStatus urn:oid:2.16.840.1.113883.5.14 STATIC) (CONF:1098-19105).		
a-1098-19105-error		Indication-statusCode-errors	@code='completed'
	SHALL contain exactly one [11] @classCode="OBS" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6)		
a-2228-13961-error	(CONF:2228-13961). SHALL contain exactly one [11] @moodCode="EVN"	Laboratory_Test_Intolerance_V3-errors	@classCode='OBS'
a-2228-13962-error	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001) (CONF:2228-13962).	Laboratory_Test_Intolerance_V3-errors	@moodCode='EVN'
	SHALL contain exactly one [11] templateld (CONF:2228-13963) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.36" (CONF:2228-13964). SHALL contain exactly one [11] @extension="2016-02-01"		count(cda:templateId[@root='2.16.840.1.113883
a-2228-13963-error	(CONF:2228-27019). SHALL contain exactly one [11] value with @xsi:type="CD"	Laboratory_Test_Intolerance_V3-errors	.10.20.24.3.36'][@extension='2016-02-01']) = 1
a-2228-14573-error	(CONF:2228-14573).	Laboratory_Test_Intolerance_V3-errors	count(cda:value[@xsi:type='CD']) = 1

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
	SHALL contain exactly one [11] entryRelationship (CONF:2228-13973) such that it SHALL contain exactly one [11] @typeCode="CAUS" (CodeSystem: HL7ParticipationType urn:oid:2.16.840.1.113883.5.90) (CONF:2228-13974). SHALL contain exactly one [11] @inversionInd="true" (CONF:2228-13975). SHALL contain exactly one [11] Laboratory Test Performed (V3) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.24.3.38:2016-02-01) (CONF:2228-27155).		count(cda:entryRelationship[@typeCode='CAUS'] [@inversionInd='true'][count(cda:observation[cd
a-2228-13973-error	This value SHALL contain exactly one [11]	Laboratory_Test_Intolerance_V3-errors	a:templateId[@root='2.16.840.1.113883.10.20.24 .3.38'][@extension='2016-02-01']])=1])=1
a-2228-16418-error	@code="102460003" Decreased tolerance (CodeSystem: SNOMED CT urn:oid:2.16.840.1.113883.6.96) (CONF:2228-16418).	Laboratory_Test_Intolerance_V3-value-errors	@code='102460003'
a-67-12805-error	SHALL contain exactly one [11] @classCode="CLUSTER" cluster (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 STATIC) (CONF:67-12805). SHALL contain exactly one [11] @moodCode="EVN" event	eMeasure-Reference-QDM-errors	@classCode='CLUSTER'
a-67-12806-error	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001 STATIC) (CONF:67-12806).	eMeasure-Reference-QDM-errors	@moodCode='EVN'
a-67-12807-error	SHALL contain exactly one [11] statusCode="completed" completed (CodeSystem: ActStatus urn:oid:2.16.840.1.113883.5.14 STATIC) (CONF:67-12807). SHALL contain exactly one [11] reference (CONF:67-12808) such that it SHALL contain exactly one [11] @typeCode="REFR" refers to (CodeSystem:	eMeasure-Reference-QDM-errors	count(cda:statusCode{@code='completed'])=1
a-67-12808-error	HLTActRelationshipType urn:oid:2.16.840.1.113883.5.1002 STATIC) (CONF:67-12809). SHALL contain exactly one [11] externalDocument (CONF:67-12810). This externalDocument SHALL contain exactly one [11]	eMeasure-Reference-QDM-errors	count(cda:reference[@typeCode='REFR'] [count(cda:externalDocument)=1])=1
a-67-27017-error	@classCode="DOC" Document (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:67-27017). This externalDocument SHALL contain exactly one [11] id (CONF:67-12811) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.4.738" (CONF:67-12812). SHALL	e Measure-Reference-QDM-external Document-errors	@classCode='DOC'
a-67-12811-error	contain exactly one [11] @extension (CONF:67-12813). The component, if present, SHALL contain exactly one [11]	eMeasure-Reference-QDM-externalDocument-errors	count(cda:id[@root='2.16.840.1.113883.4.738'][@extension])=1
a-67-16679-error	observation (CONF:67-16679). This observation SHALL contain exactly one [11]	eMeasure-Reference-QDM-component-errors	count(cda:observation)=1
a-67-16680-error	@negationInd (CONF:67-16680). This observation SHALL contain exactly one [11] code	eMeasure-Reference-QDM-component-observation-errors	@negationInd
a-67-16681-error	(CONF:67-16681). This observation SHALL contain exactly one [11] value with	eMeasure-Reference-QDM-component-observation-errors	count(cda:code)=1
a-67-16683-error	@xsi:type="CD" (CONF:67-16683). This observation SHALL contain exactly one [11] reference	eMeasure-Reference-QDM-component-observation-errors	count(cda:value[@xsi:type='CD'])=1
a-67-16684-error	(CONF:67-16684). This code SHALL contain exactly one [11]	eMeasure-Reference-QDM-component-observation-errors eMeasure-Reference-QDM-component-observation-code-	count(cda:reference)=1
a-67-16682-error	@code="ASSERTION" Assertion (CONF:67-16682).	errors	@code='ASSERTION'
a-67-27010-error	This code SHALL contain exactly one [11] @codeSystem="2.16.840.1.113883.5.4" (CodeSystem: ActCode urn:oid:2.16.840.1.113883.5.4) (CONF:67-27010). This reference SHALL contain exactly one [11]	eMeasure-Reference-QDM-component-observation-code- errors	@codeSystem='2.16.840.1.113883.5.4'
a-67-16685-error	@typeCode="REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002 STATIC) (CONF:67-16685).	eMeasure-Reference-QDM-component-observation- reference-errors	@typeCode='REFR'
a-67-16686-error	This reference SHALL contain exactly one [11] externalObservation (CONF:67-16686).	eMeasure-Reference-QDM-component-observation- reference-errors	count(cda:externalObservation)=1
a-67-16693-error	This externalObservation SHALL contain exactly one [11] @classCode="OBS" Observation (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 STATIC) (CONF:67-16693).	eMeasure-Reference-QDM-component-observation- reference-externalObservation-errors	@classCode='OBS'
2.67.46604	This externalObservation SHALL contain exactly one [11] @moodCode="EVN" (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001 STATIC) (CONF:67-16694).	eMeasure-Reference-QDM-component-observation-	@meedCodes IFVN!
a-67-16694-error	This externalObservation SHALL contain exactly one [11] id	reference-externalObservation-errors eMeasure-Reference-QDM-component-observation-	@moodCode='EVN'
a-67-16687-error	(CONF:67-16687). The referenceRange, if present, SHALL contain exactly one	reference-externalObservation-errors eMeasure-Reference-QDM-component-observation-	count(cda:id)=1
a-67-16690-error	[11] observationRange (CONF:67-16690). This observationRange SHALL contain exactly one [11] value	referenceRange-errors eMeasure-Reference-QDM-component-observation-	count(cda:observationRange)=1
a-67-16691-error a-CMS 0111-error	with @xsi:type="REAL" (CONF:67-16691). Data types of REAL SHALL NOT have both @value and @nullFlavor. (CONF: CMS 0111)	referenceRange-observationRange-errors r-validate_REAL-errors	count(cda:value[@xsi:type='REAL'])=1 (@value or @nullFlavor) and not (@value and @nullFlavor)
	SHALL contain exactly one [11] @classCode="OBS" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6)		
a-2228-27369-error	(CONF:2228-27369). SHALL contain exactly one [11] @moodCode="EVN"	Diagnostic-Study-Performed-errors	@classCode='OBS'
a-2228-12950-error	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001) (CONF:2228-12950).	Diagnostic-Study-Performed-errors	@moodCode='EVN'

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
a-2228-12951-error	SHALL contain exactly one [11] templateld (CONF:2228-12951) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.18" (CONF:2228-12952). SHALL contain exactly one [11] @extension="2016-02.01" (CONF:2228-27141).		count(cda:templateId[@root='2.16.840.1.113883 .10.20.24.3.18'][@extension='2016-02-01'])=1
a-2228-27617-error	SHALL contain exactly one [11] code (CONF:2228-27617). SHALL contain exactly one [11] statusCode (CONF:2228-	Diagnostic-Study-Performed-errors	count(cda:code)=1
a-2228-12956-error	12956). SHALL contain exactly one [11] effectiveTime (CONF:2228-	Diagnostic-Study-Performed-errors	count(cda:statusCode)=1
a-2228-12958-error	12958). This code SHALL contain exactly one [11] @sdtc:valueSet	Diagnostic-Study-Performed-errors	count(cda:effectiveTime)=1
a-2228-27618-error	(CONF:2228-27618). This statusCode SHALL contain exactly one [11]	Diagnostic-Study-Performed-code-errors	@sdtc:valueSet
a-2228-12957-error	@code="completed" Completed (CodeSystem: ActStatus urn:oid:2.16.840.1.113883.5.14) (CONF:2228-12957).	Diagnostic-Study-Performed-statusCode-errors	@code='completed'
a-2228-12959-error	This effectiveTime SHALL contain exactly one [11] low (CONF:2228-12959).	Diagnostic-Study-Performed-effectiveTime-errors	count(cda:low)=1
a-2228-12960-error	This effectiveTime SHALL contain exactly one [11] high (CONF:2228-12960).	Diagnostic-Study-Performed-effectiveTime-errors	count(cda:high)=1
a-1098-7357-error	SHALL contain exactly one [11] @classCode="OBS" Observation (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 STATIC) (CONF:1098-7357).	Problem-Status-errors	@classCode='OBS'
a-1098-7358-error	SHALL contain exactly one [11] @moodCode="EVN" Event (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001 STATIC) (CONF:1098-7358).	Problem-Status-errors	@moodCode='EVN'
a-1098-10518-error	SHALL contain exactly one [11] templateId (CONF:1098-7359) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.22.4.6" (CONF:1098-10518).	Problem-Status-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.22.4.6'][not(@extension)])=1
a-1098-19162-error	SHALL contain exactly one [11] code (CONF:1098-19162).	Problem-Status-errors	count(cda:code)=1
a-1098-7364-error	SHALL contain exactly one [11] statusCode (CONF:1098-7364).	Problem-Status-errors	count(cda:statusCode)=1
a-1098-19163-error	This code SHALL contain exactly one [11] @code="33999-4" Status (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1 STATIC) (CONF:1098-19163).	Problem-Status-code-errors	@code='33999-4'
a-1098-19113-error	This statusCode SHALL contain exactly one [11] @code="completed" Completed (CodeSystem: ActStatus urn:oid:2.16.840.1.113883.5.14 STATIC) (CONF:1098-19113).	Problem-Status-statusCode-errors	@code='completed'
a-3265-28682-error	SHALL contain exactly one [11] @classCode="OBS" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:3265-28682).	Assessment_recommended-errors	@classCode='OBS'
	SHALL contain exactly one [11] @moodCode="INT" Intent (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)		
a-3265-28681-error	(CONF:3265-28681). SHALL contain exactly one [11] templateld (CONF:3265-28673) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.145" (CONF:3265-28676).	Assessment_recommended-errors Assessment_recommended-errors	@moodCode='INT' count(cda:templateId[@root='2.16.840.1.113883 .10.20.24.3.145'][@extension='2016-08-01'])=1
a-3265-28674-error	SHALL contain exactly one [11] code (CONF:3265-28674).	Assessment_recommended-errors	count(cda:code)=1
a-3265-28680-error	SHALL contain exactly one [11] Author Participation (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.119) (CONF:3265-28680) SHALL contain exactly one [11] @extension="2016-08-01" (CONF:3265-28702).	Assessment_recommended-errors	count(cda:author[cda:templateId[@root='2.16.84
a-3265-28679-error	This code SHALL contain exactly one [11] @sdtc:valueSet (CONF:3265-28679).	Assessment recommended-code-errors	@sdtc:valueSet
a-3265-28700-error	The methodCode, if present, SHALL contain exactly one [11] @sdtc:valueSet (CONF:3265-28700). SHALL contain exactly one [11] @classCode="OBS" Observation (CodeSystem: HL7ActClass	Assessment_recommended-methodCode-errors	@sdtc:valueSet
a-1098-16303-error	urn:oid:2.16.840.1.113883.5.6 STATIC) (CONF:1098-16303). SHALL contain exactly one [11] @moodCode="EVN" Event (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001	Substance-Device-Allergy-Intolerance-Observation-errors	@classCode='OBS'
a-1098-16304-error	STATIC) (CONF:1098-16304).	Substance-Device-Allergy-Intolerance-Observation-errors	@moodCode='EVN'
a-1098-16305-error	SHALL contain exactly one [11] templateld (CONF:1098-16305) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.90" (CONF:1098-16306). SHALL contain exactly one [11] @extension="2014-06-09" (CONF:1098-32527).	Substance-Device-Allergy-Intolerance-Observation-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.24.3.90'][@extension='2014-06-09']) = 1
a-1098-16307-error	SHALL contain at least one [1*] id (CONF:1098-16307).	Substance-Device-Allergy-Intolerance-Observation-errors	
a-1098-16345-error	SHALL contain exactly one [11] code (CONF:1098-16345).	Substance-Device-Allergy-Intolerance-Observation-errors	
a-1098-16308-error	SHALL contain exactly one [11] statusCode (CONF:1098-16308).	Substance-Device-Allergy-Intolerance-Observation-errors	
a-1098-16309-error	SHALL contain exactly one [11] effectiveTime (CONF:1098-16309).	Substance-Device-Allergy-Intolerance-Observation-errors	
a-1098-16312-error	SHALL contain exactly one [11] value with @xsi:type="CD" (CONF:1098-16312).	Substance-Device-Allergy-Intolerance-Observation-errors	count(cda:value[@xsi:type='CD'])=1

	EDDOD MESSACE	TEACH ATE ID (TEACH ATE WILLIAM THE FROM	
CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
a-1098-16346-error	This code SHALL contain exactly one [11] @code="ASSERTION" Assertion (CONF:1098-16346).	Substance-Device-Allergy-Intolerance-Observation-code- errors	@code='ASSERTION'
	This code SHALL contain exactly one [11] @codeSystem="2.16.840.1.113883.5.4" (CodeSystem: ActCode		
a-1098-32171-error	urn:oid:2.16.840.1.113883.5.4) (CONF:1098-32171). This statusCode SHALL contain exactly one [11]	Substance-Device-Allergy-Intolerance-Observation-code- errors	@codeSystem='2.16.840.1.113883.5.4'
a-1098-26354-error	@code="completed" Completed (CodeSystem: ActStatus urn:oid:2.16.840.1.113883.5.14) (CONF:1098-26354).	Substance-Device-Allergy-Intolerance-Observation- statusCode-errors	@code='completed'
a-1098-31536-error	This effectiveTime SHALL contain exactly one [11] low (CONF:1098-31536).	Substance-Device-Allergy-Intolerance-Observation- effectiveTime-errors	count(cda:low)=1
	This value SHALL contain exactly one [11] @code, which		
a-1098-16317-error	SHALL be selected from ValueSet Allergy and Intolerance Type urn:oid:2.16.840.1.113883.3.88.12.3221.6.2 DYNAMIC (CONF:1098-16317).	Substance-Device-Allergy-Intolerance-Observation-value- errors	@code
	SHALL contain exactly one [11] @classCode="ACT" Act (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6)		
a-2228-28562-error	(CONF:2228-28562).	Medication_Dispensed_Act-errors	@classCode='ACT'
	SHALL contain exactly one [11] @moodCode="EVN" Event (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)		
a-2228-28563-error	(CONF:2228-28563). SHALL contain exactly one [11] templateld (CONF:2228-	Medication_Dispensed_Act-errors	@moodCode='EVN'
	28558) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.139" (CONF:2228-		count(cda:templateId[@root='2.16.840.1.113883
a-2228-28558-error	28560).	Medication_Dispensed_Act-errors	.10.20.24.3.139'][not(@extension)]) = 1
a-2228-28564-error a-2228-28567-error	SHALL contain at least one [1*] id (CONF:2228-28564). SHALL contain exactly one [11] code (CONF:2228-28567).	Medication_Dispensed_Act-errors Medication_Dispensed_Act-errors	count(cda:id) > 0 count(cda:code) = 1
	SHALL contain exactly one [11] entryRelationship (CONF:2228-28557) such that it SHALL contain exactly one [11] @typeCode="SUBJ" has subject (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:2228-28561).		
	SHALL contain exactly one [11] Medication Dispensed (V3) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.24.3.45:2016-02-01) (CONF:2228-28566).		count(cda:entryRelationship[@typeCode='SUBJ'][count(cda:supply[cda:templateId[@root='2.16.84 0.1.113883.10.20.24.3.45'][@extension='2016-02-
a-2228-28557-error	This code SHALL contain exactly one [11] @code="SPLY"	Medication_Dispensed_Act-errors	01']])=1]) = 1
a-2228-28568-error	supply (CONF:2228-28568). This code SHALL contain exactly one [11] @codeSystem="2.16.840.1.113883.5.6" (CodeSystem:	Medication_Dispensed_Act-code-errors	@code='SPLY'
a-2228-28569-error	HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:2228-28569).	Medication_Dispensed_Act-code-errors	@codeSystem='2.16.840.1.113883.5.6'
- 2220 20045	SHALL contain exactly one [11] @classCode="SBADM" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6)	Immunization order orrest	@classCada_ISDADAMI
a-2228-28645-error	(CONF:2228-28645). SHALL contain exactly one [11] @moodCode="RQO"	Immunization_order-errors	@classCode='SBADM'
a-2228-28644-error	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001) (CONF:2228-28644).	Immunization_order-errors	@moodCode='RQO'
	SHALL contain exactly one [11] templateId (CONF:2228- 28627) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.143" (CONF:2228-		count(cda:templateId[@root='2.16.840.1.113883
a-2228-28627-error	28634). SHALL contain exactly one [11] Author Participation	Immunization_order-errors	.10.20.24.3.143'][not(@extension)])=1
a-2228-28646-error	(identifier: urn:oid:2.16.840.1.113883.10.20.22.4.119) (CONF:2228-28646).	Immunization_order-errors	count(cda:author[cda:templateId[@root='2.16.84
a-2228-28636-error	The translation, if present, SHALL contain exactly one [11] @sdtc:valueSet (CONF:2228-28636).	Immunization_order-routeCode-translation-errors	@sdtc:valueSet
a-1098-8289-error	SHALL contain exactly one [11] @classCode="ACT" Act (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 STATIC) (CONF:1098-8289).	Procedure-Activity-Act-errors	@classCode='ACT'
	SHALL contain exactly one [11] @moodCode="EVN" Event (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001	·	
a-1098-8290-error	STATIC) (CONF:1098-8290).	Procedure-Activity-Act-errors	@moodCode='EVN'
	SHALL contain exactly one [11] templateld (CONF:1098-8291) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.22.4.12" (CONF:1098-		
a-1098-8291-error	10519). SHALL contain exactly one [11] @extension="2014-06 09" (CONF:1098-32505).	Procedure-Activity-Act-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.22.4.12'][@extension='2014-06-09'])=1
a-1098-8291-error	SHALL contain at least one [1*] id (CONF:1098-8292).	Procedure-Activity-Act-errors	count(cda:id) >= 1
a-1098-8293-error	SHALL contain exactly one [11] code (CONF:1098-8293). SHALL contain exactly one [11] statusCode (CONF:1098-8298).	Procedure-Activity-Act-errors	count(cda:code)=1
a-1098-8298-error	SHALL contain exactly one [11] effectiveTime (CONF:1098-	Procedure-Activity-Act-errors	count(cda:statusCode)=1
a-1098-8299-error	8299). This reference/@value SHALL begin with a '#' and SHALL point	Procedure-Activity-Act-errors	count(cda:effectiveTime)=1
a-1098-19189-error	to its corresponding narrative (using the approach defined in CDA Release 2, section 4.3.5.1) (CONF:1098-19189).	Procedure-Activity-Act-code-originalText-reference-value- errors	starts-with(@value, '#')
	This statusCode SHALL contain exactly one [11] @code, which SHALL be selected from ValueSet ProcedureAct statusCode urn:oid:2.16.840.1.113883.11.20.9.22 STATIC 2014-04-23		
a-1098-32364-error	(CONF:1098-32364).	Procedure-Activity-Act-statusCode-errors	@code

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
a-1098-8302-error	The performer, if present, SHALL contain exactly one [11] assignedEntity (CONF:1098-8302).	Procedure-Activity-Act-performer-errors	count(cda:assignedEntity)=1
a-1098-8303-error	This assignedEntity SHALL contain at least one [1*] id (CONF:1098-8303).	Procedure-Activity-Act-performer-assignedEntity-errors	count(cda:id)>=1
a-1098-8304-error	This assignedEntity SHALL contain at least one [1*] addr (CONF:1098-8304).	Procedure-Activity-Act-performer-assignedEntity-errors	count(cda:addr)>=1
a-1098-8305-error	This assignedEntity SHALL contain at least one [1*] telecom (CONF:1098-8305).	Procedure-Activity-Act-performer-assignedEntity-errors	count(cda:telecom)>=1
a-1098-8309-error	The representedOrganization, if present, SHALL contain at least one $[1*]$ addr (CONF:1098-8309).	representedOrganization-errors	count(cda:addr)>=1
a-1098-8310-error	The representedOrganization, if present, SHALL contain at least one $[1*]$ telecom (CONF:1098-8310).	Procedure-Activity-Act-performer-assignedEntity- representedOrganization-errors	count(cda:telecom)>=1
a-1098-7496-error	SHALL contain exactly one [11] @classCode="SBADM" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 STATIC) (CONF:1098-7496).	Medication_Activity-errors	@classCode='SBADM'
a-1098-7497-v-error	SHALL contain exactly one [11] @moodCode, which SHALL be selected from ValueSet MoodCodeEvnInt urn:oid:2.16.840.1.113883.11.20.9.18 STATIC 2011-04-03 (CONF:1098-7497).	Medication_Activity-errors	@moodCode and @moodCode=document('voc.xml')/voc:systems/ voc:system[@valueSetOid='2.16.840.1.113883.11 .20.9.18']/voc:code/@value
	SHALL contain exactly one [11] templateId (CONF:1098-7499) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.22.4.16" (CONF:1098-10504). SHALL contain exactly one [11] @extension="2014-06-10504].		count(cda:templateId[@root='2.16.840.1.113883
a-1098-7499-error a-1098-7500-error	09" (CONF:1098-32498). SHALL contain at least one [1*] id (CONF:1098-7500).	Medication_Activity-errors Medication Activity-errors	.10.20.22.4.16'][@extension='2014-06-09']) = 1 count(cda:id) > 0
	SHALL contain exactly one [11] statusCode (CONF:1098-7507).		
a-1098-7507-error	SHALL contain exactly one [11] effectiveTime (CONF:1098-7508) such that it SHALL contain either a low or a @value but not both (CONF:1098-32890).	Medication_Activity-errors Medication Activity-errors	<pre>count(cda:statusCode) = 1 count(cda:effectiveTime[not(@operator='A')]) = 1 and (cda:effectiveTime[@value] or count(cda:effectiveTime[cda:low])=1) and not(cda:effectiveTime[@value] and cda:effectiveTime[cda:low])</pre>
	SHALL contain exactly one [11] doseQuantity (CONF:1098-		
a-1098-7516-error	7516). SHALL contain exactly one [11] consumable (CONF:1098-	Medication_Activity-errors	count(cda:doseQuantity) = 1
a-1098-7520-error	7520). This statusCode SHALL contain exactly one [11] @code, which SHALL be selected from ValueSet ActStatus urn:oid:2.16.840.1.113883.1.11.159331 DYNAMIC (CONF:1098-	Medication_Activity-errors	count(cda:consumable) = 1
a-1098-32360-error	32360). The rateQuantity, if present, SHALL contain exactly one [11] @unit, which SHALL be selected from ValueSet UnitsOfMeasureCaseSensitive urn:oid:2.16.840.1.113883.1.11.12839 DYNAMIC (CONF:1098-	Medication_Activity-code-errors	@code
a-1098-7525-error	7525). This consumable SHALL contain exactly one [11] Medication Information (V2) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.23:2014-06-09)	Medication_Activity-may-rateQuantity-errors	@unit count(cda:manufacturedProduct[cda:templateId[@root='2.16.840.1.113883.10.20.22.4.23'][@exte
a-1098-16085-error	(CONF:1098-16085).	Medication_Activity-consumable-errors	nsion='2014-06-09']])=1
a-1098-31882-error	The precondition, if present, SHALL contain exactly one [11] @typeCode="PRCN" (CONF:1098-31882). The precondition, if present, SHALL contain exactly one [11] Precondition for Substance Administration (V2) (identifier:	Medication_Activity-may-errors	@typeCode='PRCN' count(cda:criterion[cda:templateId[@root='2.16.
a-1098-31883-error	urn:hl7ii:2.16.840.1.113883.10.20.22.4.25:2014-06-09) (CONF:1098-31883). SHALL contain exactly one [11] @classCode="ACT"	Medication_Activity-may-errors	840.1.113883.10.20.22.4.25'][@extension='2014- 06-09']]) = 1
a-1098-31485-error	(CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:1098-31485).	Entry-Reference-errors	@classCode='ACT'
	SHALL contain exactly one [11] @moodCode="EVN" Intent (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)		
a-1098-31486-error	(CONF:1098-31486 SHALL contain exactly one [11] templateld (CONF:1098-31487) such that it SHALL contain exactly one [11]	Entry-Reference-errors	@moodCode='EVN'
a-1098-31487-error	@root="2.16.840.1.113883.10.20.22.4.122" (CONF:1098-31488).	Entry-Reference-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.22.4.122'][not(@extension)])=1
a-1098-31489-error	SHALL contain at least one [1*] id (CONF:1098-31489).	Entry-Reference-errors	count(cda:id)>=1
a-1098-31490-error a-1098-31498-error	SHALL contain exactly one [11] code (CONF:1098-31490). SHALL contain exactly one [11] code (CONF:1098-31498).	Entry-Reference-errors Entry-Reference-errors	count(cda:code)=1 count(cda:statusCode)=1
	This code SHALL contain exactly one [11] @nullFlavor="NP" Not Present (CodeSystem: HL7NullFlavor urn:oid:2.16.840.1.113883.5.1008) (CONF:1098-31491).		
a-1098-31491-error a-2228-28358-error	SHALL contain exactly one [11] @classCode="ENC" Encounter (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:2228-28358).	Entry-Reference-code-errors Transfer-To-errors	@nullFlavor='NP' @classCode='ENC'
	SHALL contain exactly one [11] templateld (CONF:2228-13182) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.82" (CONF:2228-		count(cda:templateId[@root='2.16.840.1.113883
a-2228-13182-error	13183).	Transfer-To-errors	.10.20.24.3.82'])=1
a-2228-28360-error a-2228-28352-error	SHALL contain at least one [1*] id (CONF:2228-28360). SHALL contain exactly one [11] code (CONF:2228-28352).	Transfer-To-errors Transfer-To-errors	count(cda:id)>=1 count(cda:code)=1
a-2228-28353-error	SHALL contain exactly one [11] code (CONF:2228-28352). SHALL contain exactly one [11] statusCode (CONF:2228-28353).	Transfer-To-errors	count(cda:statusCode)=1

	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR	
CONFORMANCE ERROR		OCCURRED	CONDITION/WHAT IS EXPECTED
	SHALL contain exactly one [11] participant (CONF:2228-28354) such that it SHALL contain exactly one [11]		
a-2228-28354-error	@typeCode="DST" Destination (CONF:2228-28364). SHALL contain exactly one [11] time (CONF:2228-28355).	Transfer-To-errors	<pre>count(cda:participant[@typeCode='DST'][count(c da:time)=1])=1</pre>
	This template SHALL be contained by a Transfer To Act		count(//cda:templateId[@root='2.16.840.1.11
a-2228-28664-error	(CONF:2228-28664). This code SHALL contain exactly one [11] @code="77306-9"	Transfer-To-errors	3883.10.20.24.3.142'])=1
a-2228-28361-error	Discharge disposition (CONF:2228-28361).	Transfer-To-code-errors	@code='77306-9'
a-2228-28365-error	This time SHALL contain exactly one [11] low (CONF:2228-28365).	Transfer-To-participant-time-errors	count(cda:low)=1
	SHALL contain exactly one [11] @classCode="ACT" Act (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6)		
a-3265-28547-error	(CONF:3265-28547).	Symptom-Concern-Act-errors	@classCode='ACT'
	SHALL contain exactly one [11] @moodCode="EVN" Event (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)		
a-3265-28548-error	(CONF:3265-28548). SHALL contain exactly one [11] templateld (CONF:3265-	Symptom-Concern-Act-errors	@moodCode='EVN'
	28539) such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.24.3.138" (CONF:3265-28544). SHALL contain exactly one [11] @extension="2016-08		count(cda:templateId[@root='2.16.840.1.113883
a-3265-28539-error	01" (CONF:3265-28694). SHALL contain exactly one [11] statusCode (CONF:3265-	Symptom-Concern-Act-errors	.10.20.24.3.138'][@extension='2016-08-01'])=1
a-3265-28540-error	28540).	Symptom-Concern-Act-errors	count(cda:statusCode)=1
a-3265-28541-error	SHALL contain exactly one [11] effectiveTime (CONF:3265-28541).	Symptom-Concern-Act-errors	count(cda:effectiveTime)=1
	SHALL contain exactly one [11] entryRelationship (CONF:3265		
	28538) such that it SHALL contain exactly one [11] @typeCode="SUBJ" Has subject (CodeSystem:		
	HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:3265-28543). SHALL contain exactly one [11] Symptom		
	(identifier: urn:oid:2.16.840.1.113883.10.20.24.3.136)		count(cda:entryRelationship[@typeCode='SUBJ'][
a-3265-28538-error	(CONF:3265-28542).	Symptom-Concern-Act-errors	count(cda:observation[cda:templateId[@root='2. 16.840.1.113883.10.20.24.3.136']])=1])=1
	This statusCode SHALL contain exactly one [11] @code (CodeSystem: ActStatus urn:oid:2.16.840.1.113883.5.14)		
a-3265-28545-error	(CONF:3265-28545).	Symptom-Concern-Act-statusCode-errors	@code
a-3265-28546-error	This effectiveTime SHALL contain exactly one [11] low (CONF:3265-28546).	Symptom-Concern-Act-effectiveTime-errors	count(cda:low)=1
	SHALL contain exactly one [11] templateld (CONF:1098-7372) such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.22.4.25" (CONF:1098-		
a-1098-7372-error	10517). SHALL contain exactly one [11] @extension="2014-06 09" (CONF:1098-32603).	- Precondition-For-Substance-Administration-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.22.4.25'][@extension='2014-06-09'])=1
	SHALL contain exactly one [11] code with @xsi:type="CD"		
a-1098-32396-error	(CONF:1098-32396). SHALL contain exactly one [11] value with @xsi:type="CD",	Precondition-For-Substance-Administration-errors	count(cda:code)=1
	where the code SHALL be selected from ValueSet Problem urn:oid:2.16.840.1.113883.3.88.12.3221.7.4 DYNAMIC		
	(CONF:1098-7369).		1/
a-098-7369-error	This code SHALL contain exactly one [11]	Precondition-For-Substance-Administration-errors	count(cda:value[@xsi:type='CD'])=1
a-1098-32397-error	@code="ASSERTION" Assertion (CONF:1098-32397). This code SHALL contain exactly one [11]	Precondition-For-Substance-Administration-code-errors	@code='ASSERTION'
	@codeSystem="2.16.840.1.113883.5.4" (CodeSystem: ActCode		
a-1098-32398-error	urn:oid:2.16.840.1.113883.5.4) (CONF:1098-32398).	Precondition-For-Substance-Administration-code-errors	@codeSystem='2.16.840.1.113883.5.4'
	SHALL contain exactly one [11] @classCode="SPLY" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6		
a-1098-7451-error	STATIC) (CONF:1098-7451).	Medication_Dispense_V2-errors	@classCode='SPLY'
	SHALL contain exactly one [11] @moodCode="EVN" (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001		
a-1098-7452-error	STATIC) (CONF:1098-7452). SHALL contain exactly one [11] templateld (CONF:1098-7453)	Medication_Dispense_V2-errors	@moodCode='EVN'
	such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.22.4.18" (CONF:1098-10505).		
2 1009 7452 2222	SHALL contain exactly one [11] @extension="2014-06-09"	Modication Disposes V3 arrays	count(cda:templateId[@root='2.16.840.1.113883
a-1098-7453-error a-1098-7454-error	(CONF:1098-32580). SHALL contain at least one [1*] id (CONF:1098-7454).	Medication_Dispense_V2-errors Medication_Dispense_V2-errors	.10.20.22.4.18'][@extension='2014-06-09']) = 1 count(cda:id) > 0
a-1098-7455-error	SHALL contain exactly one [11] statusCode (CONF:1098-7455).	Medication_Dispense_V2-errors	count(cda:statusCode) = 1
	A supply act SHALL contain one product/Medication		(cda:product[count(cda:manufacturedProduct)=1
	Information OR one product/Immunization Medication Information template (CONF:1098-9333).]) and (count(cda:product[cda:manufacturedProduct[cd
			a:templateId[@root='2.16.840.1.113883.10.20.22 .4.23'][@extension='2014-06-09']] or
			cda: manufactured Product [cda: template Id[@root
a-1098-9333-error		Medication_Dispense_V2-errors	='2.16.840.1.113883.10.20.22.4.54'][@extension ='2014-06-09']]]) = 1)
	This statusCode SHALL contain exactly one [11] @code, which		
	SHALL be selected from ValueSet Medication Fill Status urn:oid:2.16.840.1.113883.3.88.12.80.64 STATIC 2014-04-23		@code=document('voc.xml')/voc:systems/voc:system[@valueSetOid='2.16.840.1.113883.3.88.12.
a-1098-32361-error	(CONF:1098-32361).	Medication_Dispense_V2-statuscode-errors	80.64']/voc:code/@value

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
a-1098-7461-error	The performer, if present, SHALL contain exactly one [11] assignedEntity (CONF:1098-7467).	Medication_Dispense_V2-may-performer-errors	count(cda:assignedEntity) = 1
a-2228-27550-error	SHALL contain exactly one [11] @classCode="OBS" Observation (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:2228-27550).	Physical_Exam_Order_V3-errors	@classCode='OBS'
a-2228-12685-error	SHALL contain exactly one [11] @moodCode="RQO" Request (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)	Physical Exam Order V3-errors	@moodCode='RQO'
a-2228-12085-error	(CONF:2228-12685). SHALL contain exactly one [11] templateld (CONF:2228-12686) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.58" (CONF:2228-12687). SHALL contain exactly one [11] @extension="2016-02-01"	Priysical_Exami_Order_v3-errors	count(cda:templateId[@root='2.16.840.1.113883
a-2228-12686-error	(CONF:2228-27078).	Physical_Exam_Order_V3-errors	.10.20.24.3.58'][@extension='2016-02-01']) = 1
a-2228-12689-error a-2228-13254-error	SHALL contain exactly one [11] code (CONF:2228-12689). SHALL contain exactly one [11] value with @xsi:type="CD" (CONF:2228-13254).	Physical_Exam_Order_V3-errors Physical_Exam_Order_V3-errors	<pre>count(cda:code) = 1 count(cda:value[@xsi:type='CD']) = 1</pre>
a-2228-27345-error	SHALL contain exactly one [11] Author Participation (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.119) (CONF:2228-27345).	Physical_Exam_Order_V3-errors	count(cda:author[cda:templateId[@root='2.16.84 0.1.113883.10.20.22.4.119']]) = 1
	This code SHALL contain exactly one [11] @code="29545-1" physical examination (CodeSystem: LOINC		
a-2228-13242-error	urn:oid:2.16.840.1.113883.6.1) (CONF:2228-13242).	Physical_Exam_Order_V3-code-errors	@code='29545-1'
a-2228-27650-error	This value SHALL contain exactly one [11] @sdtc:valueSet (CONF:2228-27650).	Physical_Exam_Order_V3-value-errors	@sdtc:valueSet
a-1198-8600-error	SHALL contain exactly one [11] @classCode="CLUSTER" Cluster (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 STATIC) (CONF:1198-8600).	Family History Organizer V3-errors	@classCode='CLUSTER'
a-1130-0000-entor	SHALL contain exactly one [11] @moodCode="EVN" Event (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001	rammy_mater_organizer_vs chois	g-classcode - ceosten
a-1198-8601-error	STATIC) (CONF:1198-8601).	Family_History_Organizer_V3-errors	@moodCode='EVN'
	SHALL contain exactly one [11] templateId (CONF:1198-8604) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.22.4.45" (CONF:1198-10497). SHALL contain exactly one [11] @extension="2015-08-01"		count(cda:templateId[@root='2.16.840.1.113883
a-1198-8604-error a-1198-32485-error	(CONF:1198-32606). SHALL contain at least one [1*] id (CONF:1198-32485).	Family_History_Organizer_V3-errors Family_History_Organizer_V3-errors	.10.20.22.4.45'][@extension='2015-08-01'])=1 count(cda:id) > 0
a-1198-8602-error	SHALL contain exactly one [11] statusCode (CONF:1198-8602).	Family History Organizer V3-errors	count(cda:statusCode) = 1
a-1198-8609-error	SHALL contain exactly one [11] subject (CONF:1198-8609).	Family History Organizer V3-errors	count(cda:subject) = 1
a-1198-32428-error	SHALL contain at least one [1*] component (CONF:1198-32428).	Family_History_Organizer_V3-errors	count(cda:component) > 0
	This statusCode SHALL contain exactly one [11] @code="completed" Completed (CodeSystem: ActStatus urn:oid:2.16.840.1.113883.5.14 STATIC) (CONF:1198-19099).		
a-1198-19099-error	This subject SHALL contain exactly one [11] relatedSubject	Family_History_Organizer_V3-statusCode-errors	@code='completed'
a-1198-15244-error	(CONF:1198-15244). This relatedSubject SHALL contain exactly one [11]	Family_History_Organizer_V3-subject-errors	count(cda:relatedSubject) = 1
	@classCode="PRS" Person (CodeSystem: EntityClass urn:oid:2.16.840.1.113883.5.41 STATIC) (CONF:1198-15245).		O L. G L IPPEL
a-1198-15245-error	This relatedSubject SHALL contain exactly one [11] code	Family_History_Organizer_V3-relatedSubject-errors	@classCode='PRS'
a-1198-15246-error	(CONF:1198-15246). This code SHALL contain exactly one [11] @code, which SHOULD be selected from ValueSet Family Member Value Set	Family_History_Organizer_V3-relatedSubject-errors	count(cda:code) = 1
a-1198-15247-error	urn:oid:2.16.840.1.113883.1.11.19579 DYNAMIC (CONF:1198-15247).	Family_History_Organizer_V3-code-errors	@code
a-1198-15974-error	The subject, if present, SHALL contain exactly one [11] administrativeGenderCode (CONF:1198-15974).	Family_History_Organizer_V3-relatedSubject-subject- errors	count(cda:administrativeGenderCode) = 1
0 1130 13574 CHUI	AdministrativeGenderCode (CONF:1198-15974). This administrativeGenderCode SHALL contain exactly one [11] @code, which SHALL be selected from ValueSet Administrative Gender (HL7 V3) urn:oid:2.16.840.1.113883.1.11.1 DYNAMIC (CONF:1198-	Family_History_Organizer_V3-relatedSubject-	Country and the state of the st
a-1198-15975-error	15975). Such components SHALL contain exactly one [11] Family History Observation (V3) (identifier:	administrative Gender Code-errors	@code count(cda:observation[cda:templateId[@root='2.
a-1198-32429-error	urn:hl7ii:2.16.840.1.113883.10.20.22.4.46:2015-08-01) (CONF:1198-32429). SHALL contain exactly one [11] @classCode="ACT"	Family_History_Organizer_V3-component-subject-errors	16.840.1.113883.10.20.22.4.46'][@extension='20 15-08-01']]) = 1
a-2228-11816-error	(CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:2228-11816).	Communication-From-Provider-To-Provider-V3-errors	@classCode='ACT'
	SHALL contain exactly one [11] @moodCode="EVN"		

	EDDOD MESSACE	TEACH ATE ID (TEACH ATE WILEDE THE EDGO	
CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
	SHALL contain exactly one [11] templateId (CONF:2228-11818) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.4" (CONF:2228-11819).		
	SHALL contain exactly one [11] @extension="2016-02-01"		count(cda:templateId[@root='2.16.840.1.113883
a-2228-11818-error	(CONF:2228-27285).	Communication-From-Provider-To-Provider-V3-errors	.10.20.24.3.4'][@extension='2016-02-01'])=1
a-2228-11821-error	SHALL contain at least one [1*] id (CONF:2228-11821).	Communication-From-Provider-To-Provider-V3-errors	count(cda:id)>=1
a-2228-26950-error	SHALL contain exactly one [11] code (CONF:2228-26950).	Communication-From-Provider-To-Provider-V3-errors	count(cda:code)=1
	SHALL contain exactly one [11] statusCode="completed" (CodeSystem: ActStatus urn:oid:2.16.840.1.113883.5.14)		
a-2228-11822-error	(CONF:2228-11822). SHALL contain exactly one [11] effectiveTime (CONF:2228-	Communication-From-Provider-To-Provider-V3-errors	count(cda:statusCode[@code='completed'])=1
a-2228-11823-error	11823).	Communication-From-Provider-To-Provider-V3-errors	count(cda:effectiveTime)=1
a-2228-11827-error	SHALL contain exactly one [11] participant (CONF:2228-11827) such that it SHALL contain exactly one [11] @typeCode="IRCP" information recipient (CodeSystem: HL7ParticipationType urn:oid:2.16.840.1.113883.5.90) (CONF:2228-11828) SHALL contain exactly one [11] participantRole (CONF:2228-11829). This participantRole SHALL contain exactly one [11] @classCode="ASSIGNED" assigned entity (CodeSystem: RoleClass urn:oid:2.16.840.1.113883.5.110) (CONF:2228-12096). This participantRole SHALL contain exactly one [11] code (CONF:2228-11830). This code SHALL contain exactly one [11] @code="158965000" Medical practitioner (CONF:2228-26951). This code SHALL contain exactly one [11] @codeSystem="2.16.840.1.113883.6.96" (CodeSystem: SNOMED CT urn:oid:2.16.840.1.113883.6.96) (CONF:2228-26952). SHALL contain exactly one [11] participant (COMF:2228-11837) such that it SHALL contain exactly one [11] @typeCode="IRCP" information recipient (CodeSystem: HL7ParticipationType urn:oid:2.16.840.1.113883.5.90) (CONF:2228-11838) SHALL contain exactly one [11] participantRole (CONF:2228-11839). This participantRole SHALL contain exactly one [11] participantRole (CONF:2228-11839). This participantRole SHALL contain exactly one [11] participantRole (CONF:2228-11839). This participantRole SHALL contain exactly one [11] participantRole (CONF:2228-11839). This participantRole SHALL contain exactly one [11] orde	Communication-From-Provider-To-Provider-V3-errors	count(cda:participant[@typeCode='IRCP'][count(cda:participantRole[@classCode='ASSIGNED'][count(cda:code[@code='158965000'][@codeSystem='2.16.840.1.113883.6.96'])=1])=1
a-2228-11837-error	(CONF:2228-12103). This code SHALL contain exactly one [11] code (CONF:2228-12103). This code SHALL contain exactly one [11] @code="158965000" Medical practitioner (CONF:2228-26953). This code SHALL contain exactly one [11] @codeSystem="2.16.840.1.113883.6.96" (CodeSystem: SNOMED CT urn:oid:2.16.840.1.113883.6.96) (CONF:2228-26954).		count(cda:participant[@typeCode='AUT'] [count(cda:participantRole[@classCode='ASSIGN ED'][count(cda:code[@code='158965000'][@cod eSystem='2.16.840.1.113883.6.96']]=1]]=1]
	This code SHALL contain exactly one [11] @sdtc:valueSet	Communication-From-Provider-To-Provider-V3-code-	
a-2228-27581-error	(CONF:2228-27581). This effectiveTime SHALL contain exactly one [11] low	errors Communication-From-Provider-To-Provider-V3-	@sdtc:valueSet
a-2228-27547-error	(CONF:2228-27547). When a Tax Identification Number is used, the provided TIN	effectiveTime-errors	count(cda:low)=1 not(@extension) or
a-CMS 0119-error	must be in valid format (9 decimal digits). (CONF: CMS_0119)	r-validate TIN format-errors-abstract	((number(@extension)=@extension) and string- length(@extension)=9)
	The TIN SHALL have either @extension or @nullFlavor, but not		
a-CMS_0120-error	both. (CONF: CMS_0120)	r-validate_TIN_format-errors-abstract	count(@extension @nullFlavor)=1
	SHALL contain exactly one [11] @classCode="OBS"		
- 1000 20440	Observation (CodeSystem: HL7ActClass	Carl Observation on	Onland Control
a-1098-30418-error	urn:oid:2.16.840.1.113883.5.6) (CONF:1098-30418).	Goal_Observation-errors	@classCode='OBS'
	SHALL contain exactly one [11] @moodCode="GOL" Goal (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)		
a-1098-30419-error	(CONF:1098-30419).	Goal_Observation-errors	@moodCode='GOL'
	SHALL contain exactly one [11] templateId (CONF:1098-8583) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.22.4.121" (CONF:1098-		count(cda:templateId[@root='2.16.840.1.113883
a-1098-8583-error	10512).	Goal_Observation-errors	.10.20.22.4.121'][not(@extension)]) = 1
a-1098-32332-error	SHALL contain at least one [1*] id (CONF:1098-32332).	Goal_Observation-errors	count(cda:id) > 0
	SHALL contain exactly one [11] code, which SHOULD be selected from CodeSystem LOINC		
a-1098-30784-error	(urn:oid:2.16.840.1.113883.6.1) (CONF:1098-30784). SHALL contain exactly one [11] statusCode (CONF:1098-	Goal_Observation-errors	count(cda:code) = 1
a-1098-32333-error	32333).	Goal_Observation-errors	count(cda:statusCode) = 1
	SHALL contain at least one [1*] author (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.119) (CONF:1098-		count(cda:author[cda:templateId[@root='2.16.84
a-1098-30995-error	30995).	Goal_Observation-errors	0.1.113883.10.20.22.4.119']]) = 1
	This statusCode SHALL contain exactly one [11]		
a-1098-32334-error	@code="active" (CodeSystem: ActStatus urn:oid:2.16.840.1.113883.5.14) (CONF:1098-32334).	Goal_Observation-statusCode-errors	@code='active'
2000 02007 (110)	The reference, if present, SHALL contain exactly one [11] @typeCode="REFR" Refers to (CodeSystem:		
	HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002)		
a-1098-32755-error	(CONF:1098-32755).	Goal_Observation-may-reference-errors	@typeCode='REFR'

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
a-1098-32756-error	The reference, if present, SHALL contain exactly one [11] External Document Reference (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.115:2014-06-09) (CONF:1098-32756).	Goal Observation-may-reference-errors	count(cda:externalDocument[cda:templateId[@r oot='2.16.840.1.113883.10.20.22.4.115'][@exten sion='2014-06-09']])=1
	SHALL contain exactly one [11] @classCode="SPLY" Supply (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6)		
a-2228-27722-error	(CONF:2228-27722). SHALL contain exactly one [11] @moodCode="INT" Intent, which SHALL be selected from CodeSystem ActMood	Device-Recommended-V3-errors	@classCode='SPLY'
a-2228-12368-error	(urn:oid:2.16.840.1.113883.5.1001) (CONF:2228-12368). SHALL contain exactly one [11] templateld (CONF:2228-	Device-Recommended-V3-errors	@moodCode='INT'
2 2220 42250 2000	12369) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.10" (CONF:2228- 12370). SHALL contain exactly one [11] @extension="2016-02	Device-Recommended-V3-errors	count(cda:templateId[@root='2.16.840.1.113883
a-2228-12369-error	01" (CONF:2228-27094). SHALL contain exactly one [11] Author Participation (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.119)		.10.20.24.3.10'](@extension='2016-02-01'))=1 count(cda:author[cda:templateId
a-2228-27719-error	(CONF:2228-27719). SHALL contain exactly one [11] participant (CONF:2228-12374) such that it SHALL contain exactly one [11] @typeCode="DEV" device, which SHALL be selected from CodeSystem HL7ParticipationType (urn:oid:2.16.840.1.113883.5.90) (CONF:2228-12375).SHALL contain exactly one [11] participantRole (CONF:2228- 12376).This participantRole SHALL contain exactly one [11] @classCode="MANU" manufactured product, which SHALL be selected from CodeSystem RoleClass (urn:oid:2.16.840.1.113883.5.110) (CONF:2228-12377).This participantRole SHALL contain exactly one [11] playingDevice (CONF:2228-12378).This playingDevice SHALL contain exactly one [11] @classCode="DEV" device, which SHALL be selected from CodeSystem HL7ParticipationType (urn:oid:2.16.840.1.113883.5.90) (CONF:2228-12379). This playingDevice SHALL contain exactly one [11] code (CONF:2228-12380). This code SHALL contain exactly one [11]	Device-Recommended-V3-errors	[@root='2.16.840.1.113883.10.20.22.4.119']])=1 count(cda:participant[@typeCode='DEV'][count(c da:participantRole[@classCode='MANU'][count(c
a-2228-12374-error	@sdtc:valueSet (CONF:2228-27587).	Device-Recommended-V3-errors	da:playingDevice[@classCode='DEV'][count(cda:c ode[@sdtc:valueSet])=1])=1])=1
a-2228-28666-error	This template SHALL be contained by a Device Recommended Act (CONF:2228-28666).	Device-Recommended-V3-errors	count(//cda:templateId[@root='2.16.840.1.11 3883.10.20.24.3.131'])=1
a-CMS 0040-error	SHALL contain exactly one [11] templateId (CONF:CMS_0040) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.17.2.1.1" (CONF:CMS_0041). SHALL contain exactly one [11] @extension="2016-03-01" (CONF:CMS_0042).	QRDA_Category_I_Reporting_Parameters_Section_CMS-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.17.2.1.1'][@extension='2016-03-01']) = 1
- CMC 0022	SHALL contain exactly one [11] entry (CONF:CMS_0023) such that it SHALL contain exactly one [11] Reporting Parameters Act - CMS (identifier: urn:hTii:2.16.840.1.113883.10.20.17.3.8.1:2016-03-01)	QRDA_Category_I_Reporting_Parameters_Section_CMS-errors	count(cda:entry[count(cda:act[cda:templateId[@ root='2.16.840.1.113883.10.20.17.3.8.1'][@exten
a-CMS_0023-error	(CONF:CMS_0024). SHALL contain exactly one [11] @classCode="OBS" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6)		sion='2016-03-01']])=1])=1
a-2228-14136-error a-2228-14137-error	(CONF:2228-14136). SHALL contain exactly one [11] @moodCode="EVN" (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001) (CONF:2228-14137).	Medication_Allergy_V3-errors Medication_Allergy_V3-errors	@classCode='OBS' @moodCode='EVN'
a-2228-28082-error	SHALL NOT contain [00] @negationInd (CONF:2228-28082).	Medication Allergy V3-errors	not(@negationInd)
a-2228-14138-error	SHALL contain exactly one [11] templateId (CONF:2228-14138) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.44" (CONF:2228-14139). SHALL contain exactly one [11] @extension="2016-02 01" (CONF:2228-27031).	Medication_Allergy_V3-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.24.3.44'][@extension='2016-02-01']] = 1
a-2228-14159-error	SHALL contain exactly one [11] value with @xsi:type="CD" (CONF:2228-14159).	Medication_Allergy_V3-errors	count(cda:value[@xsi:type='CD']) = 1
a-2228-27972-error	SHALL contain exactly one [11] participant (CONF:2228-27972) such that it SHALL contain exactly one [11] @typeCode="CSM" Consumable (CodeSystem: HL7ParticipationType urn:oid:2.16.840.1.113883.5.90) (CONF:2228-27976). SHALL contain exactly one [11] participantRole (CONF:2228-27973).	Medication_Allergy_V3-errors	<pre>count(cda:participant[@typeCode='CSM'][count(cda:participantRole)=1])=1</pre>
a-2228-14160-error	This value SHALL contain exactly one [11] @code="416098002" Drug allergy (CodeSystem: SNOMED CT urn:oid:2.16.840.1.113883.6.96) (CONF:2228-14160).	Medication_Allergy_V3-value-errors	@code='416098002'
- 2220 27077	This participantRole SHALL contain exactly one [11] @classCode="MANU" Manufactured product (CodeSystem: RoleClass urn:oid:2.16.840.1.113883.5.110) (CONF:2228-	Medication Allows V2 posti-in-12-in-	@classCodo= MANU!
a-2228-27977-error	27977). This participantRole SHALL contain exactly one [11]	Medication_Allergy_V3-participantRole-errors	@classCode='MANU'
a-2228-27974-error	playingEntity (CONF:2228-27974).	Medication_Allergy_V3-participantRole-errors	count(cda:playingEntity) = 1

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
	This playingEntity SHALL contain exactly one [11] @classCode="MMAT" Manufactured material (CodeSystem:		
a-2228-27978-error	EntityClass urn:oid:2.16.840.1.113883.5.41) (CONF:2228-27978).	Medication_Allergy_V3-playingEntity-errors	@classCode='MMAT'
a-2228-27975-error	This playingEntity SHALL contain exactly one [11] code (CONF:2228-27975).	Medication_Allergy_V3-playingEntity-errors	count(cda:code) = 1
a-2228-27979-error	This code SHALL contain exactly one [11] @sdtc:valueSet (CONF:2228-27979).	Medication_Allergy_V3-code-errors	@sdtc:valueSet
	SHALL contain exactly one [11] @classCode="OBS" Observation (CodeSystem: HL7ActClass		
a-2228-28048-error	urn:oid:2.16.840.1.113883.5.6) (CONF:2228-28048). SHALL contain exactly one [11] @moodCode="EVN" Event	Device-Adverse-Event-V3-errors	@classCode='OBS'
a-2228-28047-error	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001) (CONF:2228-28047).	Device-Adverse-Event-V3-errors	@moodCode='EVN'
a-2228-28049-error	SHALL NOT contain [00] @negationInd (CONF:2228-28049).	Device-Adverse-Event-V3-errors	not(@negationInd)
	SHALL contain exactly one [11] templateId (CONF:2228-12106) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.5" (CONF:2228-26942) SHALL contain exactly one [11] @extension="2016-02-01"		count(cda:templateId[@root='2.16.840.1.113883
a-2228-12106-error	(CONF:2228-27029). SHALL contain exactly one [11] value with @xsi:type="CD"	Device-Adverse-Event-V3-errors	.10.20.24.3.5'][@extension='2016-02-01'])=1
a-2228-12111-error	(CONF:2228-12111). SHALL contain exactly one [11] participant (CodeSystem:	Device-Adverse-Event-V3-errors	count(cda:value[@xsi:type='CD'])=1
	HL7ParticipationType urn:oid:2.16.840.1.113883.5.90 STATIC) (CONF:2228-12112) such that it SHALL contain exactly one [11] @typeCode="PRD" product (CodeSystem: HL7ParticipationType urn:oid:2.16.840.1.113883.5.90) (CONF:2228-12113). SHALL contain exactly one [11] participantRole (CONF:2228-12114). This participantRole SHALL contain exactly one [11] @classCode="MANU" manufactured product (CodeSystem: RoleClass urn:oid:2.16.840.1.113883.5.110) (CONF:2228-12115). This participantRole SHALL contain exactly one [11] playingDevice (CONF:2228-12116). This playingDevice SHALL contain exactly one [11] @classCode (CodeSystem: HL7ParticipationType urn:oid:2.16.840.1.113883.5.90 STATIC) (CONF:2228-12117). This playingDevice SHALL contain exactly one [11] code (CONF:2228-12118). This code SHALL contain exactly one [11] @classCode (CodeSystem: HL7ParticipationType urn:oid:2.16.840.1.113883.5.90 STATIC) (CONF:2228-12117).		count(cda:participant[@typeCode='PRD'][count(c da:participantRole[@classCode='MANU'][count(c da:playingDevice[@classCode][count(cda:code[@
a-2228-12112-error	SHALL contain exactly one [11] entryRelationship (CONF:2228-12119) such that it SHALL contain exactly one [11] @typeCode="MFST" is manifestation of (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:2228-12122). SHALL contain exactly one [11] @inversionInd="true" (CONF:2228-12123). SHALL contain exactly one [11] templateld (CONF:1140-11332) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.85" (CONF:1140-11333). SHALL contain exactly one [11] @exetension="2014-12".	Device-Adverse-Event-V3-errors	sdtc:valueSet])=1])=1])=1 count(cda:entryRelationship[@typeCode='MFST'] [@inversionInd='true'][count(cda:observation[cd
a-2228-27123-error	01" (CONF:1140-27008).	Device-Adverse-Event-V3-errors	a:templateId[@root='2.16.840.1.113883.10.20.24 .3.85'][@extension='2014-12-01']])=1])=1
a-2228-12189-error a-81-10127-e-error	This value SHALL contain exactly one [11] @code="420134006" propensity to adverse reactions, which SHALL be selected from CodeSystem SNOMED CT (urn:oid:2.16.840.1.113883.6.96) (CONF:2228-12189). SHALL be precise to the day (CONF:81-10127).	Device-Adverse-Event-V3-value-errors US-Realm-Date-and-Time-effectiveTime-errors	@code='420134006' string-length(@value)>=8
a-81-10127-t-error	SHALL be precise to the day (CONF:81-10127).	US-Realm-Date-and-Time-errors	string-length(@value)>=8
a-3265-12796-error	SHALL contain exactly one [11] templateId (CONF:3265-12796) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.2.1" (CONF:3265-12797). SHALL contain exactly one [11] @extension="2016-08-01" (CONF:3265-28405).	Patient_data_section_QDM-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.24.2.1'][@extension='2016-08-01']]=1
2 5255 12750 CHOI	CONF.3265-28405. SHALL contain exactly one [11] @classCode="OBS" Observation (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 STATIC) (CONF:1198-14851).		
a-1198-14851-error	SHALL contain exactly one [11] @moodCode="EVN" Event (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001	Deceased-Observation-errors	@classCode='OBS'
a-1198-14852-error	STATIC) (CONF:1198-14852).	Deceased-Observation-errors	@moodCode='EVN'
a-1198-14871-error	SHALL contain exactly one [11] templateId (CONF:1198-14871) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.22.4.79" (CONF:1198-14872) SHALL contain exactly one [11] @extension="2015-08-01" (CONF:1198-32541).	Deceased-Observation-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.22.4.79'][@extension='2015-08-01'])=1
a-1198-14873-error	SHALL contain at least one [1*] id (CONF:1198-14873).	Deceased-Observation-errors	count(cda:id)>=1
a-1198-14854-error	SHALL contain exactly one [11] statusCode (CONF:1198-14854).	Deceased-Observation-errors	count(cda:statusCode)=1
a-1198-14853-error	SHALL contain exactly one [11] code (CONF:1198-14853).	Deceased-Observation-errors	count(cda:code)=1

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
a-1198-14855-error	SHALL contain exactly one [11] effectiveTime (CONF:1198-14855).	Deceased-Observation-errors	count(cda:effectiveTime)=1
a-1198-14857-error	SHALL contain exactly one [11] value with @xsi:type="CD" (CONF:1198-14857).	Deceased-Observation-errors	count(cda:value[@xsi:type='CD'])=1
a-1198-19135-error	This code SHALL contain exactly one [11] @code="ASSERTION" Assertion (CONF:1198-19135).	Deceased-Observation-code-errors	@code='ASSERTION'
	This code SHALL contain exactly one [11] @codeSystem="2.16.840.1.113883.5.4" (CodeSystem: ActCode urn:oid:2.16.840.1.113883.5.4) (CONF:1198-32158).		
a-1198-32158-error	This statusCode SHALL contain exactly one [11]	Deceased-Observation-code-errors	@codeSystem='2.16.840.1.113883.5.4'
	@code="completed" Completed (CodeSystem: ActStatus urn:oid:2.16.840.1.113883.5.14 STATIC) (CONF:1198-19095).		0
a-1198-19095-error	This value SHALL contain exactly one [11]	Deceased-Observation-statusCode-errors	@code='completed'
a-1198-15142-error	@code="419099009" Dead (CodeSystem: SNOMED CT urn:oid:2.16.840.1.113883.6.96 STATIC) (CONF:1198-15142).	Deceased-Observation-value-errors	@code='419099009'
a-1198-14874-error	This effectiveTime SHALL contain exactly one [11] low (CONF:1198-14874).	Deceased-Observation-effectiveTime-errors	count(cda:low)=1
a-2228-11245-error	SHALL contain exactly one [11] @classCode="OBS" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:2228-11245).	Care-Goal-V3-errors	@classCode='OBS'
a-2228-11246-error	SHALL contain exactly one [11] @moodCode="GOL" goal (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001) (CONF:2228-11246).	Care-Goal-V3-errors	@moodCode='GOL'
	SHALL NOT contain [00] @negationInd (CONF:2228-28040).		
a-2228-28040-error	SHALL contain exactly one [11] templateId (CONF:2228- 11247) such that it SHALL contain exactly one [11]	Care-Goal-V3-errors	not(@negationInd)
a-2228-11247-error	@root="2.16.840.1.113883.10.20.24.3.1" (CONF:2228-11248). SHALL contain exactly one [11] @extension="2016-02-01" (CONF:2228-27067).	Care-Goal-V3-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.24.3.1'][@extension='2016-02-01'])=1
a-2228-27576-error	SHALL contain exactly one [11] code (CONF:2228-27576).	Care-Goal-V3-errors	count(cda:code)=1
a-2228-11255-error	SHALL contain exactly one [11] effectiveTime (CONF:2228-11255).	Care-Goal-V3-errors	count(cda:effectiveTime)=1
a-2228-27577-error	This code SHALL contain exactly one [11] @sdtc:valueSet (CONF:2228-27577).	Care-Goal-V3-code-errors	@sdtc:valueSet
a-2228-27557-error	This effectiveTime SHALL contain exactly one [11] low (CONF:2228-27557).	Care-Goal-V3-effectiveTime-errors	count(cda:low)=1
a-1098-9002-error	SHALL contain exactly one [11] @classCode="MANU" (CodeSystem: RoleClass urn:oid:2.16.840.1.113883.5.110 STATIC) (CONF:1098-9002).	Immunization_medication_information-errors	@classCode='MANU'
	SHALL contain exactly one [11] templateId (CONF:1098-9004) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.22.4.54" (CONF:1098-10499). SHALL contain exactly one [11] @extension="2014-06-		count(cda:templateId[@root='2.16.840.1.113883
a-1098-9004-error	09" (CONF:1098-32602). SHALL contain exactly one [11] manufacturedMaterial	Immunization_medication_information-errors	.10.20.22.4.54'][@extension='2014-06-09'])=1
a-1098-9006-error	(CONF:1098-9006).	Immunization_medication_information-errors	count(cda:manufacturedMaterial)=1
	This manufacturedMaterial SHALL contain exactly one [11] code, which SHALL be selected from ValueSet CVX Vaccines Administered - Vaccine Set urn:oid:2.16.840.1.113762.1.4.1010.6 DYNAMIC (CONF:1098-	Immunization_medication_information-	
a-1098-9007-error	9007). This manufacturedMaterial SHALL contain exactly one [11]	manufacturedMaterial-errors Immunization_medication_information-	count(cda:code)=1
a-1098-9014-error	lotNumberText (CONF:1098-9014). SHALL contain exactly one [11] @classCode="PROC"	manufacturedMaterial-errors	count(cda:lotNumberText)=1
a-2228-27323-error	Procedure (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:2228-27323). SHALL contain exactly one [11] @moodCode="RQO" Request	Procedure-Order-errors	@classCode='PROC'
a-2228-11097-error	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001) (CONF:2228-11097).	Procedure-Order-errors	@moodCode='RQO'
	SHALL contain exactly one [11] templateId (CONF:2228- 11098) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.63" (CONF:2228-		count(cda:templateId[@root='2.16.840.1.113883
a-2228-11098-error	11099). SHALL contain exactly one [11] @extension="2016-02-01" (CONF:2228-27083).	Procedure-Order-errors	.10.20.24.3.63'][@extension='2016-02-01'])=1
a-2228-27324-error	SHALL contain exactly one [11] code (CONF:2228-27324). SHALL contain exactly one [11] Author Participation	Procedure-Order-errors	count(cda:code)=1
a-2228-27346-error	(identifier: urn:oid:2.16.840.1.113883.10.20.22.4.119) (CONF:2228-27346).	Procedure-Order-errors	count(cda:author[cda:templateId[@root='2.16.84
a-2228-27330-error	This code SHALL contain exactly one [11] @sdtc:valueSet (CONF:2228-27330).	Procedure-Order-code-errors	@sdtc:valueSet
a-2228-27325-error	The priorityCode, if present, SHALL contain exactly one [11] @sdtc:valueSet (CONF:2228-27325).	Procedure-Order-priorityCode-errors	@sdtc:valueSet
a-2228-27326-error	The methodCode, if present, SHALL contain exactly one [11] @sdtc:valueSet (CONF:2228-27326).	Procedure-Order-methodCode-errors	@sdtc:valueSet
a-2228-27331-error	The approachSiteCode, if present, SHALL contain exactly one [11] @sdtc:valueSet (CONF:2228-27331).	Procedure-Order-approachSiteCode-errors	@sdtc:valueSet
a-2228-27733-error	The translation, if present, SHALL contain exactly one [11] @sdtc:valueSet (CONF:2228-27733).	Procedure-Order-targetSiteCode-translation-errors	@sdtc:valueSet

1			
CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR	CONDITION/WHAT IS EXPECTED
	SHALL contain exactly one [11] @classCode="OBS"	OCCURRED	
	Observation (CodeSystem: HL7ActClass		
	urn:oid:2.16.840.1.113883.5.6 STATIC) (CONF:1198-32921).		
a-1198-32921-error		Criticality-Observation-errors	@classCode='OBS'
	SHALL contain exactly one [11] @moodCode="EVN" Event (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001		
	STATIC) (CONF:1198-32922).		
a-1198-32922-error		Criticality-Observation-errors	@moodCode='EVN'
	SHALL contain exactly one [11] templateId (CONF:1198-		
	32918) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.22.4.145" (CONF:1198-		count(cda:templateId[@root='2.16.840.1.113883
a-1198-32918-error	32923).	Criticality-Observation-errors	.10.20.22.4.145'][not(@extension)])=1
a-1198-32919-error	SHALL contain exactly one [11] code (CONF:1198-32919).	Criticality-Observation-errors	count(cda:code)=1
a-1198-32920-error	SHALL contain exactly one [11] statusCode (CONF:1198-32920).	Criticality-Observation-errors	count(cda:statusCode)=1
a 1150 52520 Citor	SHALL contain exactly one [11] value with @xsi:type="CD",	endanty observation ends	count(counstatuscouc) 1
	where the code SHALL be selected from ValueSet Criticality		count(cda:value[@xsi:type='CD' and
	Observation urn:oid:2.16.840.1.113883.1.11.20549 STATIC		@code=document('voc.xml')/voc:systems/voc:sy
a-1198-32928-error	2015-08-01 (CONF:1198-32928).	Criticality-Observation-errors	stem[@valueSetOid='2.16.840.1.113883.1.11.205 49']/voc:code/@value or @nullFlavor])=1
d 1150 52520 CHOI	This code SHALL contain exactly one [11] @code="82606-5"	criticality observation errors	45 j) Voc.code) @ Value of @ Halli lavor j)=1
a-1198-32925-error	Criticality (CONF:1198-32925).	Criticality-Observation-code-errors	@code='82606-5'
	This code SHALL contain exactly one [11]		
a-1198-32926-error	@codeSystem="2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:1198-32926).	Criticality-Observation-code-errors	@codeSystem='2.16.840.1.113883.6.1'
1150 52525 CHG.	This statusCode SHALL contain exactly one [11]		
	@code="completed" Completed (CodeSystem: ActStatus		
- 1100 22027	urn:oid:2.16.840.1.113883.5.14 STATIC) (CONF:1198-32927).	Criticality-Observation-statusCode-errors	@code='completed'
a-1198-32927-error	SHALL contain exactly one [11] @classCode="ACT" Act	Citicality-observation-status-code-errors	@code= completed
	(CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6)		
a-2228-28469-error	(CONF:2228-28469).	Encounter-Order-Act-errors	@classCode='ACT'
	SHALL contain exactly one [11] @moodCode="RQO" Request (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)		
a-2228-28470-error	(CONF:2228-28470).	Encounter-Order-Act-errors	@moodCode='RQO'
	SHALL contain exactly one [11] templateId (CONF:2228-		
	28467) such that it SHALL contain exactly one [11]		
a-2228-28467-error	@root="2.16.840.1.113883.10.20.24.3.132" (CONF:2228-28471).	Encounter-Order-Act-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.24.3.132'][not(@extension)])=1
a-2228-28472-error	SHALL contain at least one [1*] id (CONF:2228-28472).	Encounter-Order-Act-errors	count(cda:id)>=1
a-2228-28675-error	SHALL contain exactly one [11] code (CONF:2228-28675).	Encounter-Order-Act-errors	count(cda:code)=1
	SHALL contain exactly one [11] entryRelationship (CONF:2228-		
	28468) such that it SHALL contain exactly one [11] @typeCode="SUBJ" has subject (CodeSystem:		
	HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002)		
	(CONF:2228-28473). SHALL contain exactly one [11]		count (cda: entry Relationship [@typeCode='SUBJ'][
	Encounter Order (V3) (identifier:		count(cda:encounter[cda:templateId[@root='2.1
a-2228-28468-error	urn:hl7ii:2.16.840.1.113883.10.20.24.3.22:2016-02-01) (CONF:2228-28474).	Encounter-Order-Act-errors	6.840.1.113883.10.20.24.3.22'][@extension='201 6-02-01']])=1])=1
	This code SHALL contain exactly one [11] @code="ENC"		
	Encounter (CodeSystem: HL7ActClass		
a-2228-28676-error	urn:oid:2.16.840.1.113883.5.6) (CONF:2228-28676).	Encounter-Order-Act-code-errors	@code='ENC'
	SHALL contain exactly one [11] @classCode="OBS" Observation (CodeSystem: HL7ActClass		
a-2228-28053-error	urn:oid:2.16.840.1.113883.5.6) (CONF:2228-28053).	Device-Intolerance-errors	@classCode='OBS'
	SHALL contain exactly one [11] @moodCode="EVN" Event		
a-2228-28054-error	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)	Device-Intolerance-errors	@moodCode='EVN'
a-2220-20034-EIIUI	(CONF:2228-28054). SHALL NOT contain [00] @negationInd (CONF:2228-28055).	Device-intolerance-errors	eoucoue- LVIV
a-2228-28055-error		Device-Intolerance-errors	not(@negationInd)
	SHALL contain exactly one [11] templateld (CONF:2228-		
	12162) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.8" (CONF:2228-26940).		
	Wroot= 2.16.840.1.113883.10.20.24.3.8 (CONF:2228-26940). SHALL contain exactly one [11] @extension="2016-02-01"		count(cda:templateId[@root='2.16.840.1.113883
a-2228-12162-error	(CONF:2228-27034).	Device-Intolerance-errors	.10.20.24.3.8'][@extension='2016-02-01'])=1
2 2220 12242	SHALL contain exactly one [11] value with @xsi:type="CD"	Davice Intelerance errors	count/cda:valua[@vci:tvna=ICDII]=1
a-2228-12342-error	(CONF:2228-12342).	Device-Intolerance-errors	count(cda:value[@xsi:type='CD'])=1

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
	SHALL contain exactly one [11] participant (CodeSystem: HL7ParticipationType urn:oid:2.16.840.1.113883.5.90 STATIC) (CONF:2228-12170) such that it SHALL contain exactly one [11] @typeCode="PRD" product (CodeSystem: HL7ParticipationType urn:oid:2.16.840.1.113883.5.90) (CONF:2228-12171). SHALL contain exactly one [11] participantRole (CONF:2228-12172). This participantRole SHALL contain exactly one [11] @classCode="MANU" manufactured product (CodeSystem: RoleClass		
	urn:oid:2.16.840.1.113883.5.110) (CONF:2228-12173). This participantRole SHALL contain exactly one [11] playingDevice (CONF:2228-12174). This playingDevice SHALL contain exactly one [11] @classCode="DEV" device (CodeSystem: HL7ParticipationType urn:oid:2.16.840.1.113883.5.90) (CONF:2228-12175). This playingDevice SHALL contain exactly one [11] code (CONF:2228-12176). This code SHALL contain		count(cda:participant[@typeCode='PRD'][count(c
a-2228-12170-error	exactly one [11] @sdtc:valueSet (CONF:2228-27585).	Device-Intolerance-errors	da:participantRole[@classCode='MANU'][count(c da:playingDevice[@classCode='DEV'][count(cda:c ode[@sdtc:valueSet])=1])=1])=1
a-2228-26936-error	This value SHALL contain exactly one [11] @code="420134006" propensity to adverse reactions (CONF:2228-26936).	Device-Intolerance-value-errors	@code='420134006'
a-2228-26937-error	This value SHALL contain exactly one [11] @codeSystem="2.16.840.1.113883.6.96" (CodeSystem: SNOMED CT urn:oid:2.16.840.1.113883.6.96) (CONF:2228-26937).	Device-Intolerance-value-errors	@codeSystem='2.16.840.1.113883.6.96'
a-67-12979-error	SHALL contain exactly one [11] @classCode="CLUSTER" cluster (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 STATIC) (CONF:67-12979). SHALL contain exactly one [11] @moodCode="EVN" event	Measure_Reference-errors	@classCode='CLUSTER'
a-67-12980-error	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001 STATIC) (CONF:67-12980).	Measure_Reference-errors	@moodCode='EVN'
a 67 10522 orror	$\label{eq:SHALL contain exactly one [11] templated (CONF:67-19532)} $$ such that it SHALL contain exactly one [11] $$ @root="2.16.840.1.113883.10.20.24.3.98" (CONF:67-19533). $$ $$$	Marcura Pafaranca arrar	count(cda:templateId[@root='2.16.840.1.113883
a-67-19532-error a-67-26992-error	SHALL contain at least one [1*] id (CONF:67-26992).	Measure_Reference-errors Measure_Reference-errors	.10.20.24.3.98'][not(@extension)]) = 1 count(cda:id) > 0
	SHALL contain exactly one [11] statusCode="completed" completed (CodeSystem: ActStatus		
a-67-12981-error	urn:oid:2.16.840.1.113883.5.14 STATIC) (CONF:67-12981). SHALL contain exactly one [11] reference (CONF:67-12982) such that it SHALL contain exactly one [11] @typeCode="REFR" refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002 STATIC) (CONF:67-12983). SHALL contain exactly one [11]	Measure_Reference-errors	<pre>count(cda:statusCode[@code='completed'])=1 count(cda:reference[@typeCode='REFR'][count(c</pre>
a-67-12982-error	externalDocument (CONF:67-12984). This externalDocument SHALL contain exactly one [11] @classCode="DOC" Document (CodeSystem: HL7ActClass	Measure_Reference-errors	da:externalDocument)=1])=1
a-67-19534-error	urn:oid:2.16.840.1.113883.5.6) (CONF:67-19534). This externalDocument SHALL contain at least one [1*] id (CONF:67-12985) such that it SHALL contain exactly one [11]	Measure_Reference-externalDocument-errors	@classCode='DOC'
a-67-12985-error	@root (CONF:67-12986). This ID references an ID of the Quality Measure (CONF:67-27008).	Measure_Reference-externalDocument-errors	count(cda:id[@root]) > 0
a-2228-28477-error	SHALL contain exactly one [11] @classCode="ACT" Act (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:2228-28477).	Encounter-Performed-Act-errors	@classCode='ACT'
	SHALL contain exactly one [11] @moodCode="EVN" (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)		
a-2228-28478-error	(CONF:2228-28478). SHALL contain exactly one [11] templateId (CONF:2228-28475) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.133" (CONF:2228-	Encounter-Performed-Act-errors	@moodCode='EVN' count(cda:templateId[@root='2.16.840.1.113883
a-2228-28475-error	28479).	Encounter-Performed-Act-errors	.10.20.24.3.133'][not(@extension)])=1
a-2228-28480-error	SHALL contain at least one [1*] id (CONF:2228-28480).	Encounter-Performed-Act-errors	count(cda:id)>=1
a-2228-28673-error	SHALL contain exactly one [11] code (CONF:2228-28673). SHALL contain exactly one [11] entryRelationship (CONF:2228-28476) such that it SHALL contain exactly one [11] @typeCode="SUBI" has subject (CodeSystem: HL7ActRelationsipType urn:oid:2.16.840.1.113883.5.1002) (CONF:2228-28481). SHALL contain exactly one [11] Encounter Performed (V3) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.24.3.23:2016-02-01)	Encounter-Performed-Act-errors	count(cda:code)=1 count(cda:entryRelationship[@typeCode='SUBJ'][count(cda:encounter[cda:templateId[@root='2.1 6.840.1.113883.10.20.24.3.23'][@extension='201
a-2228-28476-error	(CONF:2228-28482). This code SHALL contain exactly one [11] @code="ENC" Encounter (CodeSystem: HL7ActClass	Encounter-Performed-Act-errors	6-02-01']])=1])=1
a-2228-28674-error	urn:oid:2.16.840.1.113883.5.6) (CONF:2228-28674). SHALL contain exactly one [11] @classCode="OBS"	Encounter-Performed-Act-code-errors	@code='ENC'
a-2228-16379-error	(CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:2228-16379). SHALL contain exactly one [11] @moodCode="EVN"	Act_intolerance_Adverse_Event_V3-errors	@classCode='OBS'
a-2228-16380-error	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001) (CONF:2228-16380).	Act_intolerance_Adverse_Event_V3-errors	@moodCode='EVN'

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
a-2228-28039-error	SHALL NOT contain [00] @negationInd (CONF:2228-28039).	Act_intolerance_Adverse_Event_V3-errors	not(@negationInd)
	SHALL contain exactly one [11] templateId (CONF:2228-16381) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.104" (CONF:2228-16382). SHALL contain exactly one [11] @extension="2016-02		count(cda:templateId[@root='2.16.840.1.113883
a-2228-16381-error	01" (CONF:2228-27010).	Act_intolerance_Adverse_Event_V3-errors	.10.20.24.3.104'][@extension='2016-02-01'])=1
a-2228-16384-error a-2228-16385-error	SHALL contain at least one [1*] id (CONF:2228-16384). SHALL contain exactly one [11] code (CONF:2228-16385).	Act_intolerance_Adverse_Event_V3-errors Act_intolerance_Adverse_Event_V3-errors	count(cda:id) > 0 count(cda:code)=1
a-2228-16387-error	SHALL contain exactly one [11] statusCode (CONF:2228-16387).	Act_intolerance_Adverse_Event_V3-errors	count(cda:statusCode)=1
a-2228-16389-error	SHALL contain exactly one [11] effectiveTime (CONF:2228-16389).	Act_intolerance_Adverse_Event_V3-errors	count(cda:effectiveTime)=1
a-2228-16406-error	SHALL contain exactly one [11] value with @xsi:type="CD" (CONF:2228-16406).	Act intolerance Adverse Event V3-errors	count(cda:value[@xsi:type='CD'])=1
a-2228-16392-error	SHALL contain exactly one [11] entryRelationship (CONF:2228-16392) such that it SHALL contain exactly one [11] @typeCode="CAUS" (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:2228-16393). SHALL contain exactly one [11] @inversionInd="true" (CONF:2228-16394).	Act_intolerance_Adverse_Event_V3-errors	count(cda:entryRelationship[@typeCode='CAUS'] [@inversionInd='true'])=1
a-2228-16386-error	This code SHALL contain exactly one [11]		
a-2220-10300-61101	@code="ASSERTION" Assertion (CONF:2228-16386). This code SHALL contain exactly one [11] @codeSystem="2.16.840.1.113883.5.4" (CodeSystem: ActCode urn:oid:2.16.840.1.113883.5.4) (CONF:2228-27575).	Act_intolerance_Adverse_Event_V3-code-errors	@code='ASSERTION'
a-2228-27575-error	This statusCode SHALL contain exactly one [11]	Act_intolerance_Adverse_Event_V3-code-errors	@codeSystem='2.16.840.1.113883.5.4'
a-2228-16388-error	@code="completed" (CodeSystem: ActStatus urn:oid:2.16.840.1.113883.5.14) (CONF:2228-16388).	Act_intolerance_Adverse_Event_V3-statusCode-errors	@code='completed'
	This effectiveTime SHALL contain exactly one [11] low		
a-2228-16390-error	(CONF:2228-16390). This value SHALL contain exactly one [11] @code, which MAY be selected from ValueSet Allergy and Intolerance Type urn:oid:2.16.840.1.113883.3.88.12.3221.6.2 DYNAMIC	Act_intolerance_Adverse_Event_V3-effectiveTime-errors	count(cda:low)=1
a-2228-16407-error	(CONF:2228-16407). SHALL contain exactly one [11] @classCode="SBADM"	Act_intolerance_Adverse_Event_V3-value-errors	@code
	(CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6)		
a-2228-27377-error	(CONF:2228-27377). SHALL contain exactly one [11] @moodCode="RQO" (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)	Medication_Order-errors	@classCode='SBADM'
a-2228-12639-error	(CONF:2228-12639). SHALL contain exactly one [11] templateld (CONF:2228-12585) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.47" (CONF:2228-12586). SHALL contain exactly one [11] @extension="2016-02.01" (CONF:2228-27089).	Medication_Order-errors Medication_Order-errors	@moodCode='RQO' count(cda:templateId[@root='2.16.840.1.113883 .10.20.24.3.47'][@extension='2016-02-01']) = 1
a-2228-27740-error	SHALL contain exactly one [11] effectiveTime (CONF:2228-27740) such that it SHALL contain exactly one [11] low (CONF:2228-27742).	Medication Order-errors	count(cda:effectiveTime[count(cda:low)=1]) = 1
a-2220-27740-CHOI	SHALL contain exactly one [11] effectiveTime (CONF:2228- 27741) such that it SHALL contain exactly one [11] period	incacation_order errors	count(cda:effectiveTime[count(cda:period)=1]) =
a-2228-27741-error	(CONF:2228-27744). SHALL contain exactly one [11] Author Participation	Medication_Order-errors	1
a-2228-27745-error	(identifier: urn:oid:2.16.840.1.113883.10.20.22.4.119) (CONF:2228-27745).	Medication_Order-errors	count(cda:author[cda:templateId[@root='2.16.84 0.1.113883.10.20.22.4.119']])=1
a-2228-27737-error	The translation, if present, SHALL contain exactly one [11] @sdtc:valueSet (CONF:2228-27737).	Medication_Order-may-routeCode-errors	@sdtc:valueSet
a-2228-14086-error	SHALL contain exactly one [11] @classCode="OBS" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:2228-14086).	Medication_Intolerance_V3-errors	@classCode='OBS'
a-2228-14087-error	SHALL contain exactly one [11] @moodCode="EVN" (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001) (CONF:2228-14087).	Medication_Intolerance_V3-errors	@moodCode='EVN'
a-2228-28083-error	SHALL NOT contain [00] @negationInd (CONF:2228-28083).	Medication_Intolerance_V3-errors	not(@negationInd)
	SHALL contain exactly one [11] templateld (CONF:2228-14088) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.46" (CONF:2228-27418). SHALL contain exactly one [11] @extension="2016-02		count(cda:templateId[@root='2.16.840.1.113883
a-2228-14088-error	01" (CONF:2228-27032). SHALL contain exactly one [11] value with @xsi:type="CD"	Medication_Intolerance_V3-errors	.10.20.24.3.46'][@extension='2016-02-01']) = 1
a-2228-14162-error	(CONF:2228-14162). SHALL contain exactly one [11] participant (CONF:2228-	Medication_Intolerance_V3-errors	count(cda:value[@xsi:type='CD']) = 1
	27980) such that it SHALL contain exactly one [11] @typeCode="CSM" Consumable (CodeSystem: HL7ParticipationType urn:oid:2.16.840.1.113883.5.90)		
a-2228-27980-error	(CONF:2228-27984). SHALL contain exactly one [11] participantRole (CONF:2228-27981).	Medication_Intolerance_V3-errors	count (cda:participant [@typeCode='CSM'] [count (cda:participantRole)=1])=1

	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR	
CONFORMANCE ERROR		OCCURRED	CONDITION/WHAT IS EXPECTED
a-2228-27419-error	This value SHALL contain exactly one [11] @code="59037007" Drug intolerance (CodeSystem: SNOMED CT urn:oid:2.16.840.1.113883.6.96) (CONF:2228-27419).	Medication_Intolerance_V3-value-errors	@code='59037007'
	This participantRole SHALL contain exactly one [11] @classCode="MANU" Manufactured product (CodeSystem: RoleClass urn:oid:2.16.840.1.113883.5.110) (CONF:2228-		
a-2228-27985-error	27985). This participantRole SHALL contain exactly one [11]	Medication_Intolerance_V3-participantRole-errors	@classCode='MANU'
a-2228-27982-error	playingEntity (CONF:2228-27982).	Medication_Intolerance_V3-participantRole-errors	count(cda:playingEntity)=1
a-2228-27986-error	This playingEntity SHALL contain exactly one [11] @classCode="MMAT" Manufactured material (CodeSystem: EntityClass urn:oid:2.16.840.1.113883.5.41) (CONF:2228-	Madication Intelerance V2 playing ptitu grees	@eleccCode=!MMAT!
d-2228-27980-e1101	27986). This playingEntity SHALL contain exactly one [11] code	Medication_Intolerance_V3-playingEntity-errors	@classCode='MMAT'
a-2228-27983-error	(CONF:2228-27983). This code SHALL contain exactly one [11] @sdtc:valueSet	Medication_Intolerance_V3-playingEntity-errors	count(cda:code)=1
a-2228-27987-error	(CONF:2228-27987). SHALL contain exactly one [11] @classCode="OBS"	Medication_Intolerance_V3-code-errors	@sdtc:valueSet
	Observation (CodeSystem: HL7ActClass		
a-1198-9041-error	urn:oid:2.16.840.1.113883.5.6 STATIC) (CONF:1198-9041). SHALL contain exactly one [11] @moodCode="EVN" Event	Problem-Observation-errors	@classCode='OBS'
	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001 STATIC) (CONF:1198-9042).		
a-1198-9042-error		Problem-Observation-errors	@moodCode='EVN'
	SHALL contain exactly one [11] templateld (CONF:1198-14926) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.22.4.4" (CONF:1198-14927).		count(cda:templateId[@root='2.16.840.1.113883
a-1198-14926-error	SHALL contain exactly one [11] @extension="2015-08-01" (CONF:1198-32508).	Problem-Observation-errors	.10.20.22.4.4'][@extension='2015-08-01'])=1
a-1198-9043-error	SHALL contain at least one [1*] id (CONF:1198-9043). SHALL contain exactly one [11] code, which SHOULD be	Problem-Observation-errors	count(cda:id) >= 1
	selected from ValueSet Problem Type urn:oid:2.16.840.1.113883.3.88.12.3221.7.2 STATIC 2012-06-01		
a-1198-9045-error	(CONF:1198-9045).	Problem-Observation-errors	count(cda:code)=1
a-1198-9049-error	SHALL contain exactly one [11] statusCode (CONF:1198-9049).	Problem-Observation-errors	count(cda:statusCode)=1
a-1198-9050-error	SHALL contain exactly one [11] effectiveTime (CONF:1198- 9050).	Problem-Observation-errors	count(cda:effectiveTime)=1
	SHALL contain exactly one [11] value with @xsi:type="CD", where the code SHOULD be selected from ValueSet Problem urn:oid:2.16.840.1.113883.3.88.12.3221.7.4 DYNAMIC (CONF:1198-9058).		
a-1198-9058-error		Problem-Observation-errors	count(cda:value[@xsi:type='CD'])=1
a-1198-32848-error	This code SHALL contain at least one [1*] translation, which SHOULD be selected from ValueSet Problem Type urn:oid:2.16.840.1.113883.3.88.12.3221.7.2 2014-09-02 (CONF:1198-32848).	Problem-Observation-code-errors	count(cda:translation) >= 1
u 1150 520 10 CHO!	This statusCode SHALL contain exactly one [11]		
a-1198-19112-error	@code="completed" Completed (CodeSystem: ActStatus urn:oid:2.16.840.1.113883.5.14 STATIC) (CONF:1198-19112).	Problem-Observation-statusCode-errors	@code='completed'
a-1198-15603-error	This effectiveTime SHALL contain exactly one [11] low (CONF:1198-15603).	Problem-Observation-effectiveTime-errors	count(cda:low)=1
a-1098-8572-error	SHALL contain exactly one [11] @classCode="SBADM" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 STATIC) (CONF:1098-8572).	Planned-Medication-Activity-errors	@classCode='SBADM'
	SHALL contain exactly one [11] @moodCode, which SHALL be selected from ValueSet Planned moodCode (SubstanceAdministration/Supply) urn:oid:2.16.840.1.113883.11.20.9.24 STATIC 2011-09-30		@moodCode and @moodCode=document('voc.xml')/voc:systems/ voc:system[@valueSetOid='2.16.840.1.113883.11
a-1098-8573-error	(CONF:1098-8573). SHALL contain exactly one [11] templateld (CONF:1098-30465) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.22.4.42" (CONF:1098-30466). SHALL contain exactly one [11] @extension="2014-06	Planned-Medication-Activity-errors	.20.9.24']/voc:code/@value count(cda:templateId[@root='2.16.840.1.113883
a-1098-30465-error	09" (CONF:1098-32557).	Planned-Medication-Activity-errors	.10.20.22.4.42'][@extension='2014-06-09'])=1
a-1098-8575-error	SHALL contain at least one [1*] id (CONF:1098-8575). SHALL contain exactly one [11] statusCode (CONF:1098-	Planned-Medication-Activity-errors	count(cda:id) >= 1
a-1098-32087-error	32087). SHALL contain exactly one [11] effectiveTime (CONF:1098-	Planned-Medication-Activity-errors	count(cda:statusCode)=1
a-1098-30468-error	30468).	Planned-Medication-Activity-errors	count(cda:effectiveTime)>=1
a-1098-32082-error	SHALL contain exactly one [11] consumable (CONF:1098-32082). This status Code SHALL contain exactly one [11]	Planned-Medication-Activity-errors	count(cda:consumable)=1
a-1098-32088-error	This statusCode SHALL contain exactly one [11] @code="active" Active (CodeSystem: ActStatus urn:oid:2.16.840.1.113883.5.14) (CONF:1098-32088).	Planned-Medication-Activity-statusCode-errors	@code='active'
a-1098-32083-error	This consumable SHALL contain exactly one [11] Medication Information (V2) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.23:2014-06-09) (CONF:1098-32083).	Planned-Medication-Activity-consumable-errors	count(cda:manufacturedProduct[cda:templateId[@root='2.16.840.1.113883.10.20.22.4.23'] [@extension = '2014-06-09']])=1

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
a-1098-32085-error	The precondition, if present, SHALL contain exactly one [11] @typeCode="PRCN" Precondition (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1098-32085).	Planned-Medication-Activity-precondition-errors	@typeCode='PRCN'
a-1098-32086-error	The precondition, if present, SHALL contain exactly one [11] Precondition for Substance Administration (V2) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.25:2014-06-09) (CONF:1098-32086).	Planned-Medication-Activity-precondition-errors	count(cda:criterion[cda:templateId[@root='2.16. 840.1.113883.10.20.22.4.25' and @extension = '2014-06-09']])=1
a-2228-27723-error	SHALL contain exactly one [11] @classCode="SPLY" Supply (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:2228-27723). SHALL contain exactly one [11] @moodCode="RQO" Request,	Device-Order-V3-errors	@classCode='SPLY'
a-2228-12343-error	which SHALL be selected from CodeSystem ActMood (urn:oid:2.16.840.1.113883.5.1001) (CONF:2228-12343).	Device-Order-V3-errors	@moodCode='RQO'
	SHALL contain exactly one [11] templateId (CONF:2228-12344) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.9" (CONF:2228-12345). SHALL contain exactly one [11] @extension="2016-02-01"		count(cda:templateId[@root='2.16.840.1.113883
a-2228-12344-error	(CONF:2228-27091). SHALL contain exactly one [11] Author Participation (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.119)	Device-Order-V3-errors	.10.20.24.3.9'][@extension='2016-02-01'])=1 count(cda:author[cda:templateId
a-2228-27721-error	(CONF:2228-27721). SHALL contain exactly one [11] participant (CONF:2228-12349) such that it SHALL contain exactly one [11] @typeCode="DEV" device, which SHALL be selected from CodeSystem HL7ParticipationType (urn:oid:2.16.840.1.113883.5.90) (CONF:2228-12350).SHALL contain exactly one [11] participantRole (CONF:2228- 12351).This participantRole SHALL contain exactly one [11] @classCode="MANU" manufactured product, which SHALL be selected from CodeSystem RoleClass (urn:oid:2.16.840.1.113883.5.110) (CONF:2228-12352).This participantRole SHALL contain exactly one [11] playingDevice (CONF:2228-12353).This playingDevice SHALL contain exactly one [11] @classCode="DEV" device, which SHALL be selected from CodeSystem HL7ParticipationType (urn:oid:2.16.840.1.113883.5.90) (CONF:2228-12354). This playingDevice SHALL contain exactly one [11] code (CONF:2228-12355). This code SHALL contain exactly one [11]	Device-Order-V3-errors	count(cda:participant[@typeCode='DEV'][count(cda:participantRole[@classCode='MANU'][count(cda:playingDevice @classCode='DEV'][count(cda:playingDevice @classCode='DEV']][count(cda:playingDevice @classCode='DEV']][count(cda:playingDevice @classCode='DEV')[count(cda:playingDevice @classCode='DEV']][count(cda:playingDev
a-2228-12349-error	@sdtc:valueSet (CONF:2228-27586). This template SHALL be contained by a Device Order Act	Device-Order-V3-errors Device-Order-V3-errors	ode[@sdtc:valueSet])=1])=1])=1 count(//cda:templateId[@root='2.16.840.1.11
a-CMS_0001-error	(CONF:2228-28665). SHALL contain exactly one [11] templateld (CONF:CMS_0001) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.1.3" (CONF:CMS_0002). SHALL contain exactly one [11] @extension="2017-07-01" (CONF:CMS_0003).	QRDA_Category_I_Report_CMS-errors	3883.10.20.24.3.130'])=1 count(cda:templateId[@root='2.16.840.1.113883 .10.20.24.1.3'][@extension='2017-07-01'])=1
a-3265-16703_C01-error	SHALL contain exactly one [11] informationRecipient (CONF:3265-16703_CO1). SHALL contain exactly one [11] participant (CONF:1198-	QRDA_Category_I_Report_CMS-errors	count(cda:informationRecipient)=1
a-1198-10003_C01-error	1003_C01). SHALL contain exactly one [11] documentationOf (CONF:3265-	QRDA_Category_I_Report_CMS-errors	count(cda:participant)=1
a-3265-16579_C01-error	16579_C01) such that it SHALL contain exactly one [11] serviceEvent (CONF:3265-16580).	QRDA_Category_I_Report_CMS-errors	<pre>count(cda:documentationOf[count(cda:serviceEv ent)=1])=1</pre>
a-CMS_0010-error	This languageCode SHALL contain exactly one [11] @code="en" (CONF:CMS_0010). This patientRole SHALL contain exactly one [11] id (CONF:CMS_0009) such that it SHALL contain exactly one [11]	QRDA_Category_I_Report_CMS-languageCode-errors	@code='en' count(cda:id[@root!='2.16.840.1.113883.4.572'][
a-CMS_0009-error	@root (CONF:CMS_0053). SHALL contain exactly one [11] @extension (CONF:CMS_0103). This patient SHALL contain exactly one [11] US Realm Person	QRDA_Category_I_Report_CMS-recordTarget-patientRole- errors	
a-1198-5284_C01-error	Name (PN.US.FIELDED) (identifier: urn:oid:2.16.840.1.113883.10.20.22.5.1.1) (CONF:1198- 5284_C01).	QRDA_Category_I_Report_CMS-recordTarget-patientRole-patient-errors	count(cda:name)=1
a-CMS_0011-error	This patient SHALL contain exactly one [11] administrativeGenderCode, which SHALL be selected from ValueSet ONC Administrative Sex urn:oid:2.16.840.1.113762.1.4.1 DYNAMIC (CONF:CMS_0011).	QRDA_Category_I_Report_CMS-recordTarget-patientRole-patient-errors	count(cda:administrativeGenderCode)=1
a-CMS_0013-error	This patient SHALL contain exactly one [11] raceCode, which SHALL be selected from ValueSet Race urn:oid:2.16.840.1.114222.4.11.836 DYNAMIC (CONF:CMS_0013).	QRDA_Category_I_Report_CMS-recordTarget-patientRole- patient-errors	count(cda:raceCode)=1
a-1198-5300_C01-error	SHALL be precise to day (CONF:1198-5300_CO1). This representedCustodianOrganization SHALL contain exactly	QRDA_Category_I_Report_CMS-recordTarget-patientRole- patient-birthTime-errors	string-length(@value)>=8
a-3265-28241_C01-error	Ints represented custodian organization STALL Contain exactly one [11] id (CONF:3265-28241_CO1) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.4.336" CMS Certification Number (CONF:3265-28244). SHALL contain exactly one [11] @extension (CONF:3265-28245).	QRDA_Category_I_Report_CMS-custodian-assignedCustodian-representedCustodianOrganization-errors	count(cda:id[@root='2.16.840.1.113883.4.336'][@extension]]=1

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR	CONDITION/WHAT IS EXPECTED
CONFORMANCE ERROR		OCCURRED	· · · · · · · · · · · · · · · · · · ·
a-CMS 0035-error	CCN SHALL be six to ten characters in length (CONF:CMS_0035).	QRDA_Category_I_Report_CMS-custodian-representedCustodianOrganization-id-errors	<pre>string-length(normalize-space(@extension)) >= 6 and string-length(normalize-space(@extension)) <= 10</pre>
a-3265-16705_C01-error	This intendedRecipient SHALL contain exactly one [11] id (CONF:3265-16705_C01).	QRDA_Category_I_Report_CMS-informationRecipient-intendedRecipient-errors	count(cda:id)=1
a-CMS 0025-error	This id SHALL contain exactly one [11] @root="2.16.840.1.113883.3.249.7" (CONF:CMS 0025).	QRDA_Category_I_Report_CMS-informationRecipient-intendedRecipient-id-errors	@root='2.16.840.1.113883.3.249.7'
a-CMS_0026-error	This id SHALL contain exactly one [11] @extension, which SHALL be selected from ValueSet QRDA-I CMS Program Name urn:oid:2.16.840.1.113883.3.249.14.103 STATIC 2016-07-01 (CONF:CMS_0026).	QRDA_Category_I_Report_CMS-informationRecipient-intendedRecipient-id-errors	@extension=document('voc.xml')/voc:systems/voc:system[@valueSetOid='2.16.840.1.113883.3.249.14.103']/voc:code/@value
a-CMS_0004-error	This participant SHALL contain exactly one [11] associatedEntity (CONF:CMS_0004).	QRDA_Category_I_Report_CMS-participant-errors	count(cda:associatedEntity)=1
a-CMS 0005-error	This associatedEntity SHALL contain exactly one [11] id (CONF:CMS 0005).	QRDA_Category_I_Report_CMS-participant- associatedEntity-errors	count(cda:id)=1
	This id SHALL contain exactly one [11] @root="2.16.840.1.113883.3.2074.1" CMS EHR Certification	QRDA_Category_I_Report_CMS-participant-	
a-CMS_0006-error	Identification Number (CONF:CMS_0006). This id SHALL contain exactly one [11] @extension	associatedEntity-id-errors QRDA_Category_I_Report_CMS-participant-	@root='2.16.840.1.113883.3.2074.1'
a-CMS_0008-error	(CONF:CMS_0008). This serviceEvent SHALL contain exactly one [11]	associatedEntity-id-errors QRDA_Category_I_Report_CMS-documentationOf-	@extension
a-3265-16581-error	@classCode="PCPR" Care Provision (CONF:3265-16581). This serviceEvent SHALL contain at least one [1*] performer	serviceEvent-errors QRDA_Category_I_Report_CMS-documentationOf-	@classCode='PCPR'
a-3265-16583-error	(CONF:3265-16583).	serviceEvent-errors	count(cda:performer) > 0
a-3265-16584-error	Such performers SHALL contain exactly one [11] @typeCode="PRF" Performer (CONF:3265-16584).	QRDA_Category_I_Report_CMS-documentationOf- serviceEvent-performer-errors	@typeCode='PRF'
a-3265-16586-error	Such performers SHALL contain exactly one [11] assignedEntity (CONF:3265-16586).	QRDA_Category_I_Report_CMS-documentationOf- serviceEvent-performer-errors	count(cda:assignedEntity)=1
2 2265 16501 arrar	This assignedEntity SHALL contain exactly one [11]	QRDA_Category_I_Report_CMS-documentationOf- serviceEvent-performer-assignedEntity-errors	count(cda:representedOrganization)=1
a-3265-16591-error	representedOrganization (CONF:3265-16591). The id, if present, SHALL contain exactly one [11] @root="2.16.840.1.113883.4.2" Tax ID Number (CONF:2228-	QRDA_Category_I_Report_CMS-documentationOf- serviceEvent-performer-assignedEntity-	countcoa.representeuorganization)-1
a-2228-16593-error	16593).	representedOrganization-id-errors	@root='2.16.840.1.113883.4.2'
a-3325-28474-error	This structuredBody SHALL exactly one [11] component (CONF:3325-28474) such that it SHALL contain exactly one [11] Reporting Parameters Section - CMS (identifier: urn:hl7ii:2.16.840.1.113883.10.20.17.2.1.1:2016-03-01) (CONF:3325-28475).	QRDA_Category_I_Report_CMS-component- structuredBody-errors	count(cda:component[count(cda:section[cda:tem plateId[@root='2.16.840.1.113883.10.20.17.2.1.1 '][@extension='2016-03-01']])=1])=1
a-3325-28476-error	This structuredBody SHALL contain at least one [1*] component (CONF:3325-28476) such that it SHALL contain exactly one [11] Patient Data Section QDM (V4) - CMS (identifier: urn:hl7ii:2.16.840.1.113883.10.20.24.2.1.1:2017-07-01) (CONF:3325-28477).	QRDA_Category_I_Report_CMS-component- structuredBody-errors	count(cda:component[count(cda:section[cda:ten plateId[@root='2.16.840.1.113883.10.20.24.2.1.1 '][@extension='2017-07-01']])=1]) > 0
a-1098-7379-error	SHALL contain exactly one [11] @classCode="OBS" Observation (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 STATIC) (CONF:1098-7379).	Allergy_intolerance_V2-errors	@classCode='OBS'
	SHALL contain exactly one [11] @moodCode="EVN" Event (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001 STATIC) (CONF:1098-7380).		
a-1098-7380-error	SHALL contain exactly one [11] templateId (CONF:1098-7381) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.22.4.7" (CONF:1098-10488). SHALL contain exactly one [11] @extension="2014-06-09"	Allergy_intolerance_V2-errors	@moodCode='EVN' count(cda:templateId[@root='2.16.840.1.11388
a-1098-7381-error	(CONF:1098-32526).	Allergy_intolerance_V2-errors	.10.20.22.4.7'][@extension='2014-06-09'])=1
a-1098-7382-error a-1098-15947-error	SHALL contain at least one [1*] id (CONF:1098-7382). SHALL contain exactly one [11] code (CONF:1098-15947).	Allergy_intolerance_V2-errors Allergy_intolerance_V2-errors	count(cda:id) > 0 count(cda:code)=1
	SHALL contain exactly one [11] statusCode (CONF:1098-	Allergy intolerance V2-errors	count(cda:statusCode)=1
a-1098-19084-error	19084). SHALL contain exactly one [11] effectiveTime (CONF:1098-		
a-1098-7387-error	7387). SHALL contain exactly one [11] value with @xsi:type="CD", where the code SHALL be sleeted from ValueSet Allergy and Intolerance Type urn:oi2.16.840.1.113883.3.88.12.3221.6.2	Allergy_intolerance_V2-errors	count(cda:effectiveTime)=1
a-1098-7390-error	DYNAMIC (CONF:1098-7390).	Allergy_intolerance_V2-errors	count(cda:value[@xsi:type='CD'])=1

	ERROR MESSAGE	TEACH ATE IN TEACH ATE WHITE THE ERROR	
CONFORMANCE ERROR	ERROR WESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
	SHALL contain exactly one [11] participant (CONF:1098-7402) such that it SHALL contain exactly one [11] @typeCode="CSM" Consumable (CodeSystem: HL7ParticipationType urn:oid:2.16.840.1.113883.5.90 STATIC) (CONF:1098-7403). SHALL contain exactly one [11] participantRole (CONF:1098-7404). This participantRole SHALL contain exactly one [11] @classCode="MANU" Manufactured Product (CodeSystem: RoleClass urn:oid:2.16.840.1.113883.5.110 STATIC) (CONF:1098-7405). This participantRole SHALL contain exactly one [11] playingEntity (CONF:1098-7406). This playingEntity SHALL contain exactly one [11] @classCode="MMAT" Manufactured Material (CodeSystem: EntityClass urn:oid:2.16.840.1.113883.5.41 STATIC) (CONF:1098-7407). This playingEntity SHALL contain exactly one [11] code, which SHALL be selected from ValueSet Substance-Reactant for Intolerance urn:oid:2.16.840.1.113762.1.4.1010.1 DYNAMIC (CONF:1098-7419).		<pre>count(cda:participant[@typeCode='CSM'][count(cda:participantRole[@classCode='MANU'][count(cda:playingEntity[@classCode='MMMAT'][count(cd</pre>
a-1098-7402-error	This code SHALL contain exactly one [11]	Allergy_intolerance_V2-errors	a:code)=1])=1])=1
a-1098-15948-error	@code="ASSERTION" Assertion (CONF:1098-15948). This code SHALL contain exactly one [11]	Allergy_intolerance_V2-code-errors	@code='ASSERTION'
a-1098-32153-error	@codeSystem="2.16.840.1.113883.5.4" (CodeSystem: ActCode urn:oid:2.16.840.1.113883.5.4) (CONF:1098-32153). This statusCode SHALL contain exactly one [11]	Allergy_intolerance_V2-code-errors	@codeSystem='2.16.840.1.113883.5.4'
	@code="completed" Completed (CodeSystem: ActStatus urn:oid:2.16.840.1.113883.5.14 STATIC) (CONF:1098-19085).		
a-1098-19085-error		Allergy_intolerance_V2-statusCode-errors	@code='completed'
a-1098-31538-error	This effectiveTime SHALL contain exactly one [11] low (CONF:1098-31538).	Allergy_intolerance_V2-effectiveTime-errors	count(cda:low)=1
a-1140-11332-error	SHALL contain exactly one [11] templateId (CONF:1140-11332) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.85" (CONF:1140-11333). SHALL contain exactly one [11] @extension="2014-12-01" (CONF:1140-27008).	Reaction-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.24.3.85'][@extension='2014-12-01']]=1
	SHALL contain exactly one [11] effectiveTime (CONF:1140-		
a-1140-11370-error	11370). SHALL contain exactly one [11] value with @xsi:type="CD"	Reaction-errors	count(cda:effectiveTime)=1
a-1140-27306-error	(CONF:1140-27306). This value SHALL contain exactly one [11] @sdtc:valueSet	Reaction-errors	count(cda:value)=1
a-1140-27307-error	(CONF:1140-27307).	Reaction-value-errors	@sdtc:valueSet
a-2228-27406-error	SHALL contain exactly one [11] @classCode="OBS" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:2228-27406).	Diagnostic-Study-Recommended-errors	@classCode='OBS'
a-2228-13392-error	SHALL contain exactly one [11] @moodCode="INT" (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001) (CONF:2228-13392). SHALL contain exactly one [11] templateId (CONF:2228-	Diagnostic-Study-Recommended-errors	@moodCode='INT'
a-2228-13393-error a-2228-27619-error	13393) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.19" (CONF:2228-13394). SHALL contain exactly one [11] @extension="2016-02-01" (CONF:2228-27070). SHALL contain exactly one [11] code (CONF:2228-27619).	Diagnostic-Study-Recommended-errors Diagnostic-Study-Recommended-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.24.3.19'][@extension='2016-02-01'])=1 count(cda:code)=1
a-2228-13400-error	SHALL contain exactly one [11] Author Participation (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.119) (CONF:2228-13400).	Diagnostic-Study-Recommended-errors	count(cda:author[cda:templateId[@root='2.16.84 0.1.113883.10.20.22.4.119']])=1
a-2228-27620-error	This code SHALL contain exactly one [11] @sdtc:valueSet (CONF:2228-27620).	Diagnostic-Study-Recommended-code-errors	@sdtc:valueSet
a-1198-14889-error	SHALL contain exactly one [11] @classCode="ACT" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 STATIC) (CONF:1198-14889). SHALL contain exactly one [11] @moodCode="EVN"	Encounter-Diagnosis-errors	@classCode='ACT'
a-1198-14890-error	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001 STATIC) (CONF:1198-14890).	Encounter-Diagnosis-errors	@moodCode='EVN'
a-1198-14895-error	SHALL contain exactly one [11] templateld (CONF:1198-14895). Such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.22.4.80" (CONF:1198-14896). SHALL contain exactly one [11] @extension="2015-08.01" (CONF:1198-32542).		count(cda:templateId[@root='2.16.840.1.113883 .10.20.22.4.80'][@extension='2015-08-01'])=1
a-1198-19182-error	SHALL contain exactly one [11] code (CONF:1198-19182). SHALL contain at least one [1*] entryRelationship (CONF:1198-14892) such that it SHALL contain exactly one [11] @typeCode="SUBI" (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002 STATL) (CONF:1198-14893). SHALL contain exactly one [11] Problem Observation (V3) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.4:2015-08-01) (CONF:1198-14898).		count(cda:code)=1 count(cda:entryRelationship[@typeCode='SUBJ'][count(cda:observation[cda:templateId[@root='2. 16.840.1.113883.10.20.22.4.4'][@extension='201
a-1198-14892-error	This code SHALL contain exactly one [11] @code="29308-4"	Encounter-Diagnosis-errors	5-08-01']])=1])>0
a-1198-19183-error	Diagnosis (CONF:1198-19183).	Encounter-Diagnosis-code-errors	@code='29308-4'

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
a-1198-32160-error	This code SHALL contain exactly one [11] @codeSystem="2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:1198-32160).	Encounter-Diagnosis-code-errors	@codeSystem='2.16.840.1.113883.6.1'
a-1198-32100-e1101	SHALL contain exactly one [11] templateld (CONF:67-12801)	Encounter-Diagnosis-code-enfors	@code3y3tem= 2.10.040.1.113883.0.1
	such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.24.2.2" (CONF:67-12802).		count(cda:templateId[@root='2.16.840.1.113883
a-67-12801-error a-67-12798-error	SHALL contain exactly one [11] code (CONF:67-12798).	Measure-section-errors Measure-section-errors	.10.20.24.2.2'][not(@extension)])=1 count(cda:code)=1
a-07-12756-EITOI	SHALL contain exactly one [11] title="Measure Section"	Weasure-section-errors	count(cda:title[translate(text(),
	(CONF:67-12799).		'ABCDEFGHIJKLMNOPQRSTUVWXYZ', 'abcdefghijklmnopqrstuvwxyz')='measure
a-67-12799-error	CHALL seeks in superblusing [4, 4] hours (CONICCT 12000)	Measure-section-errors Measure-section-errors	section'])=1 count(cda:text)=1
a-67-12800-error	SHALL contain exactly one [11] text (CONF:67-12800). SHALL contain at least one [1*] entry (CONF:67-13003) such	Measure-section-errors	count(coa.text)=1
	that it SHALL contain exactly one [11] Measure Reference		
	(identifier: urn:oid:2.16.840.1.113883.10.20.24.3.98) (CONF:67-16677).		count(cda:entry[cda:organizer[cda:templateId[@
a-67-13003-error	10077).	Measure-section-errors	root='2.16.840.1.113883.10.20.24.3.98']]]) > 0
	This code SHALL contain exactly one [11] @code="55186-1"		
a-67-19230-error	Measure Section (CONF:67-19230).	Measure-section-code-errors	@code='55186-1'
	This code SHALL contain exactly one [11] @codeSystem="2.16.840.1.113883.6.1" (CodeSystem: LOINC		
a-67-27012-error	urn:oid:2.16.840.1.113883.6.1) (CONF:67-27012).	Measure-section-code-errors	@codeSystem='2.16.840.1.113883.6.1'
	The content of name SHALL be either a conformant Patient		
	Name (PTN.US.FIELDED), or a string (CONF:81-9371).		(cda:given and cda:family) or (count(/cda:name/*)=0 and string-
a-81-9371-error		US-Realm-Person-Name-name-errors	length(/cda:name/text()[normalize-space()])!=0)
	The string SHALL NOT contain name parts (CONF:81-9372).		(cda:given and cda:family) or
a-81-9372-error		US-Realm-Person-Name-name-errors	(count(/cda:name/*)=0)
	SHALL contain exactly one [11] @classCode="PROC" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6		
a-67-14559-error	STATIC) (CONF:67-14559).	Incision_datetime-errors	@classCode='PROC'
	SHALL contain exactly one [11] @moodCode="EVN"		
- 67 11 101	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001	Incision datatima arrars	@mandCada='EVN'
a-67-11401-error	STATIC) (CONF:67-11401). SHALL contain exactly one [11] templateId (CONF:67-11402)	Incision_datetime-errors	@moodCode='EVN'
	such that it SHALL contain exactly one [11]		
	@root="2.16.840.1.113883.10.20.24.3.89" (CONF:67-11403).		count(cda:templateId[@root='2.16.840.1.113883
a-67-11402-error a-67-26984-error	SHALL contain at least one [1*] id (CONF:67-26984).	Incision_datetime-errors Incision_datetime-errors	.10.20.24.3.89'][not(@extension)])=1 count(cda:id) > 0
a-67-14562-error	SHALL contain at least one [1] Id (CONF.07-20984).	Incision_datetime-errors	count(cda:code)=1
	SHALL contain exactly one [11] effectiveTime (CONF:67-		
a-67-14561-error	14561).	Incision_datetime-errors	count(cda:effectiveTime)=1
	This code SHALL contain exactly one [11] @codeSystem="2.16.840.1.113883.6.96" (CodeSystem:		
	SNOMED CT urn:oid:2.16.840.1.113883.6.96) (CONF:67-27014).		
a-67-27014-error	CHALL contain another are [4, 4] Oders Code HODS!	Incision_datetime-code-errors	@codeSystem='2.16.840.1.113883.6.96'
	SHALL contain exactly one [11] @classCode="OBS" Observation (CodeSystem: HL7ActClass		
a-1098-7325-error	urn:oid:2.16.840.1.113883.5.6 STATIC) (CONF:1098-7325).	Reaction-Observation-errors	@classCode='OBS'
	SHALL contain exactly one [11] @moodCode="EVN" Event		
	(CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001 STATIC) (CONF:1098-7326).		
a-1098-7326-error	31ATIC) (CONT.1030-7320).	Reaction-Observation-errors	@moodCode='EVN'
	SHALL contain exactly one [11] templateId (CONF:1098-7323)		
	such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.22.4.9" (CONF:1098-10523).		
	SHALL contain exactly one [11] @extension="2014-06-09"		count(cda:templateId[@root='2.16.840.1.113883
a-1098-7323-error	(CONF:1098-32504).	Reaction-Observation-errors	.10.20.22.4.9'][@extension='2014-06-09'])=1
a-1098-7329-error	SHALL contain at least one [1*] id (CONF:1098-7329).	Reaction-Observation-errors Reaction-Observation-errors	count(cda:id) >= 1
a-1098-16851-error	SHALL contain exactly one [11] code (CONF:1098-16851). SHALL contain exactly one [11] statusCode (CONF:1098-7328).		count(cda:code)=1
a-1098-7328-error		Reaction-Observation-errors	count(cda:statusCode)=1
	SHALL contain exactly one [11] value with @xsi:type="CD",		
	where the code SHALL be selected from ValueSet Problem urn:oid:2.16.840.1.113883.3.88.12.3221.7.4 DYNAMIC		
	(CONF:1098-7335).		
a-1098-7335-error		Reaction-Observation-errors	count(cda:value[@xsi:type='CD'])=1
a-1098-31124-error	This code SHALL contain exactly one [11] @code="ASSERTION" (CONF:1098-31124).	Reaction-Observation-code-errors	@code='ASSERTION'
3 1030 01127 01101	This code SHALL contain exactly one [11]		C 111C / ISSERTION
	@codeSystem="2.16.840.1.113883.5.4" (CodeSystem: ActCode		
2-1008-32160-orror	urn:oid:2.16.840.1.113883.5.4) (CONF:1098-32169).	Reaction-Observation-code-errors	@codeSystem='2 16 840 1 112002 E 41
a-1098-32169-error	This statusCode SHALL contain exactly one [11]	Reaction-Observation-code-errors	@codeSystem='2.16.840.1.113883.5.4'
	@code="completed" Completed (CodeSystem: ActStatus		
4000 40111	urn:oid:2.16.840.1.113883.5.14 STATIC) (CONF:1098-19114).	Deserting Observation 11 C	Ocada Isamalata II
a-1098-19114-error	SHALL contain exactly one [11] @classCode="ENC" Encounter	Reaction-Observation-statusCode-errors	@code='completed'
	(CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6)		
a-2228-27532-error	(CONF:2228-27532).	Encounter-Performed-errors	@classCode='ENC'

CONFORMANCE ERROR	ERROR MESSAGE	TEMPLATE_ID/TEMPLATE WHERE THE ERROR OCCURRED	CONDITION/WHAT IS EXPECTED
a-2228-27533-error	SHALL contain exactly one [11] @moodCode="EVN" (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001) (CONF:2228-27533).	Encounter-Performed-errors	@moodCode='EVN'
	SHALL contain exactly one [11] templateId (CONF:2228- 11861) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.23" (CONF:2228-		
a-2228-11861-error	11862). SHALL contain exactly one [11] @extension="2016-02-01" (CONF:2228-26552).	Encounter-Performed-errors	count(cda:templateId[@root='2.16.840.1.113883 .10.20.24.3.23'][@extension='2016-02-01'])=1
2 2229 29670 orror	SHALL contain at least one [1*] id (CONF:2228-28670). Such ids SHALL contain exactly one [11] @root (CONF:2228-28671).		count/eda:idl@root]\>0
a-2228-28670-error a-2228-27624-error	CHALL contain exactly one [1, 1] code (CONE.2229, 27624)	Encounter-Performed-errors Encounter-Performed-errors	<pre>count(cda:id[@root]) > 0 count(cda:code)=1</pre>
d-2228-27624-e1101	SHALL contain exactly one [11] code (CONF:2228-27624).	Littouriter-remormed-errors	count(cua.coue)-1
a-2228-11874-error	SHALL contain exactly one [11] statusCode (CONF:2228-11874).	Encounter-Performed-errors	count(cda:statusCode)=1
a-2228-11876-error	SHALL contain exactly one [11] effectiveTime (CONF:2228-11876).	Encounter-Performed-errors	count(cda:effectiveTime)=1
a-2228-27625-error	This code SHALL contain exactly one [11] @sdtc:valueSet (CONF:2228-27625).	Encounter-Performed-code-errors	@sdtc:valueSet
a-2228-11875-error	This statusCode SHALL contain exactly one [11] @code="completed" (CodeSystem: ActStatus urn:oid:2.16.840.1.113883.5.14) (CONF:2228-11875).	Encounter-Performed-statusCode-errors	@code='completed'
a-2228-11877-error	This effectiveTime SHALL contain exactly one [11] low (CONF:2228-11877).	Encounter-Performed-effectiveTime-errors	count(cda:low)=1
a-2228-11878-error	This effectiveTime SHALL contain exactly one [11] high (CONF:2228-11878).	Encounter-Performed-effectiveTime-errors	count(cda:high)=1
a-2228-28454-error	SHALL contain exactly one [11] @classCode="ACT" Act (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:2228-28454).	Device-Recommended-Act-V3-errors	@classCode='ACT'
u 2220 20434 CITOI	SHALL contain exactly one [11] @moodCode="INT" Intent (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)	Source recommended rac 15 cm 55	estassour /et
a-2228-28455-error	(CONF:2228-28455).	Device-Recommended-Act-V3-errors	@moodCode='INT'
	SHALL contain at least one [1*] templateId (CONF:2228-28452) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.131" (CONF:2228-		count(cda:templateId[@root='2.16.840.1.113883
a-2228-28452-error	28456).	Device-Recommended-Act-V3-errors	.10.20.24.3.131'][not(@extension)])>0
a-2228-28457-error	SHALL contain at least one [1*] id (CONF:2228-28457). SHALL contain exactly one [11] entryRelationship (CONF:2228-28453) such that it SHALL contain exactly one [11] @typeCode="SUBJ" has subject (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:2228-28458). SHALL contain exactly one [11] Device Recommended (V3) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.24.3.10:2016-02-01) (CONF:2228-28459).	Device-Recommended-Act-V3-errors Device-Recommended-Act-V3-errors	count(cda:id) >=1 count(cda:entryRelationship[@typeCode='SUBJ'] [count(cda:supply[cda:templateId[@root='2.16.8 40.1.113883.10.20.24.3.10'][@extension = '2016-02-01']])=1)=1
a-2228-28453-error	SHALL contain exactly one [11] @classCode="ACT" Act (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6)		
a-2228-27353-error	(CONF:2228-27353). SHALL contain exactly one [11] @moodCode="RQO" Request (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001)	Intervention_Order_V3-errors	@classCode='ACT'
a-2228-13742-error	(CONF:2228-13742). SHALL contain exactly one [11] templateld (CONF:2228-13743) such that it SHALL contain exactly one [11] @root="2.16.840.1.113883.10.20.24.3.31" (CONF:2228-13744). SHALL contain exactly one [11] @extension="2016-02-01" (CONF:2228-26556).	Intervention_Order_V3-errors Intervention_Order_V3-errors	@moodCode='RQQ' count(cda:templateId[@root='2.16.840.1.113883 .10.20.24.3.31'][@extension='2016-02-01']) = 1
a-2228-13746-error	SHALL contain exactly one [1, 1] code (CONE-2229, 12746)	Intervention Order V3-errors	count(cda:code) = 1
a-2220-13740-eff0f	SHALL contain exactly one [11] code (CONF:2228-13746). SHALL contain exactly one [11] Author Participation (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.119)	intervention_order_va-errors	count(cda:code) = 1 count(cda:author[cda:templateId[@root='2.16.84
a-2228-27343-error	(CONF:2228-27343). This code SHALL contain exactly one [11] @sdtc:valueSet	Intervention_Order_V3-errors	0.1.113883.10.20.22.4.119']]) = 1
a-2228-27632-error	(CONF:2228-27632).	Intervention_Order_V3-code-errors	@sdtc:valueSet

CONFORMANCE ERRORS	ERROR MESSAGE	COMMENT
	The system SHALL reject QRDA-I files if the Encounter	If any discharge date (high value) in the file for any "Encounter, Performed" is null,
	Performed Discharge Date is null (CONF: CMS_0060).	file will be rejected.
CMS_0060	The system SHALL reject QRDA-I files if the Encounter	If any discharge date (high value) in the file for any "Encounter, Performed" is after
CMS_0061	Performed Discharge Date (effectiveTime/high value) is after the upload date (discharge date is in the future) (CONF: CMS_0061).	the upload date (in the future), file will be rejected.
CMS 0062	The system SHALL reject QRDA-I files if the Encounter Performed Admission Date (effectiveTime/low value) is after the Encounter Performed Discharge Date (effectiveTime/high value) (CONF: CMS_0062).	If the Encounter Discharge Date is earlier than the Encounter Admission Date, or if Encounter Discharge Date is NULL, or if both the Encounter Admission and Discharge Dates are NULL, file will be rejected.
	There are no Encounter Performed Discharge Dates within the reporting period found in the QRDA (CONF: CMS_0063).	There must be at least one Encounter Performed Discharge Date that falls within the Reporting Period as specified in the QRDA itself; otherwise, the file will be rejected.
CMS_0063	The system SHALL reject OPDA-I files submitted by CDAC	For CDAC users, the CMS Program Name within the file must be set to
		CDAC_HQR_EHR, or else the file is rejected. (CMS Program Name is specified in ClinicalDocument/informationRecipient/intendedRecipient/id/extension.)
CMS_0064	The system SHALL reject ORDA-Lifles submitted by CDAC	For CDAC users, if the file submitted is of the type PROD (Production data), the file
CMS_0065	users when the QRDA is not submitted as a test file (CONF: CMS_0065).	will be rejected.
CMS 0066	CCN (NULL) cannot be validated (CONF:CMS_0066).	CCN passes Schematron format check, but the value does not appear in lookup of valid HQR CCNs. Users will get this message if CCN is invalid or null.
CINI3_0000	Submitter (%s) is not authorized to submit for this provider (%s) (CONF:CMS_0067).	Lookup performed in project database and it is found that the Submitter (vendor) has not been authorized to submit data on behalf of the hospital (using the CCN in the
CMS_0067	Provider is not allowed to use dummy CCN number	QRDA). Only vendors can use the dummy CCN.
CMS_0068	(800890) for submissions (CONF:CMS_0068).	Only vehicus can use the dunning CCN.
CMS_0069	Dummy CCN (800890) can not be used for production submissions (CONF:CMS 0069).	Dummy CCN can only be used for Test data submissions.
	Submission date is not within the submission period (CONF:CMS_0070).	The validation process compares the upload date with the Production Date Range values stored in internal table. If the upload date is outside the acceptable range(s),
CMS_0070	Data submitted is not a well formed QRDA XML	then this message gets generated. This violates a syntax rule in the XML specification (e.g., missing start/end tag or
CMS_0071	(CONF:CMS_0071).	prime elements missing or not properly nested or not properly written), and a Java exception is thrown. Rather than a cryptic Java exception message, the general Edit message (not well formed) is used by default and shown here. File processing immediately stops.
CMS 0072	QRDA file does not pass XML schema validation (CDA_SDTC.xsd) (CONF:CMS_0072).	The QRDA Category I file is checked against CDA_SDTC.XSD for the proper QRDA structure. Several conditions might cause this error. For example, required tags in a required section could be in the wrong order, as shown here: element ' <id>' is allowed but element '<name>' is not allowed under element '<representedcustodianorganization>'. Processing continues on file to identify other Errors/Warnings.</representedcustodianorganization></name></id>
CIVIS_0072	The document does not conform to QRDA document formats accepted by CMS (CONF:CMS_0073).	Document is not in QRDA Category 1 DSTU Release 4 format (i.e., does not contain all four of the required header templateIDs, including both of the R4 templateIDs and extensions):
		HL7 R4: <templateid extension="2016-08-01" root="2.16.840.1.113883.10.20.24.1.2"></templateid> 2018 CMS QRDA IG: <templateid extension="2017-07-01" root="2.16.840.1.113883.10.20.24.1.3"></templateid> This error is also produced for an empty file or other non-XML file type (e.g., PDF). File processing immediately stops.
CMS_0073	The Version Specific Measure Identifier is not valid for the current program year (CONF:CMS_0074).	CMS Certification ID CEHRT must be 15 alphanumeric characters in length.
CMS_0074	Admission Date is not properly formatted	Admission date is not well formed or null.
CMS_0075	(CONF:CMS_0075). Discharge Date is not properly formatted	Discharge Date is not well formed or null.
CMS_0076	(CONF:CMS_0076). Reporting Period Start Date (low value) is after the End	If the Reporting Period Start Date (low value) is earlier than the End Date (high value),
CMS_0077	Date (high value) (CONF:CMS_0077).	or if Start Date is null or both the Start Date and End Date are null, file will be rejected.
CMS_0078	QRDA file size exceeds (10) MB (CONF:CMS_0078). Reporting Period Effective Date Range does not match one of the Program's CY Discharge Quarters	QRDA file size exceeds 10 MB. If Reporting Period Effective Date Range is not matched with one of the Program's CY Discharge Quarters, the file will be rejected.
CMS_0079	(CONF:CMS_0079).	

CONFORMANCE ERRORS	ERROR MESSAGE	COMMENT
	The system SHALL reject QRDA-I files submitted by non-	If a non-CDAC user submits a file with the CMS Program Name set to
	CDAC users when the CMS Program Name within the file	CDAC_HQR_EHR, the file will be rejected.
CMS_0080	is CDAC_HQR_EHR (CONF:CMS_0080).	
CMS_0027	SHALL be precise to day (CONF:CMS_0027).	Reporting Period Start Date (low value) is not well formed or null.
CMS_0028	SHALL be precise to day (CONF:CMS_0028).	Reporting Period End Date (high value) is not well formed or null.
1198-5300_C01	SHALL be precise to day (CONF:1198-5300_C01).	Birthdate is not well formed or null.
	SHALL contain exactly one [11] US Realm Date and Time	Header EffectiveTime is not well formed or null.
	(DTM.US.FIELDED) (identifier:	Java validation needed because Schematron test condition was given as
	urn:oid:2.16.840.1.113883.10.20.22.5.4) (CONF:1198-	"not(existence_schema_tested)".
1198-5256	5256).	
None	QRDA file accepted.	No errors found that would result in file being rejected.
	CMS EHR Certification ID does not meet year/version	The EHR system needs to be certified to 2014 or 2015 Edition or a combination of the
CMS_0082	criteria (CONF:CMS_0082).	2014 and 2015 Editions for CY18/PY20.
	CMS EHR Certification ID format is not valid	CMS EHR Certification ID must be 15 alphanumeric characters in length.
CMS_0083	(CONF:CMS_0083).	
	Either the Patient HICN or MBI is required for hybrid	QRDA files for hybrid measure/CCDE Submissions must contain a HICN or MBI.
	measure/Core Clinical Data Element (CCDE) submissions	
CMS_0084	(CONF:CMS_0084).	
		CMS Program name for hybrid measure/CCDE submissions must be HQR_IQR_VOL.
CMS_0085	(CONF: CMS_0085).	
0.45 0005	Measure type is not consistent across QRDA files within	Files containing Hybrid Measure/CCDE submissions and eCQM cannot be submitted
CMS_0086	the batch (CONF:CMS_0086).	within the same batch.

Support Resources

Support Resources

Topic	Who to Contact	How to Contact	
Hospital IQR Program and Policy	Hospital Inpatient Support Team	(844) 472-4477 https://cms-ip.custhelp.com	
Promoting Interoperability Program* (objectives, attestation, and policy)	<i>QualityNet</i> Help Desk	(866) 288-8912 qnetsupport@hcqis.org	
eCQM specifications (code sets, measure logic, and measure intent)	Office of the National Coordinator for Health Information Technology	eCQM Issue Tracker https://oncprojectracking.healthit.gov/sup port/projects/CQM/summary ORDA Issue Tracker	
QRDA-related questions (CMS Implementation Guide, sample files and Schematrons)	(ONC) JIRA Issue Trackers	https://oncprojectracking.healthit.gov/sup port/projects/QRDA/issues/ QRDA-313?filter=allopenissues	
QualityNet Secure Portal (reports, Pre-Submission Validation Application tool, uploading data, troubleshooting file errors)	<i>QualityNet</i> Help Desk	(866) 288-8912 qnetsupport@hcqis.org	
eCQM data validation	Validation Support Team	validation@hcqis.org or https://cms-ip.custhelp.com	
*Previously known as the EHR Incentive Program			

Disclaimer

The information included in this educational resource was current at publication and/or upload into the Quality Reporting Center and QualityNet websites. Medicare policy changes frequently. Any links to the Medicare online source documents are for reference use only. In the case that Medicare policy, requirements, or guidance related to this educational resource change following the date of posting, this resource will not necessarily reflect those changes; given that it will remain as an archived copy, it will not be updated.

This educational resource was prepared as a service to the public and is not intended to grant rights or impose obligations. Any references or links to statutes, regulations, and/or other policy materials included are provided as summary information. No material contained therein is intended to take the place of either the written law or regulations. In the event of any conflict between the information provided in the educational resource and any information included in the Medicare rules and/or regulations, the rules and regulations shall govern. The specific statutes, regulations, and other interpretive materials should be reviewed independently for a full accurate statement of their content.