

Tobacco Use (TOB)
Paper Tool for Discharge Measures TOB-1, 2/-2a, 3/-3a
07-01-2016 (Q3 2016) through 12-31-2016 (Q4 2016)

This measure abstraction paper tool is provided as an optional, informal mechanism to aid psychiatric facilities and hospital psychiatric units in the collection of the measures for the Centers for Medicare & Medicaid Services (CMS) Inpatient Psychiatric Facility Quality Reporting IPFQR Program. The tool is designed to collect patient-specific data; however, once abstracted, the data will need to be compiled and reported to CMS in aggregate. It should be noted that skip logic is not contained within the measure abstraction paper tool. If there are any questions or concerns regarding use of this measure abstraction paper tool, please contact the IPFQR Program Support Contractor at IPFQualityReporting@hcqis.org.

Birth Date: _____/_____/_____
Unable to determine (UTD) is not an allowable entry.

Patient Identifier: _____

Admission Date: _____/_____/_____
UTD is not an allowable entry.

Discharge Date: _____/_____/_____
UTD is not an allowable entry.

Individual Medical Record Data Collection Tool

During review of the record, the abstractor will be prompted to enter a 0 or a 1 for both the numerator and denominator for the measure below.

Patient Level – TOB-1

_____ Numerator

_____ Denominator

Patient Level – TOB-2

_____ Numerator

_____ Denominator

Patient Level – TOB-2a

_____ Numerator

_____ Denominator

Tobacco Use (TOB)
Paper Tool for Discharge Measures TOB-1, 2/-2a, 3/-3a
07-01-2016 (Q3 2016) through 12-31-2016 (Q4 2016)

Patient Level – TOB-3

_____ Numerator

_____ Denominator

Patient Level – TOB-3a

_____ Numerator

_____ Denominator

The information from each medical record will be used to determine the numerator and denominator, which will be aggregated for annual entry into the *QualityNet Secure Portal*.

TOB-1

1. What is the patient's age? *Patient Age* (in years) is calculated by *Admission Date* minus *Birth Date*: _____

- If *Patient Age* is fewer than 18 years, the case will be excluded (Measure Category Assignment of "B"). Stop abstracting. The case will not be included in the numerator or denominator for TOB-1. Add 0 to the numerator and denominator for TOB-1.
- If *Patient Age* is 18 years of age or greater, proceed to *Length of Stay*.

2. What is the length of stay? *Length of Stay* (in days) equals *Discharge Date* minus *Admission Date*: _____

- If *Length of Stay* is less than or equal to 1 day, the case will be excluded (Measure Category Assignment of "B"). Stop abstracting. The case will not be included in the numerator or denominator for TOB-1. Add 0 to the numerator and denominator for TOB-1.
- If *Length of Stay* is greater than 1 day, proceed to *Comfort Measures Only*.

3. When is the earliest physician, advanced practice nurse (APN), or physician assistant (PA) documentation of comfort measures only? (*Comfort Measures Only*)

_____ 1 Day 0 or 1: The earliest day the physician/APN/PA documented *Comfort Measures Only* was the day of arrival (Day 0) or day after arrival (Day 1).

_____ 2 Day 2 or after: The earliest day the physician/APN/PA documented *Comfort Measures Only* was 2 or more days after arrival day (Day 2+).

Tobacco Use (TOB)
Paper Tool for Discharge Measures TOB-1, 2/-2a, 3/-3a
07-01-2016 (Q3 2016) through 12-31-2016 (Q4 2016)

- _____ 3 Timing unclear: There is physician/APN/PA documentation of *Comfort Measures Only* during this hospital stay, but whether the earliest documentation of *Comfort Measures Only* was on day 0 or 1 OR after day 1 is unclear.
- _____ 4 Not documented/UTD: There is no physician/APN/PA documentation of *Comfort Measures Only*, or unable to determine from medical record documentation.
- If *Comfort Measures Only* equals 1, 2, or 3, the case will be excluded (Measure Category Assignment of “B”). Stop abstracting. The case will not be included in the numerator or denominator for TOB-1. Add 0 to the numerator and denominator for TOB-1.
 - If *Comfort Measures Only* equals 4, proceed to *Tobacco Use Status*.

4. What is the patient’s *Tobacco Use Status*? (*Tobacco Use Status*)

- _____ 1 The patient has during the past 30 days:
- smoked, on average, five or more cigarettes ($\geq \frac{1}{4}$ pack) daily, and/or
 - smoked cigars and/or pipes daily
- _____ 2 The patient has during the past 30 days:
- smoked, on average, four or fewer cigarettes ($< \frac{1}{4}$ pack) daily, and/or
 - smoked cigarettes, cigars and/or pipes, but not daily, and/or
 - used smokeless tobacco, regardless of frequency
- _____ 3 The patient has not used any forms of tobacco in the past 30 days.
- _____ 4 The patient refused the tobacco use screen.
- _____ 5 The patient was not screened for tobacco use during this hospitalization or unable to determine the patient’s *Tobacco Use Status* from the medical record documentation.
- _____ 6 The patient was not screened for tobacco use during the first day of admission because of cognitive impairment.
- If *Tobacco Use Status* equals 6, the case will be excluded (Measure Category Assignment of “B”). Stop abstracting. The case will not be included in the numerator or denominator for TOB-1. Add 0 to the numerator and denominator for TOB-1.
 - If *Tobacco Use Status* equals 5, the case will be included (Measure Category Assignment of “D”). Stop abstracting. Add 1 to the denominator for TOB-1. Add 0 to the numerator for TOB-1.

Tobacco Use (TOB)
Paper Tool for Discharge Measures TOB-1, 2/-2a, 3/-3a
07-01-2016 (Q3 2016) through 12-31-2016 (Q4 2016)

- If *Tobacco Use Status* equals 1, 2, 3, or 4, the case will be included (Measure Category Assignment of “E”). Stop abstracting. Add 1 to BOTH the numerator and denominator for TOB-1.

TOB-2

- 1. What is the patient’s age?** *Patient Age* (in years) is calculated by *Admission Date* minus *Birth Date*: _____
 - If *Patient Age* is fewer than 18 years, the case will be excluded (Measure Category Assignment of “B”). Stop abstracting. The case will not be included in the numerator or denominator for TOB-2. Add 0 to the numerator and denominator for TOB-2.
 - If *Patient Age* is 18 years of age or greater, proceed to *Length of Stay*.
- 2. What is the length of stay?** *Length of Stay* (in days) equals *Discharge Date* minus *Admission Date*: _____
 - If the *Length of Stay* is less than or equal to 1 day, the case will be excluded (Measure Category Assignment of “B”). Stop abstracting. The case will not be included in the numerator or denominator for TOB-2. Add 0 to the numerator and denominator for TOB-2.
 - If the *Length of Stay* is greater than 1 day, proceed to *Comfort Measures Only*.
- 3. When is the earliest physician, advance practice nurse (APN), or physician assistant (PA) documentation of comfort measures only?** (*Comfort Measures Only*) Enter value from TOB-1: _____
 - If *Comfort Measures Only* equals 1, 2, or 3, the case will be excluded (Measure Category Assignment of “B”). Stop abstracting. The case will not be included in the numerator or denominator for TOB-2. Add 0 to the numerator and denominator for TOB-2.
 - If *Comfort Measures Only* equals 4, proceed to *Tobacco Use Status*.
- 4. What is the patient’s tobacco use status?** (*Tobacco Use Status*) Enter value from TOB-1: _____
 - If *Tobacco Use Status* equals 3, 4, 5 or 6, the case will be excluded (Measure Category Assignment of “B”). Stop abstracting. The case will not be included in the numerator or denominator for TOB-2. Add 0 to the numerator and denominator for TOB-2.
 - If *Tobacco Use Status* equals 1 or 2, proceed to *Tobacco Use Treatment Practical Counseling*.

Tobacco Use (TOB)
Paper Tool for Discharge Measures TOB-1, 2/-2a, 3/-3a
07-01-2016 (Q3 2016) through 12-31-2016 (Q4 2016)

5. Did the patient receive all of the components of practical counseling (recognizing danger situations, developing coping skills, and providing basic information about quitting) during the hospital stay? (*Tobacco Use Treatment Practical Counseling*)

- _____ 1 The patient received all components of practical counseling during the hospital stay.
- _____ 2 The patient refused/declined practical counseling during the hospital stay.
- _____ 3 Practical counseling was not offered to the patient during the hospital stay or unable to determine if tobacco use treatment was provided from medical record documentation.

- If *Tobacco Use Treatment Practical Counseling* equals 3, the case will be included (Measure Category Assignment of “D”). Stop abstracting. Add 1 to the denominator for TOB-2. Add 0 to the numerator for TOB-2. Proceed to TOB-2a.
- If *Tobacco Use Treatment Practical Counseling* equals 1 or 2, proceed to *ICD-10-CM Principal or Other Diagnosis Codes*.

6. What was the ICD-10-CM code selected as the principal diagnosis for this record? (*ICD-10-CM Principal Diagnosis Code*): _____

7. Were there ICD-10-CM other diagnosis codes selected for this medical record? (*ICD-10-CM Other Diagnosis Codes*): _____

- If none of the codes above are on Table 12.3, proceed to recheck *Tobacco Use Status*.
- If at least one code above is on Table 12.3, the case will be included (Measure Category Assignment of “E”). Stop abstracting. Add 1 to BOTH the numerator and denominator for TOB-2. Proceed to TOB-2a.

8. What is the patient’s tobacco use status? (*Tobacco Use Status*) Enter value from TOB-1: _____

- If *Tobacco Use Status* equals 2, the case will be included (Measure Category Assignment of “E”). Stop abstracting. Add 1 to BOTH the numerator and denominator for TOB-2. Proceed to TOB-2a.
- If *Tobacco Use Status* equals 1, proceed to *Tobacco Use Treatment FDA-Approved Cessation Medication*.

Tobacco Use (TOB)
Paper Tool for Discharge Measures TOB-1, 2/-2a, 3/-3a
07-01-2016 (Q3 2016) through 12-31-2016 (Q4 2016)

9. Did the patient receive one of the FDA-approved tobacco cessation medications during the hospital stay? (*Tobacco Use Treatment FDA-Approved Cessation Medication*)

- _____ 1 The patient received one of the FDA-approved tobacco cessation medications during the hospital stay.
- _____ 2 The patient refused the FDA-approved tobacco cessation medications during the hospital stay.
- _____ 3 FDA-approved tobacco cessation medications were not offered to the patient during the hospital stay or unable to determine from medical record documentation.
- If *Tobacco Use Treatment FDA-Approved Cessation Medication* equals 1 or 2, the case will be included (Measure Category Assignment of “E”). Stop abstracting. Add 1 to BOTH the numerator and denominator for TOB-2. Proceed to TOB-2a.
 - If *Tobacco Use Treatment FDA-Approved Cessation Medication* equals 3, proceed to *Reason for No Tobacco Cessation Medication During the Hospital Stay*.

10. Is there documentation of a reason for not administering one of the FDA-approved tobacco cessation medications during the hospital stay? (*Reason for No Tobacco Cessation Medication During the Hospital Stay*)

- _____ Yes There is documentation of a reason for not administering an FDA-approved cessation medication during the hospital stay.
- _____ No There is no documentation of a reason for not administering an FDA-approved cessation medication during the hospital stay or unable to determine from medical record documentation.
- If *Reason for No Tobacco Cessation Medication During the Hospital Stay* equals No, the case will be included (Measure Category Assignment of “D”). Stop abstracting. Add 1 to the denominator for TOB-2. Add 0 to the numerator for TOB-2. Proceed to TOB-2a.
 - If *Reason for No Tobacco Cessation Medication During the Hospital Stay* equals Yes, the case will be included (Measure Category Assignment of “E”). Stop abstracting. Add 1 to BOTH the numerator and denominator for TOB-2. Proceed to TOB-2a.

Tobacco Use (TOB)
Paper Tool for Discharge Measures TOB-1, 2/-2a, 3/-3a
07-01-2016 (Q3 2016) through 12-31-2016 (Q4 2016)

TOB-2a

11. Determine numerator and denominator for TOB-2a

- If the case is excluded for TOB-2 (Measure Category Assignment of “B”), it will not be in sub-measure TOB-2a. Stop abstracting. Add 0 to the numerator and denominator for TOB-2a.
- If the case is included in TOB-2 (Measure Category Assignment of “D” or “E”), recheck *Tobacco Use Treatment Practical Counseling*.

12. Did the patient receive all of the components of practical counseling (recognizing danger situations, developing coping skills, and providing basic information about quitting) during the hospital stay? (*Tobacco Use Treatment Practical Counseling*) Enter value from TOB-2: _____

- If *Tobacco Use Treatment Practical Counseling* equals 2 or 3, the case will be included (Measure Category Assignment of “D”). Stop abstracting. Add 1 to the denominator for TOB-2a. Add 0 to the numerator for TOB-2a.
- If *Tobacco Use Treatment Practical Counseling* equals 1, recheck *ICD-10-CM Principal or Other Diagnosis Codes*.

13. What was the ICD-10-CM code selected as the principal diagnosis for this record? (*ICD-10-CM Principal Diagnosis Code*): _____

14. Were there ICD-10-CM other diagnosis codes selected for this medical record? (*ICD-10-CM Other Diagnosis Codes*): _____

- If none of the codes above are on Table 12.3, recheck *Tobacco Use Status*.
- If at least one code above is on Table 12.3, the case will be included (Measure Category Assignment of “E”). Stop abstracting. Add 1 to BOTH the numerator and denominator for TOB-2a.

15. What is the patient’s tobacco use status? (*Tobacco Use Status*) Enter value from TOB-1: _____

- If *Tobacco Use Status* equals 2, the case is included (Measure Category Assignment of “E”). Stop abstracting. Add 1 to BOTH the numerator and denominator for TOB-2a.
- If *Tobacco Use Status* equals 1, proceed to *Tobacco Use Treatment FDA-Approved Cessation Medication*.

Tobacco Use (TOB)
Paper Tool for Discharge Measures TOB-1, 2/-2a, 3/-3a
07-01-2016 (Q3 2016) through 12-31-2016 (Q4 2016)

16. Did the patient receive one of the FDA-approved tobacco cessation medications during the hospital stay? (*Tobacco Use Treatment FDA-Approved Cessation Medication*) Enter value from TOB-2: _____

- If *Tobacco Use Treatment FDA-Approved Cessation Medication* equals 1, the case is included (Measure Category Assignment of “E”). Stop abstracting. Add 1 to BOTH the numerator and denominator for TOB-2a.
- If *Tobacco Use Treatment FDA-Approved Cessation Medication* equals 2, the case is included (Measure Category Assignment of “D”). Stop abstracting. Add 1 to the denominator for TOB-2a. Add 0 to the numerator for TOB-2a.
- If *Tobacco Use Treatment FDA-Approved Cessation Medication* equals 3, proceed to *Reason for No Tobacco Cessation Medication During the Hospital Stay*.

17. Is there documentation of a reason for not administering one of the FDA-approved tobacco cessation medications during the hospital stay? (*Reason for No Tobacco Cessation Medication During the Hospital Stay*) Enter value from TOB-2: _____

- If *Reason for No Tobacco Cessation Medication During the Hospital Stay* equals No, the case is included (Measure Category Assignment of “D”). Stop abstracting. Add 1 to the denominator for TOB-2a. Add 0 to the numerator for TOB-2a.
- If *Reason for No Tobacco Cessation Medication During the Hospital Stay* equals Yes, the case is included (Measure Category Assignment of “E”). Stop abstracting. Add 1 to BOTH the numerator and denominator for TOB-2a.

TOB-3

1. What is the patient’s age? *Patient Age* (in years) is calculated by *Admission Date* minus *Birth Date*: _____

- If *Patient Age* is fewer than 18 years, the case will be excluded (Measure Category Assignment of “B”). Stop abstracting for TOB-3. The case will not be included in the numerator or denominator count for TOB-3.
- If *Patient Age* is 18 years of age or greater, proceed to *Length of Stay*.

2. What is the length of stay? *Length of Stay* (in days) equals *Discharge Date* minus *Admission Date*: _____

- If *Length of Stay* is less than or equal to 1 day, the case will be excluded (Measure Category Assignment of “B”). Stop abstracting for TOB-3. The case will not be included in the numerator or denominator count for TOB-3.
- If *Length of Stay* is greater than 1 day, proceed to *Comfort Measures Only*.

Tobacco Use (TOB)
Paper Tool for Discharge Measures TOB-1, 2/-2a, 3/-3a
07-01-2016 (Q3 2016) through 12-31-2016 (Q4 2016)

3. When is the earliest physician, advance practice nurse (APN), or physician assistant (PA) documentation of comfort measures only? (*Comfort Measures Only*)

- _____ 1 Day 0 or 1: The earliest day the physician/APN/PA documented *Comfort Measures Only* was the day of arrival (Day 0) or day after arrival (Day 1).
- _____ 2 Day 2 or after: The earliest day the physician/APN/PA documented *Comfort Measures Only* was two or more days after arrival day (Day 2+).
- _____ 3 Timing unclear: There is physician/APN/PA documentation of *Comfort Measures Only* during this hospital stay, but whether the earliest documentation of *Comfort Measures Only* was on day 0 or 1 OR after day 1 is unclear.
- _____ 4 Not documented/UTD: There is no physician/APN/PA documentation of *Comfort Measures Only*, or unable to determine from medical record documentation.
- If *Comfort Measures Only* equals 1, 2, or 3, the case will be excluded (Measure Category Assignment of "B"). Stop abstracting for TOB-3. The case will not be included in the numerator or denominator count for TOB-3.
 - If *Comfort Measures Only* equals 4, proceed to *Tobacco Use Status*.

4. What is the patient's tobacco use status? (*Tobacco Use Status*) Enter value from TOB-1: _____

- If *Tobacco Use Status* equals 3, 4, 5 or 6, the case will be excluded. (Measure Category Assignment of "B"). Stop abstracting for TOB-3. The case will not be included in the numerator or denominator count for TOB-3.
- If *Tobacco Use Status* equals 1 or 2, proceed to *Discharge Disposition*.

5. What was the patient's discharge disposition on the day of discharge? (*Discharge Disposition*)

- _____ 1 Home
- _____ 2 Hospice – home
- _____ 3 Hospice – healthcare facility
- _____ 4 Acute care facility
- _____ 5 Other healthcare facility
- _____ 6 Expired
- _____ 7 Left against medical advice/AMA
- _____ 8 Not Documented or Unable to Determine (UTD)

Tobacco Use (TOB)
Paper Tool for Discharge Measures TOB-1, 2/-2a, 3/-3a
07-01-2016 (Q3 2016) through 12-31-2016 (Q4 2016)

- If *Discharge Disposition* equals 2, 3, 4, 5, 6, or 7, the case will be excluded (Measure Category Assignment of “B”). Stop abstracting for TOB-3. The case will not be included in the numerator or denominator count for TOB-3.
- If *Discharge Disposition* equals 1 or 8, proceed to *Referral for Outpatient Tobacco Cessation Counseling*.

6. Did the patient receive a referral for outpatient tobacco cessation counseling?
(*Referral for Outpatient Tobacco Cessation Counseling*)

- ___ 1 The *Referral for Outpatient Tobacco Cessation Counseling* treatment was made by the healthcare provider or health care organization at any time prior to discharge.
- ___ 2 Referral information was given to the patient at discharge but the appointment was not made by the provider or healthcare organization prior to discharge.
- ___ 3 The patient refused the *Referral for Outpatient Tobacco Cessation Counseling* treatment and the referral was not made.
- ___ 4 The patient’s residence is not in the USA.
- ___ 5 The *Referral for Outpatient Tobacco Cessation Counseling* treatment was not offered at discharge or unable to determine from the medical record documentation.

- If *Referral for Outpatient Tobacco Cessation Counseling* equals 4, the case will be excluded (Measure Category Assignment of “B”). Stop abstracting for TOB-3. The case will not be included in the numerator or denominator count for TOB-3.
- If *Referral for Outpatient Tobacco Cessation Counseling* equals 2 or 5, the case will be included (Measure Category Assignment of “D”). Add 1 to the denominator for TOB-3. Add 0 to the numerator for TOB-3. Proceed to TOB-3a.
- If *Referral for Outpatient Tobacco Cessation Counseling* equals 1 or 3, proceed to *ICD-10-CM Principal or Other Diagnosis Codes*.

7. What was the ICD-10-CM code selected as the principal diagnosis for this record? (*ICD-10-CM Principal Diagnosis Code*): _____

8. Were there ICD-10-CM other diagnosis codes selected for this medical record? (*ICD-10-CM Other Diagnosis Codes*): _____

- If none of the codes above are on Table 12.3, recheck *Tobacco Use Status*.
- If at least one code above is on Table 12.3, the case will be included (Measure Category Assignment of “E”). Add 1 to BOTH the numerator and denominator count for TOB-3. Proceed to TOB-3a.

Tobacco Use (TOB)
Paper Tool for Discharge Measures TOB-1, 2/-2a, 3/-3a
07-01-2016 (Q3 2016) through 12-31-2016 (Q4 2016)

9. What is the patient's tobacco use status? (*Tobacco Use Status*) Enter value from TOB-1: _____

- If *Tobacco Use Status* equals 2, the case will be included (Measure Category Assignment of "E"). Add 1 to BOTH the numerator and denominator count for TOB-3. Proceed to TOB-3a.
- If *Tobacco Use Status* equals 1, check *Prescription for Tobacco Cessation Medication*.

10. Was an FDA-approved tobacco cessation medication prescribed at discharge? (*Prescription for Tobacco Cessation Medication*)

- _____ 1 A *Prescription for Tobacco Cessation Medication* was given to the patient at discharge.
- _____ 2 A *Prescription for Tobacco Cessation Medication* was offered at discharge and the patient refused.
- _____ 3 The patient's residence is not in the USA.
- _____ 4 A *Prescription for Tobacco Cessation Medication* was not offered at discharge or unable to determine from medical record documentation.

- If *Prescription for Tobacco Cessation Medication* equals 3, the case will be excluded (Measure Category Assignment of "B"). Stop abstracting for TOB-3. The case will not be included in the numerator or denominator count for TOB-3.
- If *Prescription for Tobacco Cessation Medication* equals 1 or 2, the case will be included (Measure Category Assignment of "E"). Add 1 to BOTH the numerator and denominator count for TOB-3. Proceed to TOB-3a.
- If *Prescription for Tobacco Cessation Medication* equals 4, proceed to *Reason for No Tobacco Cessation Medication at Discharge*.

11. Is there documentation of a reason for not prescribing one of the FDA-approved tobacco cessation medications at discharge? (*Reason for No Tobacco Cessation Medication at Discharge*)

- _____ Yes There is documentation of a reason for not prescribing an FDA-approved cessation medication at discharge.
- _____ No There is no documentation of a reason for not prescribing an FDA-approved cessation medication at discharge or unable to determine from medical record documentation.

- If *Reason for No Tobacco Cessation Medication at Discharge* equals No, the case will be included (Measure Category Assignment of "D"). Add 1 to the denominator for TOB-3. Add 0 to the numerator for TOB-3. Proceed to TOB-3a.
- If *Reason for No Tobacco Cessation Medication at Discharge* equals Yes, the case will be included (Measure Category Assignment of "E"). Add 1 to BOTH the numerator and denominator count for TOB-3. Proceed to TOB-3a.

Tobacco Use (TOB)
Paper Tool for Discharge Measures TOB-1, 2/-2a, 3/-3a
07-01-2016 (Q3 2016) through 12-31-2016 (Q4 2016)

12. Determine numerator and denominator for TOB-3a

- If the case is excluded for TOB-3 (Measure Category Assignment of “B”), it will not be in sub-measure TOB-3a. Stop abstracting. Add 0 to the numerator and denominator for TOB-3a.
- If the case is included in TOB-3 (Measure Category Assignment of “D” or “E”), recheck *Referral for Outpatient Tobacco Cessation Counseling*.

13. Did the patient receive a referral for outpatient tobacco cessation counseling?
(*Referral for Outpatient Tobacco Cessation Counseling*)

- If *Referral for Outpatient Tobacco Cessation Counseling* equals 2, 3, or 5, the case will be included (Measure Category Assignment of “D”). Add 1 to the denominator for TOB-3a. Add 0 to the numerator for TOB-3a. Stop abstracting.
- If *Referral for Outpatient Tobacco Cessation Counseling* equals 1, proceed to *ICD-10-CM Principal Diagnosis or Other Diagnosis Codes*.

14. What was the ICD-10-CM code selected as the principal diagnosis for this record? (*ICD-10-CM Principal Diagnosis Code*): _____

15. Were there ICD-10-CM other diagnosis codes selected for this medical record?
(*ICD-10-CM Other Diagnosis Codes*): _____

- If none of the codes above are on Table 12.3, check *Tobacco Use Status*.
- If at least one code above is on Table 12.3, the case will be included (Measure Category Assignment of “E”). Add 1 to BOTH the numerator and denominator count for TOB-3a. Stop abstracting.

16. What is the patient’s tobacco use status? (*Tobacco Use Status*) Enter value from TOB-1: _____

- If *Tobacco Use Status* equals 2, the case is included (Measure Category Assignment of “E”). Add 1 to BOTH the numerator and denominator count for TOB-3a. Stop abstracting.
- If *Tobacco Use Status* equals 1, proceed to *Prescription for Tobacco Cessation Medication*.

Tobacco Use (TOB)
Paper Tool for Discharge Measures TOB-1, 2/-2a, 3/-3a
07-01-2016 (Q3 2016) through 12-31-2016 (Q4 2016)

17. Was an FDA-approved tobacco cessation medication prescribed at discharge?
(Prescription for Tobacco Cessation Medication)

- If *Prescription for Tobacco Cessation Medication* equals 1, the case is included (Measure Category Assignment of “E”). Add 1 to BOTH the numerator and denominator count for TOB-3a. Stop abstracting.
- If *Prescription for Tobacco Cessation Medication* equals 2, the case is included (Measure Category Assignment of “D”). Add 1 to the denominator count for TOB-3a. Add 0 to the numerator count for TOB-3a. Stop abstracting.
- If *Prescription for Tobacco Cessation Medication* equals 4, proceed to *Reason for No Tobacco Cessation Medication at Discharge*.

18. Is there documentation of a reason for not prescribing tobacco cessation medications at discharge? *(Reason for No Tobacco Cessation Medication at Discharge)*. Enter value from TOB-3: _____

- If *Reason for No Tobacco Cessation Medication at Discharge* equals No, the case is included (Measure Category Assignment of “D”). Add 1 to the denominator count for TOB-3a. Add 0 to the numerator count for TOB-3a. Stop abstracting.
- If *Reason for No Tobacco Cessation Medication at Discharge* equals Yes, the case is included (Measure Category Assignment of “E”). Add 1 to BOTH the numerator and denominator count for TOB-3a. Stop abstracting.